


The diagram shows a frame structure with a total width of 6 units (divided into three segments of 2 units each) and a total height of 3 units (divided into a top segment of 1 unit and a bottom segment of 2 units). The structure consists of a top horizontal beam and a bottom horizontal beam, connected by three vertical columns. The left end of the top beam is labeled 'A' with a vertical arrow pointing upwards. The right end of the bottom beam is labeled 'A' with a vertical arrow pointing downwards. The top beam has a height of 1 unit, and the bottom beam has a height of 2 units. The columns are located at the boundaries of the three 2-unit segments. The columns are represented by dashed lines, indicating they are not part of the main structure. The top beam is represented by a solid line, and the bottom beam is represented by a solid line.

Poszycie z desek 2,0x0,05x0,20 m

Legary podłużne 0,15x0,05 m

Kleszcze 2,0x0,05x0,20 m

Pale drewniane Ø100 mm

inwestor: Powiat Gryfiński - Zarząd Powiatu w Gryfinie ul. Sprzymierzonych 4, 74-100 Gryfino	
nazwa przedsięwzięcia: "Wykonanie dokumentacji technicznej na likwidację 18 pomostów na jeziorze Steklnio"	
branża: HYDROTECHNICZNA	
SZKIC OBIEKTU BUDOWLANEGO - POMOST NR 16	
lokalizacja/adres: Obręb: Steklnio dz.nr: 74/2	skala rysunku: 1:100
	stadium: DOKUMENTACJA TECHNICZNA
	data: LISTOPAD 2021r.
Piotr Balliński PROJEKT; Darskowo 7c; 78-520 Złocieniec; tel. +48 608 378 751 adres korespondencyjny: ul. Gen. J.H.Dąbrowskiego 24-25 70-100 Szczecin	
3.10	