

Single CPU Systems

Last updated on the 11th of March 2022

Column

AMD Ryzen Threadripper PRO 5995WX	108,822
AMD EPYC 7763	88,338
AMD EPYC 7J13	86,006
AMD EPYC 7713	85,947
AMD Ryzen Threadripper PRO 3995WX	85,161
AMD Ryzen Threadripper 3990X	81,264
AMD EPYC 7B13	77,460
AMD EPYC 7643	76,455
AMD EPYC 7702	71,646
AMD EPYC 7662	71,576
AMD EPYC 7742	68,749
AMD EPYC 75F3	68,505
AMD Ryzen Threadripper PRO 5965WX	68,405
AMD EPYC 7543P	67,733
AMD EPYC 7R32	64,727
AMD Ryzen Threadripper 3970X	64,033
AMD Ryzen Threadripper PRO 3975WX	63,120
Intel Xeon Platinum 8380 @ 2.30GHz	62,317
AMD EPYC 74F3	60,948
AMD EPYC 7702P	60,779
AMD EPYC 7443P	57,660
AMD EPYC 7513	57,408
AMD EPYC 7542	56,728
AMD EPYC 7543	56,359
AMD EPYC 7532	55,358
AMD Ryzen Threadripper 3960X	54,717
Intel Xeon Platinum 8358 @ 2.60GHz	54,416
Intel Xeon Gold 6348 @ 2.60GHz	53,112
AMD Ryzen Threadripper PRO 5955WX	51,656
AMD EPYC 7402	51,368
AMD EPYC 7502	49,177

<u>Intel Xeon Gold 6342 @ 2.80GHz</u>	48,330
<u>AMD EPYC 7502P</u>	47,490
<u>Intel Xeon Platinum 8375C @ 2.90GHz</u>	46,912
<u>AMD EPYC 7413</u>	46,295
<u>AMD Ryzen 9 5950X</u>	46,205
<u>AMD EPYC 73F3</u>	46,085
<u>AMD EPYC 7343</u>	45,882
<u>Intel Xeon Gold 6336Y @ 2.40GHz</u>	45,517
<u>Intel Xeon Gold 6312U @ 2.40GHz</u>	43,745
<u>Intel Xeon Gold 6330 @ 2.00GHz</u>	43,056
<u>AMD EPYC 7452</u>	41,871
<u>AMD EPYC 7402P</u>	41,741
<u>Intel Xeon W-3275M @ 2.50GHz</u>	41,582
<u>AMD Ryzen Threadripper PRO 5945WX</u>	41,570
<u>Intel Xeon Gold 6354 @ 3.00GHz</u>	41,434
<u>Intel Core i9-12900KF</u>	41,004
<u>AMD EPYC 7F52</u>	40,951
<u>Intel Core i9-12900K</u>	40,792
<u>AMD EPYC 7352</u>	40,472
<u>AMD Ryzen Threadripper PRO 3955WX</u>	40,164
<u>AMD EPYC 7313</u>	39,829
<u>Intel Xeon W-3265M @ 2.70GHz</u>	39,765
<u>AMD Ryzen 9 5900X</u>	39,488
<u>Intel Core i9-12900</u>	39,397
<u>AMD Ryzen 9 3950X</u>	39,162
<u>Intel Xeon Gold 6248R @ 3.00GHz</u>	38,604
<u>AMD EPYC 7313P</u>	38,537
<u>ARM Neoverse-N1 80 Core 3000 MHz</u>	38,122
<u>ARM Neoverse-N1 80 Core 0 MHz</u>	37,809
<u>Intel Xeon Gold 6346 @ 3.10GHz</u>	37,609
<u>Intel Xeon Platinum 8280 @ 2.70GHz</u>	37,575
<u>Intel Xeon Gold 6238R @ 2.20GHz</u>	37,511
<u>Intel Xeon Silver 4316 @ 2.30GHz</u>	37,264
<u>Intel Xeon W-3175X @ 3.10GHz</u>	37,167
<u>Intel Xeon Gold 6326 @ 2.90GHz</u>	35,860

<u>Intel Core i9-12900T</u>	35,833
<u>Intel Core i9-12900F</u>	35,651
<u>Intel Xeon Gold 6242R @ 3.10GHz</u>	35,352
<u>AMD Ryzen 9 5900</u>	35,051
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970
<u>Intel Core i7-12700KF</u>	33,839
<u>Intel Core i7-12700K</u>	33,719
<u>Intel Core i9-10980XE @ 3.00GHz</u>	33,623
<u>AMD Ryzen Threadripper PRO 3945WX</u>	33,426
<u>Intel Xeon Gold 5220R @ 2.20GHz</u>	33,370
<u>AMD EPYC 7302</u>	33,015
<u>AMD Ryzen 9 3900XT</u>	32,876
<u>AMD Ryzen 9 3900X</u>	32,776
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	32,616
<u>AMD EPYC 7302P</u>	32,480
<u>Intel Xeon Gold 6252 @ 2.10GHz</u>	32,410
<u>AMD Ryzen Threadripper 2990WX</u>	32,273
<u>Intel Core i9-9980XE @ 3.00GHz</u>	32,042
<u>AMD EPYC 7401P</u>	31,767
<u>Intel Xeon W-2295 @ 3.00GHz</u>	31,715
<u>AMD EPYC 7282</u>	31,631
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>	31,500
<u>AMD Ryzen 9 PRO 3900</u>	31,484
<u>AMD EPYC 7371</u>	31,094
<u>Intel Core i9-9960X @ 3.10GHz</u>	31,089
<u>Intel Core i7-12700</u>	31,031
<u>Intel Core i7-12700F</u>	31,026
<u>Intel Core i9-12900H</u>	30,926
<u>AMD Ryzen 9 3900</u>	30,692
<u>Intel Xeon Gold 6253CL @ 3.10GHz</u>	30,616
<u>Intel Xeon Silver 4314 @ 2.40GHz</u>	30,525
<u>Intel Xeon Gold 6230R @ 2.10GHz</u>	30,391
<u>Intel Xeon W-3245 @ 3.20GHz</u>	30,246
<u>Intel Core i9-9990XE @ 4.00GHz</u>	30,162
<u>Intel Xeon Gold 6246R @ 3.40GHz</u>	30,145

<u>Intel Xeon W-3265 @ 2.70GHz</u>	30,105
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	30,103
<u>AMD Ryzen Threadripper 2950X</u>	29,932
<u>AMD Ryzen Threadripper 2970WX</u>	29,523
<u>Intel Core i9-7980XE @ 2.60GHz</u>	29,492
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	29,356
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	28,915
<u>Intel Xeon W-2191B @ 2.30GHz</u>	28,797
<u>Intel Core i9-10940X @ 3.30GHz</u>	28,650
<u>Intel Xeon Gold 5317 @ 3.00GHz</u>	28,580
<u>Intel Core i9-9940X @ 3.30GHz</u>	28,477
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	28,416
<u>AMD Ryzen 7 5800X</u>	28,396
<u>Intel Core i7-12700H</u>	28,003
<u>Intel Xeon W-2275 @ 3.30GHz</u>	27,933
<u>AMD Ryzen Threadripper 1950X</u>	27,894
<u>Intel Xeon Gold 6238 @ 2.10GHz</u>	27,617
<u>Intel Xeon Gold 6212U @ 2.40GHz</u>	27,470
<u>AMD EPYC 7571</u>	27,445
<u>Intel Xeon Platinum 8173M @ 2.00GHz</u>	27,377
<u>Intel Xeon W-2195 @ 2.30GHz</u>	27,325
<u>Intel Core i5-12600KF</u>	27,169
<u>Intel Core i5-12600K</u>	27,097
<u>Intel Xeon Gold 6226R @ 2.90GHz</u>	26,981
<u>Intel Xeon Gold 6208U @ 2.90GHz</u>	26,901
<u>Intel Core i9-10920X @ 3.50GHz</u>	26,810
<u>Intel Core i9-7960X @ 2.80GHz</u>	26,699
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	26,659
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	26,657
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,560
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	26,485
<u>AMD Ryzen Threadripper 2990X</u>	26,469
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	26,458
<u>AMD EPYC 7272</u>	26,446
<u>Intel Xeon Gold 6242 @ 2.80GHz</u>	26,288

<u>Intel Xeon E5-2698R v4 @ 2.20GHz</u>	26,198
<u>Intel Xeon W-1390P @ 3.50GHz</u>	26,031
<u>Intel Xeon W-3235 @ 3.30GHz</u>	25,974
<u>Intel Xeon W-3323 @ 3.50GHz</u>	25,875
<u>Intel Xeon W-2265 @ 3.50GHz</u>	25,866
<u>Intel Xeon E-2388G @ 3.20GHz</u>	25,777
<u>Intel Xeon Gold 5220 @ 2.20GHz</u>	25,740
<u>Intel Core i9-11900K @ 3.50GHz</u>	25,568
<u>AMD Ryzen Threadripper 2920X</u>	25,528
<u>Intel Core i9-11900KF @ 3.50GHz</u>	25,517
<u>AMD Ryzen 7 5800</u>	25,488
<u>AMD Ryzen 9 6900HS</u>	25,410
<u>Intel Xeon Platinum 8167M @ 2.00GHz</u>	25,396
<u>Intel Core i9-9920X @ 3.50GHz</u>	25,278
<u>Intel Xeon W-1370P @ 3.60GHz</u>	25,202
<u>Intel Xeon Gold 5218R @ 2.10GHz</u>	25,191
<u>AMD Ryzen 7 PRO 5750G</u>	25,178
<u>AMD EPYC 7501</u>	24,925
<u>Intel Core i7-11700K @ 3.60GHz</u>	24,875
<u>Intel Xeon Gold 6138T @ 2.00GHz</u>	24,800
<u>Intel Xeon Gold 6143 @ 2.80GHz</u>	24,786
<u>Intel Xeon W-2170B @ 2.50GHz</u>	24,745
<u>AMD Ryzen 7 5700G</u>	24,568
<u>Intel Xeon W-1370 @ 2.90GHz</u>	24,511
<u>Intel Xeon Gold 6150 @ 2.70GHz</u>	24,489
<u>Intel Xeon Gold 6246 @ 3.30GHz</u>	24,446
<u>Intel Xeon E5-2699 v4 @ 2.20GHz</u>	24,415
<u>Intel Core i7-11700KF @ 3.60GHz</u>	24,309
<u>Intel Xeon Gold 6248 @ 2.50GHz</u>	24,234
<u>Intel Xeon W-11955M @ 2.60GHz</u>	24,218
<u>Intel Core i9-11900F @ 2.50GHz</u>	24,038
<u>AMD EPYC 7551P</u>	23,927
<u>Intel Core i9-12900HK</u>	23,859
<u>AMD Ryzen 7 3800XT</u>	23,837
<u>Intel Core i9-10900K @ 3.70GHz</u>	23,811

<u>AMD Ryzen 9 5980HX</u>	23,680
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	23,677
<u>Intel Xeon W-1390 @ 2.80GHz</u>	23,635
<u>Intel Xeon Silver 4310 @ 2.10GHz</u>	23,589
<u>Intel Core i9-10900KF @ 3.70GHz</u>	23,574
<u>AMD EPYC 7351</u>	23,566
<u>Apple M1 Pro 10 Core 3200 MHz</u>	23,553
<u>Intel Xeon E5-2679 v4 @ 2.50GHz</u>	23,512
<u>Apple M1 Max 10 Core 3200 MHz</u>	23,468
<u>Intel Core i9-11980HK @ 2.60GHz</u>	23,466
<u>Intel Xeon Gold 6146 @ 3.20GHz</u>	23,432
<u>Intel Core i5-1250P</u>	23,298
<u>AMD Ryzen 7 3800X</u>	23,283
<u>Intel Core i9-11900 @ 2.50GHz</u>	23,274
<u>Intel Core i9-7920X @ 2.90GHz</u>	23,266
<u>Intel Xeon W-2175 @ 2.50GHz</u>	23,215
<u>AMD Ryzen 9 5900HX</u>	23,203
<u>Intel Xeon Platinum 8176 @ 2.10GHz</u>	23,179
<u>AMD Ryzen Threadripper 1920X</u>	23,166
<u>Intel Core i9-10850K @ 3.60GHz</u>	23,157
<u>Intel Core i9-11900KB @ 3.30GHz</u>	23,069
<u>AMD EPYC 7F32</u>	23,026
<u>AMD EPYC 7551</u>	23,002
<u>Intel Xeon W-1290P @ 3.70GHz</u>	23,000
<u>Intel Xeon Gold 6138 @ 2.00GHz</u>	22,851
<u>Intel Core i7-1270P</u>	22,842
<u>Intel Xeon E5-2696 v4 @ 2.20GHz</u>	22,810
<u>AMD Ryzen 7 6800H</u>	22,771
<u>AMD Ryzen 7 3700X</u>	22,733
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	22,733
<u>Intel Core i9-10900X @ 3.70GHz</u>	22,731
<u>Intel Core i9-11950H @ 2.60GHz</u>	22,728
<u>AMD Ryzen 7 PRO 3700</u>	22,624
<u>AMD Ryzen 7 5700GE</u>	22,566
<u>AMD Ryzen 7 PRO 5750GE</u>	22,487

<u>Intel Xeon Platinum 8124M @ 3.00GHz</u>	22,298
<u>AMD Ryzen 9 5900HS</u>	22,295
<u>Intel Xeon Gold 6152 @ 2.10GHz</u>	22,291
<u>Intel Xeon Gold 6136 @ 3.00GHz</u>	22,266
<u>Intel Core i7-11700B @ 3.20GHz</u>	22,238
<u>Intel Xeon Gold 6334 @ 3.60GHz</u>	22,160
<u>AMD Ryzen 5 5600X</u>	22,120
<u>Intel Xeon Gold 5218 @ 2.30GHz</u>	22,117
<u>AMD Ryzen Threadripper 1920</u>	22,066
<u>Intel Xeon W-1290E @ 3.50GHz</u>	22,066
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,843
<u>Intel Xeon Gold 6130T @ 2.10GHz</u>	21,803
<u>Intel Core i9-11900H @ 2.50GHz</u>	21,800
<u>Intel Xeon E5-2698 v4 @ 2.20GHz</u>	21,755
<u>Intel Xeon W-2255 @ 3.70GHz</u>	21,736
<u>Intel Core i5-1240P</u>	21,646
<u>Intel Core i7-11800H @ 2.30GHz</u>	21,571
<u>Intel Core i7-11700F @ 2.50GHz</u>	21,550
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	21,545
<u>Intel Core i9-10910 @ 3.60GHz</u>	21,529
<u>AMD Ryzen 7 5800H</u>	21,494
<u>AMD Ryzen 9 5980HS</u>	21,412
<u>Intel Core i7-11850H @ 2.50GHz</u>	21,409
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	21,362
<u>Intel Core i9-7900X @ 3.30GHz</u>	21,270
<u>Intel Core i5-12600</u>	21,241
<u>AMD EPYC 7281</u>	21,230
<u>Intel Xeon Gold 5315Y @ 3.20GHz</u>	21,225
<u>Intel Xeon W-2155 @ 3.30GHz</u>	21,112
<u>Intel Core i9-11900T @ 1.50GHz</u>	21,095
<u>Intel Core i7-11700 @ 2.50GHz</u>	21,048
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	21,042
<u>AMD Ryzen 7 5800HS Creator Edition</u>	21,026
<u>Intel Xeon Silver 4310T @ 2.30GHz</u>	20,973
<u>AMD Ryzen 9 5900H</u>	20,960

Intel Xeon E5-2699 v3 @ 2.30GHz	20,957
Intel Core i9-10900F @ 2.80GHz	20,932
AMD EPYC 7262	20,875
AMD Ryzen 7 PRO 4700G	20,848
Intel Xeon E5-2697R v4 @ 2.30GHz	20,843
AMD Ryzen 5 PRO 5650G	20,764
Intel Xeon Gold 6130 @ 2.10GHz	20,721
AMD Ryzen 7 5800HS	20,715
Intel Xeon W-1290 @ 3.20GHz	20,702
Intel Core i9-10900E @ 2.80GHz	20,658
AMD Ryzen 7 PRO 4750G	20,600
Intel Core i9-10900 @ 2.80GHz	20,506
AMD EPYC 7451	20,471
AMD Ryzen 7 4700GE	20,414
Intel Core i5-12500	20,404
Intel Xeon E5-2695 v4 @ 2.10GHz	20,373
Intel Xeon E5-2690 v4 @ 2.60GHz	20,263
AMD Ryzen 7 4700G	20,138
Intel Xeon E5-2699C v4 @ 2.20GHz	20,079
Intel Core i5-12400	19,959
Intel Xeon W-1350P @ 4.00GHz	19,935
Intel Xeon W-2150B @ 3.00GHz	19,933
Intel Core i5-11600K @ 3.90GHz	19,900
AMD Ryzen 5 5600G	19,847
Intel Core i5-12450H	19,820
Intel Xeon Gold 6226 @ 2.70GHz	19,810
Intel Xeon E5-2698 v3 @ 2.30GHz	19,794
Intel Core i5-11600KF @ 3.90GHz	19,792
Intel Core i5-12400F	19,718
AMD EPYC 7351P	19,589
Intel Xeon E5-2682 v4 @ 2.50GHz	19,551
AMD EPYC 7252	19,550
Intel Core i9-9900KS @ 4.00GHz	19,514
AMD Ryzen 9 4900HS	19,478
Intel Xeon Silver 4216 @ 2.10GHz	19,451

Intel Xeon W-2245 @ 3.90GHz	19,401
Intel Xeon Gold 6137 @ 3.90GHz	19,365
Intel Core i7-7900X @ 3.30GHz	19,358
Intel Core i7-10700K @ 3.80GHz	19,336
AMD Ryzen 9 4900H	19,288
Intel Xeon W-1270P @ 3.80GHz	19,245
Intel Xeon Gold 6126 @ 2.60GHz	19,223
Intel Xeon E5-2697 v3 @ 2.60GHz	19,192
Intel Xeon W-11855M @ 3.20GHz	19,178
Intel Core i7-10700KF @ 3.80GHz	19,162
AMD Ryzen 7 4800H	19,068
Intel Xeon Silver 4309Y @ 2.80GHz	19,010
Intel Xeon E5-2676 v4 @ 2.40GHz	18,978
AMD Ryzen 7 5800U	18,915
Intel Xeon E-2356G @ 3.20GHz	18,912
AMD Ryzen 7 4800HS	18,882
AMD Ryzen 5 5600GE	18,879
AMD Ryzen 5 PRO 5650GE	18,830
AMD Ryzen 5 3600XT	18,795
Intel Xeon Silver 4214R @ 2.40GHz	18,776
Intel Core i9-9900K @ 3.60GHz	18,748
Intel Core i9-9900KF @ 3.60GHz	18,716
Intel Xeon W-1350 @ 3.30GHz	18,682
Intel Xeon Gold 6144 @ 3.50GHz	18,656
AMD Ryzen 7 PRO 4750GE	18,531
Intel Xeon W-1290T @ 1.90GHz	18,409
Intel Xeon D-2183IT @ 2.20GHz	18,385
Intel Core i5-11600 @ 2.80GHz	18,365
AMD Ryzen 5 3600X	18,293
Intel Xeon E7-8880 v3 @ 2.30GHz	18,244
Intel Core i7-9800X @ 3.80GHz	18,240
Intel Core i9-9820X @ 3.30GHz	18,240
AMD Ryzen 7 Extreme Edition	18,209
Apple M1 Pro 8 Core 3200 MHz	18,190
Intel Xeon W-2145 @ 3.70GHz	18,183

<u>AMD 4700S</u>	18,178
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	18,148
<u>Intel Xeon W-1270 @ 3.40GHz</u>	18,093
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	18,070
<u>AMD Ryzen Embedded V2718</u>	17,972
<u>AMD Ryzen 5 PRO 3600</u>	17,900
<u>Intel Core i9-10900TE @ 1.80GHz</u>	17,888
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	17,878
<u>AMD Ryzen 7 PRO 5850U</u>	17,851
<u>AMD Ryzen 5 3600</u>	17,825
<u>Intel Xeon E5-2680R v4 @ 2.40GHz</u>	17,795
<u>Intel Core i5-11500B @ 3.30GHz</u>	17,783
<u>Intel Xeon E5-2687W v4 @ 3.00GHz</u>	17,757
<u>Intel Xeon Gold 5120 @ 2.20GHz</u>	17,686
<u>Intel Xeon E-2278G @ 3.40GHz</u>	17,684
<u>Intel Core i5-11500 @ 2.70GHz</u>	17,630
<u>AMD Ryzen 7 2700X</u>	17,579
<u>Intel Xeon E-2378 @ 2.60GHz</u>	17,564
<u>Intel Xeon W-2140B @ 3.20GHz</u>	17,549
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	17,540
<u>Intel Xeon E5-2673 v4 @ 2.30GHz</u>	17,533
<u>Intel Xeon E5-4669 v3 @ 2.10GHz</u>	17,430
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,391
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	17,388
<u>Intel Xeon W-3223 @ 3.50GHz</u>	17,378
<u>Intel Core i7-7820X @ 3.60GHz</u>	17,336
<u>AMD Ryzen 7 PRO 2700X</u>	17,221
<u>Intel Xeon E-2278GE @ 3.30GHz</u>	17,210
<u>AMD Ryzen 5 5600H</u>	17,188
<u>Intel Core i5-11400 @ 2.60GHz</u>	17,132
<u>Intel Xeon E-2288G @ 3.70GHz</u>	17,128
<u>AMD Ryzen 7 4800U</u>	17,097
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,077
<u>Intel Core i7-10700 @ 2.90GHz</u>	17,041
<u>Intel Core i7-10700E @ 2.90GHz</u>	17,020

<u>AMD EPYC 7232P</u>	17,017
<u>Intel Core i9-9900 @ 3.10GHz</u>	16,959
<u>Intel Core i7-10700F @ 2.90GHz</u>	16,958
<u>Intel Xeon E5-2689 v4 @ 3.10GHz</u>	16,936
<u>AMD Ryzen Threadripper 1900X</u>	16,901
<u>Intel Xeon E5-2686 v4 @ 2.30GHz</u>	16,745
<u>Intel Xeon Gold 6134 @ 3.20GHz</u>	16,511
<u>AMD Ryzen 5 PRO 4400G</u>	16,456
<u>AMD Ryzen 5 PRO 4650G</u>	16,447
<u>Intel Xeon E5-2690 v3 @ 2.60GHz</u>	16,430
<u>Intel Core i5-11500H @ 2.90GHz</u>	16,396
<u>Intel Core i7-10700TE @ 2.00GHz</u>	16,332
<u>Intel Core i9-10980HK @ 2.40GHz</u>	16,329
<u>Intel Xeon Silver 4214 @ 2.20GHz</u>	16,323
<u>AMD Ryzen 7 1800X</u>	16,294
<u>AMD Ryzen 7 5700U</u>	16,213
<u>AMD Ryzen Embedded V2748</u>	16,186
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>	16,107
<u>Intel Core i5-11400H @ 2.70GHz</u>	16,077
<u>Intel Xeon E5-2695 v3 @ 2.30GHz</u>	16,032
<u>Intel Core i7-11600H @ 2.90GHz</u>	16,030
<u>Intel Xeon Gold 5118 @ 2.30GHz</u>	16,015
<u>Intel Xeon W-10885M @ 2.40GHz</u>	16,013
<u>AMD Ryzen 7 4850U Mobile</u>	15,920
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	15,816
<u>Intel Core i9-10885H @ 2.40GHz</u>	15,767
<u>Intel Core i9-10900T @ 1.90GHz</u>	15,697
<u>AMD Ryzen 5 4600GE</u>	15,656
<u>AMD Ryzen 5 PRO 4650GE</u>	15,651
<u>AMD Ryzen 7 2700</u>	15,645
<u>Intel Xeon E-2286M @ 2.40GHz</u>	15,593
<u>AMD Ryzen 5 5625U</u>	15,591
<u>AMD Ryzen 5 4600G</u>	15,559
<u>AMD Ryzen 7 PRO 1700X</u>	15,530
<u>Intel Xeon E5-2680 v3 @ 2.50GHz</u>	15,522

<u>AMD Ryzen 7 PRO 4750U</u>	15,514
<u>AMD Ryzen 7 1700X</u>	15,502
<u>Intel Core i7-10875H @ 2.30GHz</u>	15,487
<u>AMD Ryzen 5 PRO 5650U</u>	15,421
<u>Intel Xeon Gold 5215 @ 2.50GHz</u>	15,420
<u>AMD Ryzen 5 5600U</u>	15,419
<u>Intel Xeon E-2336 @ 2.90GHz</u>	15,419
<u>Intel Xeon E5-4667 v3 @ 2.00GHz</u>	15,397
<u>Intel Core i5-11600T @ 1.70GHz</u>	15,254
<u>Intel Xeon Silver 4214Y @ 2.20GHz</u>	15,248
<u>Intel Core i7-11700T @ 1.40GHz</u>	15,220
<u>Intel Xeon Silver 4116T @ 2.10GHz</u>	15,187
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	15,142
<u>Intel Xeon Silver 4215R @ 3.20GHz</u>	15,133
<u>Apple M1 8 Core 3200 MHz</u>	15,109
<u>Intel Xeon D-2166NT @ 2.00GHz</u>	15,105
<u>Intel Core i5-11260H @ 2.60GHz</u>	15,102
<u>AMD Ryzen 7 PRO 2700</u>	15,097
<u>Intel Core i7-10870H @ 2.20GHz</u>	15,082
<u>Intel Core i9-10880H @ 2.30GHz</u>	15,064
<u>Intel Xeon Gold 5217 @ 3.00GHz</u>	15,036
<u>Intel Xeon Silver 4210R @ 2.40GHz</u>	15,030
<u>AMD EPYC 7301</u>	14,991
<u>Intel Core i3-12300</u>	14,954
<u>AMD EPYC 7251</u>	14,935
<u>Intel Xeon Silver 4116 @ 2.10GHz</u>	14,931
<u>Intel Xeon W-1250P @ 4.10GHz</u>	14,924
<u>Intel Xeon E5-2699A v4 @ 2.40GHz</u>	14,917
<u>Intel Xeon E5-2678 v3 @ 2.50GHz</u>	14,886
<u>Intel Xeon E5-1681 v3 @ 2.90GHz</u>	14,820
<u>AMD Ryzen 5 PRO 4400GE</u>	14,795
<u>Intel Xeon E5-2687W v3 @ 3.10GHz</u>	14,787
<u>AMD Ryzen 5 4600H</u>	14,758
<u>Intel Core i9-9980HK @ 2.40GHz</u>	14,748
<u>AMD Ryzen 5 4600HS</u>	14,735

<u>Intel Xeon E5-2683 v3 @ 2.00GHz</u>	14,734
<u>Intel Core i3-12100</u>	14,688
<u>AMD Ryzen 7 1700</u>	14,669
<u>AMD Ryzen 7 2700E</u>	14,657
<u>Intel Core i7-8086K @ 4.00GHz</u>	14,614
<u>AMD Ryzen 7 PRO 1700</u>	14,590
<u>Intel Core i5-10600KF @ 4.10GHz</u>	14,560
<u>Intel Core i5-10600K @ 4.10GHz</u>	14,556
<u>Intel Core i7-9700K @ 3.60GHz</u>	14,545
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	14,537
<u>Intel Core i7-9700KF @ 3.60GHz</u>	14,507
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,456
<u>Intel Core i3-12100F</u>	14,442
<u>Intel Xeon Silver 4215 @ 2.50GHz</u>	14,439
<u>Intel Xeon E5-2658 v4 @ 2.30GHz</u>	14,434
<u>Intel Xeon Silver 4123 @ 3.00GHz</u>	14,405
<u>Intel Xeon E-2286G @ 4.00GHz</u>	14,384
<u>Intel Xeon E5-2673 v3 @ 2.40GHz</u>	14,371
<u>Intel Xeon W-2235 @ 3.80GHz</u>	14,318
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,285
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	14,285
<u>Intel Xeon Gold 6128 @ 3.40GHz</u>	14,273
<u>Intel Xeon W-2135 @ 3.70GHz</u>	14,269
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,151
<u>Intel Core i7-6900K @ 3.20GHz</u>	14,115
<u>Intel Xeon E-2374G @ 3.70GHz</u>	14,086
<u>Intel Xeon E5-2667 v4 @ 3.20GHz</u>	14,079
<u>AMD Ryzen 5 2600X</u>	14,059
<u>Intel Core i5-10600 @ 3.30GHz</u>	14,034
<u>AMD Ryzen 3 PRO 5350G</u>	14,025
<u>Intel Core i5-11500T @ 1.50GHz</u>	14,024
<u>Intel Core i9-9880H @ 2.30GHz</u>	14,007
<u>Intel Xeon E-2246G @ 3.60GHz</u>	14,005
<u>Intel Xeon W-1250 @ 3.30GHz</u>	13,957

<u>Intel Core i9-9900T @ 2.10GHz</u>	13,947
<u>Intel Xeon E-2186G @ 3.80GHz</u>	13,944
<u>Intel Xeon E5-2670 v3 @ 2.30GHz</u>	13,941
<u>Intel Core i7-8700K @ 3.70GHz</u>	13,879
<u>AMD Ryzen 3 5300GE</u>	13,843
<u>AMD EPYC 3251</u>	13,749
<u>AMD Ryzen 3 PRO 5350GE</u>	13,707
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,688
<u>AMD Ryzen 7 4700U</u>	13,666
<u>AMD Ryzen 5 4600U</u>	13,603
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	13,598
<u>Intel Xeon W-1270TE @ 2.00GHz</u>	13,553
<u>Intel Xeon E-2136 @ 3.30GHz</u>	13,540
<u>Intel Xeon E5-2695 v2 @ 2.40GHz</u>	13,495
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	13,487
<u>Intel Xeon E-2276G @ 3.80GHz</u>	13,481
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	13,456
<u>Intel Core i7-9700F @ 3.00GHz</u>	13,450
<u>Intel Core i7-9700 @ 3.00GHz</u>	13,392
<u>Intel Core i5-11400T @ 1.30GHz</u>	13,367
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,350
<u>AMD Ryzen 5 3500X</u>	13,346
<u>Intel Xeon E-2146G @ 3.50GHz</u>	13,341
<u>AMD Ryzen 5 PRO 2600</u>	13,250
<u>Intel Core i7-10700T @ 2.00GHz</u>	13,242
<u>AMD Ryzen 5 5500U</u>	13,200
<u>AMD Ryzen 5 2600</u>	13,191
<u>Intel Xeon E5-1680 v3 @ 3.20GHz</u>	13,191
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	13,169
<u>AMD Ryzen 3 5300G</u>	13,133
<u>Intel Xeon E5-2660 v3 @ 2.60GHz</u>	13,125
<u>Intel Xeon D-2143IT @ 2.20GHz</u>	13,107
<u>Intel Xeon W-10855M @ 2.80GHz</u>	13,104
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	13,079
<u>Intel Core i5-10500 @ 3.10GHz</u>	13,055

<u>Intel Core i7-8700 @ 3.20GHz</u>	13,051
<u>AMD Ryzen 5 PRO 4650U</u>	12,971
<u>Intel Xeon E5-4627 v4 @ 2.60GHz</u>	12,969
<u>AMD Ryzen 5 1600X</u>	12,948
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	12,944
<u>Intel Core i7-7800X @ 3.50GHz</u>	12,863
<u>AMD Ryzen 5 3500</u>	12,818
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	12,816
<u>AMD Ryzen 3 3300X</u>	12,758
<u>Intel Core i7-5960X @ 3.00GHz</u>	12,671
<u>Intel Core i5-10505 @ 3.20GHz</u>	12,515
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	12,510
<u>Intel Xeon E5-4657L v2 @ 2.40GHz</u>	12,495
<u>Intel Core i5-10400F @ 2.90GHz</u>	12,435
<u>Intel Xeon E5-1680 v2 @ 3.00GHz</u>	12,432
<u>Intel Xeon W-2133 @ 3.60GHz</u>	12,421
<u>Intel Core i7-8700B @ 3.20GHz</u>	12,411
<u>Intel Xeon E5-2649 v3 @ 2.30GHz</u>	12,399
<u>Intel Core i7-10750H @ 2.60GHz</u>	12,390
<u>Intel Xeon E5-2667 v3 @ 3.20GHz</u>	12,354
<u>Intel Core i7-11375H @ 3.30GHz</u>	12,349
<u>AMD Ryzen 5 1600</u>	12,322
<u>Intel Core i5-10400 @ 2.90GHz</u>	12,313
<u>Intel Xeon E5-1660 v3 @ 3.00GHz</u>	12,273
<u>AMD Ryzen 3 5425U</u>	12,269
<u>Intel Core i7-11370H @ 3.30GHz</u>	12,257
<u>Intel Xeon E5-2687W v2 @ 3.40GHz</u>	12,241
<u>Intel Xeon E5-2667 v2 @ 3.30GHz</u>	12,227
<u>Intel Core i7-1260P</u>	12,224
<u>Intel Xeon D-2141I @ 2.20GHz</u>	12,177
<u>Intel Core i7-10850H @ 2.70GHz</u>	12,139
<u>Intel Xeon E5-2692 v2 @ 2.20GHz</u>	12,119
<u>AMD Ryzen 5 PRO 4500U</u>	12,049
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,024
<u>Intel Xeon E-2276M @ 2.80GHz</u>	11,986

<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	11,960
<u>Intel Core i5-1245U</u>	11,934
<u>Intel Xeon E5-2673 v2 @ 3.30GHz</u>	11,919
<u>Intel Core i7-9700E @ 2.60GHz</u>	11,905
<u>AMD Ryzen 3 PRO 5450U</u>	11,885
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,870
<u>AMD Ryzen 3 5400U</u>	11,867
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	11,820
<u>Intel Core i5-10600T @ 2.40GHz</u>	11,801
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	11,777
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	11,732
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	11,718
<u>Intel Xeon E5-2670 v2 @ 2.50GHz</u>	11,694
<u>AMD Ryzen 3 3100</u>	11,668
<u>Intel Xeon D-1577 @ 1.30GHz</u>	11,645
<u>Intel Core i5-10500H @ 2.50GHz</u>	11,628
<u>Intel Xeon E5-2648L v4 @ 1.80GHz</u>	11,547
<u>Intel Core i7-9850H @ 2.60GHz</u>	11,539
<u>Intel Xeon E5-4669 v4 @ 2.20GHz</u>	11,523
<u>Intel Core i7-9750HF @ 2.60GHz</u>	11,473
<u>Intel Xeon E5-1650 v4 @ 3.60GHz</u>	11,451
<u>Intel Xeon E5-2650L v4 @ 1.70GHz</u>	11,436
<u>AMD Ryzen 3 4300GE</u>	11,371
<u>Intel Core i3-11100B @ 3.60GHz</u>	11,357
<u>Intel Xeon E5-4627 v3 @ 2.60GHz</u>	11,344
<u>AMD Ryzen 3 PRO 4200G</u>	11,315
<u>Intel Core i7-6850K @ 3.60GHz</u>	11,302
<u>AMD Ryzen 3 PRO 4350GE</u>	11,285
<u>Intel Xeon E5-2640 v3 @ 2.60GHz</u>	11,230
<u>Intel Core i7-9750H @ 2.60GHz</u>	11,214
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>	11,185
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,152
<u>ARM Neoverse-N1 16 Core 0 MHz</u>	11,144
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	11,137
<u>AMD Ryzen 5 4500U</u>	11,133

Intel Core i5-11300H @ 3.10GHz	11,127
Intel Xeon E-2226G @ 3.40GHz	11,119
Intel Core i5-11320H @ 3.20GHz	11,112
Intel Core i7-11390H @ 3.40GHz	11,085
Intel Xeon E5-2628L v4 @ 1.90GHz	11,079
Intel Core i7-1195G7 @ 2.90GHz	11,073
Intel Core i7-1185G7 @ 3.00GHz	11,062
Intel Core i5-1235U	11,056
Intel Core i7-1185G7E @ 2.80GHz	11,018
Intel Xeon E5-2470 v2 @ 2.40GHz	10,979
Intel Xeon E-2176M @ 2.70GHz	10,933
AMD Ryzen 3 PRO 4200GE	10,930
Intel Xeon E-2126G @ 3.30GHz	10,922
Intel Xeon W-2225 @ 4.10GHz	10,899
Intel Xeon E5-2630L v4 @ 1.80GHz	10,864
Intel Xeon E-2186M @ 2.90GHz	10,855
Intel Xeon E5-4650 v3 @ 2.10GHz	10,838
Intel Core i5-9600KF @ 3.70GHz	10,837
AMD Ryzen 3 PRO 4350G	10,832
Apple A12X Bionic	10,830
Intel Core i7-9700TE @ 1.80GHz	10,826
Intel Core i5-9600K @ 3.70GHz	10,791
Intel Core i9-8950HK @ 2.90GHz	10,787
AMD Ryzen 3 4300G	10,778
Intel Core i7-9700T @ 2.00GHz	10,667
Intel Core i7-6800K @ 3.40GHz	10,663
Intel Core i7-1165G7 @ 2.80GHz	10,613
Intel Core i5-1155G7 @ 2.50GHz	10,610
Intel Xeon E5-4620 v3 @ 2.00GHz	10,525
Intel Core i7-1265U	10,487
Intel Xeon D-1581 @ 1.80GHz	10,476
Intel Core i7-8700T @ 2.40GHz	10,466
Intel Xeon E5-2618L v3 @ 2.30GHz	10,464
Intel Core i3-10325 @ 3.90GHz	10,429
Intel Core i5-1145G7 @ 2.60GHz	10,419

<u>Intel Core i5-10500T @ 2.30GHz</u>	10,412
<u>Intel Core i5-9600 @ 3.10GHz</u>	10,402
<u>AMD Ryzen 5 PRO 1600</u>	10,401
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,391
<u>Intel Xeon E5-2660 v2 @ 2.20GHz</u>	10,382
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,378
<u>Intel Xeon E5-4640 v3 @ 1.90GHz</u>	10,372
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	10,366
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,353
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,348
<u>Intel Xeon E5-2630 v3 @ 2.40GHz</u>	10,334
<u>Intel Core i5-9500F @ 3.00GHz</u>	10,330
<u>Intel Core i7-1160G7 @ 1.20GHz</u>	10,316
<u>Intel Core i5-1145G7E @ 2.60GHz</u>	10,293
<u>Intel Core i7-5930K @ 3.50GHz</u>	10,281
<u>Intel Core i5-1140G7 @ 1.10GHz</u>	10,279
<u>Intel Xeon Silver 4110 @ 2.10GHz</u>	10,260
<u>AMD EPYC 3201</u>	10,258
<u>Intel Core i7-1068NG7 @ 2.30GHz</u>	10,241
<u>Intel Xeon E5-1660 v2 @ 3.70GHz</u>	10,192
<u>Intel Core i5-8600K @ 3.60GHz</u>	10,188
<u>AMD Ryzen 3 PRO 4450U</u>	10,139
<u>Intel Core i5-1135G7 @ 2.40GHz</u>	10,138
<u>Intel Core i3-10320 @ 3.80GHz</u>	10,132
<u>AMD Ryzen 3 5300U</u>	10,126
<u>Intel Core i7-8750H @ 2.20GHz</u>	10,104
<u>Intel Core i7-10710U @ 1.10GHz</u>	10,098
<u>Intel Xeon W-2125 @ 4.00GHz</u>	10,036
<u>Intel Core i5-10400T @ 2.00GHz</u>	10,012
<u>Intel Xeon E-2234 @ 3.60GHz</u>	10,010
<u>Intel Xeon D-1540 @ 2.00GHz</u>	9,975
<u>Intel Xeon E5-2650 v2 @ 2.60GHz</u>	9,954
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	9,950
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949
<u>Intel Core i5-1130G7 @ 1.10GHz</u>	9,913

<u>Intel Core i7-4960X @ 3.60GHz</u>	9,906
<u>Intel Xeon D-1541 @ 2.10GHz</u>	9,885
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,864
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,855
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,826
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,818
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	9,812
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,796
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	9,773
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	9,769
<u>Intel Core i5-1038NG7 @ 2.00GHz</u>	9,728
<u>Intel Core i3-10305 @ 3.80GHz</u>	9,689
<u>AMD Ryzen 5 3350GE</u>	9,684
<u>Intel Xeon E-2276ME @ 2.80GHz</u>	9,680
<u>Intel Core i7-7700K @ 4.20GHz</u>	9,677
<u>Intel Xeon E-2274G @ 4.00GHz</u>	9,660
<u>AMD Ryzen 5 PRO 3350GE</u>	9,643
<u>Intel Core i5-8500 @ 3.00GHz</u>	9,596
<u>Intel Xeon E-2174G @ 3.80GHz</u>	9,568
<u>Intel Core i5-9400F @ 2.90GHz</u>	9,550
<u>AMD Ryzen 5 PRO 3350G</u>	9,498
<u>Intel Core i5-9400 @ 2.90GHz</u>	9,494
<u>Intel Core i5-8500B @ 3.00GHz</u>	9,474
<u>Intel Xeon Gold 5222 @ 3.80GHz</u>	9,428
<u>AMD Ryzen 5 PRO 1500</u>	9,402
<u>AMD Ryzen 5 2500X</u>	9,384
<u>Intel Xeon E5-4655 v3 @ 2.90GHz</u>	9,377
<u>Intel Core i7-4930K @ 3.40GHz</u>	9,367
<u>Intel Xeon E5-2680 @ 2.70GHz</u>	9,357
<u>AMD Ryzen 5 3400G</u>	9,337
<u>Intel Xeon E-2144G @ 3.60GHz</u>	9,322
<u>Intel Xeon E5-4627 v2 @ 3.30GHz</u>	9,320
<u>AMD Ryzen 5 PRO 3400G</u>	9,313
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,312

Intel Xeon E5-1650 v2 @ 3.50GHz	9,302
Intel Xeon E3-1285 v6 @ 4.10GHz	9,276
Intel Xeon Silver 4108 @ 1.80GHz	9,262
Intel Xeon D-1567 @ 2.10GHz	9,236
Intel Xeon E3-1275 v6 @ 3.80GHz	9,229
Intel Xeon D-1587 @ 1.70GHz	9,223
Intel Core i5-8400 @ 2.80GHz	9,220
Intel Xeon E5-2651 v2 @ 1.80GHz	9,216
Intel Core i5-9500TE @ 2.20GHz	9,212
Intel Core i3-10105F @ 3.70GHz	9,156
Intel Core i7-1185GRE @ 2.80GHz	9,142
Intel Xeon E5-2629 v3 @ 2.40GHz	9,139
Intel Core i7-9850HL @ 1.90GHz	9,112
Intel Xeon E3-1280 v6 @ 3.90GHz	9,087
AMD Ryzen 5 1500X	9,083
Intel Xeon E5-2643 v2 @ 3.50GHz	9,083
Intel Xeon D-1548 @ 2.00GHz	9,075
AMD Ryzen 5 3350G	9,061
Intel Xeon E5-4648 v3 @ 1.70GHz	9,061
Intel Core i5-10400H @ 2.60GHz	9,022
Intel Core i3-10105 @ 3.70GHz	8,996
Intel Xeon E5-2620 v4 @ 2.10GHz	8,989
Intel Core i7-6700K @ 4.00GHz	8,960
AMD Ryzen 5 3400GE	8,955
Intel Xeon E5-2630L v3 @ 1.80GHz	8,935
Intel Xeon E5-2670 @ 2.60GHz	8,905
Intel Core i5-3170K @ 3.20GHz	8,882
Intel Xeon E3-1270 v6 @ 3.80GHz	8,840
Intel Core i3-10100 @ 3.60GHz	8,833
Intel Core i3-10100F @ 3.60GHz	8,832
Intel Core i7-8809G @ 3.10GHz	8,755
Intel Xeon E3-1240 v6 @ 3.70GHz	8,750
Intel Xeon E-2134 @ 3.50GHz	8,741
AMD Ryzen 5 2400G	8,732
Intel Core i7-1065G7 @ 1.30GHz	8,727

<u>Intel Core i7-8559U @ 2.70GHz</u>	8,720
<u>Intel Core i5-10300H @ 2.50GHz</u>	8,710
<u>Intel Xeon W-2223 @ 3.60GHz</u>	8,689
<u>ARM X-Gene 32 Core 3300 MHz</u>	8,684
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,631
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	8,630
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	8,611
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,606
<u>Intel Core i7-3960X @ 3.30GHz</u>	8,605
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,595
<u>Intel Xeon E-2314 @ 2.80GHz</u>	8,549
<u>Apple A14 Bionic</u>	8,535
<u>Intel Core i5-10200H @ 2.40GHz</u>	8,513
<u>Intel Core i7-8569U @ 2.80GHz</u>	8,494
<u>AMD Ryzen Embedded V1807B</u>	8,488
<u>Intel Xeon W-2123 @ 3.60GHz</u>	8,478
<u>Intel Xeon E5-4650L @ 2.60GHz</u>	8,472
<u>Intel Xeon E3-1230 v6 @ 3.50GHz</u>	8,471
<u>Intel Xeon E5-2628 v3 @ 2.50GHz</u>	8,447
<u>Intel Xeon E5-2665 @ 2.40GHz</u>	8,411
<u>Intel Xeon E3-1585 v5 @ 3.50GHz</u>	8,408
<u>Intel Xeon E3-1275 v5 @ 3.60GHz</u>	8,401
<u>Intel Core i5-9600T @ 2.30GHz</u>	8,393
<u>Intel Xeon E5-1660 @ 3.30GHz</u>	8,389
<u>Intel Core i5-1035G7 @ 1.20GHz</u>	8,384
<u>Intel Core i7-3970X @ 3.50GHz</u>	8,373
<u>Intel Core i7-10810U @ 1.10GHz</u>	8,353
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,334
<u>Intel Xeon E3-1280 v5 @ 3.70GHz</u>	8,320
<u>AMD Ryzen 5 PRO 2400G</u>	8,303
<u>Intel Core i5-9400H @ 2.50GHz</u>	8,303
<u>AMD Ryzen 7 3750H</u>	8,278
<u>AMD Ryzen 5 PRO 3400GE</u>	8,271
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,266
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,258

<u>Intel Core i5-1035G4 @ 1.10GHz</u>	8,242
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,242
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,240
<u>Intel Core i3-10100E @ 3.20GHz</u>	8,229
<u>Intel Core i5-8600T @ 2.30GHz</u>	8,227
<u>Intel Core i7-8557U @ 1.70GHz</u>	8,225
<u>AMD Ryzen Embedded V1756B</u>	8,215
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	8,174
<u>Intel Core i3-10305T @ 3.00GHz</u>	8,136
<u>Intel Core i5-8259U @ 2.30GHz</u>	8,136
<u>Intel Core i7-8706G @ 3.10GHz</u>	8,136
<u>AMD Ryzen 5 2400GE</u>	8,134
<u>Intel Core i5-8279U @ 2.40GHz</u>	8,134
<u>Intel Core i5-8400H @ 2.50GHz</u>	8,118
<u>Intel Xeon E5-1650 @ 3.20GHz</u>	8,105
<u>Intel Xeon E5-2660 @ 2.20GHz</u>	8,104
<u>Intel Core i7-6700 @ 3.40GHz</u>	8,072
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	8,071
<u>Intel Core i7-4790K @ 4.00GHz</u>	8,059
<u>Intel Core i5-8269U @ 2.60GHz</u>	8,055
<u>AMD Opteron 6348</u>	8,030
<u>Intel Xeon E3-1230 v5 @ 3.40GHz</u>	8,021
<u>Intel Xeon E3-1585L v5 @ 3.00GHz</u>	8,021
<u>Intel Xeon E3-1285L v4 @ 3.40GHz</u>	8,017
<u>AMD Ryzen 5 3550H</u>	8,014
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,990
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,948
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,938
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,911
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,899
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,854
<u>Intel Core i3-10105T @ 3.00GHz</u>	7,850
<u>AMD Ryzen 5 2600H</u>	7,836
<u>AMD Ryzen 5 3580U</u>	7,820
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,815

Intel Core i7-5775C @ 3.30GHz	7,797
AMD Ryzen 5 1400	7,792
Intel Core i3-10300T @ 3.00GHz	7,780
Intel Core i5-1035G1 @ 1.00GHz	7,764
Intel Core i3-9350K @ 4.00GHz	7,760
Intel Xeon E3-1260L v5 @ 2.90GHz	7,757
Intel Xeon D-2123IT @ 2.20GHz	7,731
Intel Xeon E5-2640 v2 @ 2.00GHz	7,730
Intel Core i7-7820HK @ 2.90GHz	7,722
AMD Ryzen 3 PRO 1300	7,717
AMD Athlon Gold PRO 3150G	7,702
Intel Core i5-9300HF @ 2.40GHz	7,702
Intel Core i5-8500T @ 2.10GHz	7,696
Intel Core i7-5950HQ @ 2.90GHz	7,696
AMD Ryzen 5 3550U	7,681
Intel Xeon E3-1270L v4 @ 3.00GHz	7,662
AMD Ryzen 7 2800H	7,656
Intel Core i5-8257U @ 1.40GHz	7,652
Intel Core i5-9400T @ 1.80GHz	7,649
Intel Xeon E5-1630 v4 @ 3.70GHz	7,622
Intel Xeon E3-1285 v4 @ 3.50GHz	7,614
AMD Ryzen 3 4300U	7,589
Intel Xeon E5-2623 v4 @ 2.60GHz	7,582
Intel Xeon E5-2637 v3 @ 3.50GHz	7,558
Intel Xeon E3-1535M v5 @ 2.90GHz	7,556
Intel Xeon E3-1575M v5 @ 3.00GHz	7,552
AMD Ryzen 7 3780U	7,549
Intel Core i5-8300H @ 2.30GHz	7,546
AMD Ryzen 3 2300X	7,540
Intel Core i7-7700T @ 2.90GHz	7,532
AMD Ryzen 5 PRO 2400GE	7,525
Intel Core i3-9350KF @ 4.00GHz	7,520
Intel Xeon E-2124G @ 3.40GHz	7,518
Intel Xeon E5-2667 @ 2.90GHz	7,501
Intel Xeon E-2224G @ 3.50GHz	7,490

<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	7,475
<u>Intel Xeon E5-1630 v3 @ 3.70GHz</u>	7,470
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	7,465
<u>Intel Core i7-7820EQ @ 3.00GHz</u>	7,453
<u>Intel Core i7-7920HQ @ 3.10GHz</u>	7,450
<u>Intel Xeon D-1531 @ 2.20GHz</u>	7,447
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,441
<u>Intel Xeon E5-1620 v4 @ 3.50GHz</u>	7,438
<u>Intel Core i3-10100T @ 3.00GHz</u>	7,426
<u>Intel Xeon E3-1271 v3 @ 3.60GHz</u>	7,422
<u>Intel Xeon E3-1286 v3 @ 3.70GHz</u>	7,418
<u>AMD Ryzen 3 3200GE</u>	7,408
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,373
<u>Intel Xeon @ 2.00GHz</u>	7,363
<u>Intel Core i3-9320 @ 3.70GHz</u>	7,358
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	7,352
<u>Intel Xeon E3-1276 v3 @ 3.60GHz</u>	7,345
<u>Intel Xeon E5-2650 @ 2.00GHz</u>	7,335
<u>AMD Ryzen 7 3700U</u>	7,323
<u>Intel Core i7-6920HQ @ 2.90GHz</u>	7,322
<u>Intel Xeon E5-2450 @ 2.10GHz</u>	7,321
<u>AMD Ryzen 7 PRO 3700U</u>	7,316
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,308
<u>AMD Opteron 6281</u>	7,279
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,279
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,273
<u>Intel Xeon E3-1280 v3 @ 3.60GHz</u>	7,256
<u>Intel Core i7-4790 @ 3.60GHz</u>	7,231
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229
<u>Intel Xeon W3690 @ 3.47GHz</u>	7,213
<u>Intel Core i7-1060NG7 @ 1.20GHz</u>	7,211
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,210
<u>Intel Xeon E-2224 @ 3.40GHz</u>	7,202
<u>AMD Ryzen 3 3200G</u>	7,193
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	7,184

<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	7,181
<u>AMD Ryzen 7 PRO 2700U</u>	7,180
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,176
<u>Intel Xeon D-1539 @ 1.60GHz</u>	7,175
<u>Intel Core i7-7820HQ @ 2.90GHz</u>	7,173
<u>Intel Core i7-990X @ 3.47GHz</u>	7,148
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	7,143
<u>Intel Core i7-6770HQ @ 2.60GHz</u>	7,134
<u>Intel Xeon D-1557 @ 1.50GHz</u>	7,118
<u>Intel Core i7-4770K @ 3.50GHz</u>	7,114
<u>AMD Ryzen 5 3500U</u>	7,108
<u>Intel Xeon X5679 @ 3.20GHz</u>	7,095
<u>AMD Athlon Gold PRO 3150GE</u>	7,093
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	7,090
<u>Intel Core i7-995X @ 3.60GHz</u>	7,079
<u>Intel Core i5-8305G @ 2.80GHz</u>	7,073
<u>AMD Ryzen 3 PRO 3200GE</u>	7,071
<u>Intel Core i7-4771 @ 3.50GHz</u>	7,066
<u>Intel Core i7-4940MX @ 3.10GHz</u>	7,060
<u>Intel Xeon E3-1240 v3 @ 3.40GHz</u>	7,041
<u>Intel Xeon E3-1241 v3 @ 3.50GHz</u>	7,041
<u>Intel Core i7-10610U @ 1.80GHz</u>	7,037
<u>Intel Core i7-5850EQ @ 2.70GHz</u>	7,036
<u>AMD Ryzen 3 PRO 3200G</u>	7,030
<u>Intel Core i7-980 @ 3.33GHz</u>	7,018
<u>AMD Opteron 6386 SE</u>	7,017
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,013
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	7,006
<u>Intel Xeon E3-1505M v6 @ 3.00GHz</u>	7,004
<u>AMD Athlon Gold 3150G</u>	7,002
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	6,994
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,987
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	6,983
<u>Intel Xeon X5690 @ 3.47GHz</u>	6,979

<u>Intel Xeon E-2124 @ 3.30GHz</u>	6,971
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,959
<u>Intel Core i7-6820HQ @ 2.70GHz</u>	6,945
<u>Intel Core i7-4790S @ 3.20GHz</u>	6,940
<u>Intel Xeon E5-2440 v2 @ 1.90GHz</u>	6,927
<u>AMD Opteron 6287 SE</u>	6,925
<u>Intel Core i7-6820EQ @ 2.80GHz</u>	6,924
<u>AMD Ryzen 5 PRO 3500U</u>	6,916
<u>Intel Xeon E5-2623 v3 @ 3.00GHz</u>	6,908
<u>Intel Core i7-6820HK @ 2.70GHz</u>	6,902
<u>AMD Ryzen 3 1300X</u>	6,896
<u>Intel Xeon W3680 @ 3.33GHz</u>	6,892
<u>AMD Ryzen 5 PRO 2500U</u>	6,889
<u>Intel Pentium Gold G7400</u>	6,872
<u>Intel Core i7-5850HQ @ 2.70GHz</u>	6,866
<u>Intel Core i7-10510U @ 1.80GHz</u>	6,864
<u>Intel Xeon E5-2430 v2 @ 2.50GHz</u>	6,864
<u>Intel Core i5-7600K @ 3.80GHz</u>	6,861
<u>Intel Core i3-8350K @ 4.00GHz</u>	6,854
<u>AMD Ryzen 7 2700U</u>	6,853
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,848
<u>Intel Xeon E5-4620 @ 2.20GHz</u>	6,830
<u>AMD Ryzen Embedded V1605B</u>	6,828
<u>Intel Core i7-4980HQ @ 2.80GHz</u>	6,822
<u>Intel Core i7-4770S @ 3.10GHz</u>	6,808
<u>AMD Ryzen 3 2200G</u>	6,794
<u>Intel Xeon X5680 @ 3.33GHz</u>	6,792
<u>Intel Core i7-980X @ 3.33GHz</u>	6,791
<u>AMD Ryzen 5 3450U</u>	6,779
<u>Intel Xeon E5-2448L v2 @ 1.80GHz</u>	6,774
<u>Intel Core i3-9100F @ 3.60GHz</u>	6,764
<u>Intel Core i7-4930MX @ 3.00GHz</u>	6,753
<u>AMD FX-9590 Eight-Core</u>	6,748
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	6,740
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	6,727

Intel Core i7-6700TE @ 2.40GHz	6,692
AMD Ryzen 3 PRO 2200G	6,680
Intel Core i5-10310U @ 1.70GHz	6,657
AMD Opteron 6380	6,645
Intel Core i3-9100 @ 3.60GHz	6,638
Intel Core i5-7640X @ 4.00GHz	6,636
Intel Core i5-7600 @ 3.50GHz	6,626
Intel Core i7-1180G7 @ 1.30GHz	6,607
Intel Xeon E3-1268L v5 @ 2.40GHz	6,600
Intel Xeon Platinum 8151 @ 3.40GHz	6,591
Intel Xeon E5-1428L v2 @ 2.20GHz	6,566
AMD Ryzen 5 2500U	6,552
Intel Xeon E3-1275 V2 @ 3.50GHz	6,552
Intel Xeon W3670 @ 3.20GHz	6,545
Intel Core i7-6700HQ @ 2.60GHz	6,542
Intel Xeon E5-1620 v2 @ 3.70GHz	6,531
Intel Core i7-4820K @ 3.70GHz	6,512
Intel Xeon E3-1280 V2 @ 3.60GHz	6,511
Intel Core i7-970 @ 3.20GHz	6,498
Intel Xeon E5-2420 v2 @ 2.20GHz	6,498
Intel Xeon E3-1265L v4 @ 2.30GHz	6,493
Intel Xeon E3-1290 V2 @ 3.70GHz	6,461
Intel Xeon E5-4610 @ 2.40GHz	6,460
Intel Core i7-3770K @ 3.50GHz	6,458
Intel Core i7-8665U @ 1.90GHz	6,455
Intel Core i7-4960HQ @ 2.60GHz	6,453
Intel Xeon E3-1286L v3 @ 3.20GHz	6,450
Intel Xeon E5-2630L v2 @ 2.40GHz	6,439
Intel Core i5-10210U @ 1.60GHz	6,435
AMD Ryzen 3 2200GE	6,433
Intel Core i7-4770R @ 3.20GHz	6,429
Intel Xeon E3-1270 V2 @ 3.50GHz	6,423
Intel Xeon Silver 4112 @ 2.60GHz	6,420
Intel Xeon E5-2608L v3 @ 2.00GHz	6,415
Intel Core i7-8650U @ 1.90GHz	6,396

<u>Intel Core i7-3770 @ 3.40GHz</u>	6,388
<u>AMD Opteron 6282 SE</u>	6,385
<u>Intel Xeon X5675 @ 3.07GHz</u>	6,380
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,348
<u>AMD Ryzen 3 PRO 1200</u>	6,347
<u>Intel Xeon E-2254ML @ 1.70GHz</u>	6,333
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,330
<u>Intel Core i3-1115G4 @ 3.00GHz</u>	6,327
<u>Intel Core i3-8100B @ 3.60GHz</u>	6,321
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,321
<u>Intel Xeon E3-1225 v6 @ 3.30GHz</u>	6,312
<u>AMD Ryzen 3 1200</u>	6,309
<u>Intel Core i5-6600K @ 3.50GHz</u>	6,301
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,301
<u>Intel Core i7-4760HQ @ 2.10GHz</u>	6,300
<u>Intel Xeon E5-4617 @ 2.90GHz</u>	6,298
<u>Intel Core i7-4790T @ 2.70GHz</u>	6,291
<u>AMD Opteron 6276</u>	6,288
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,278
<u>Intel Xeon E3-1240 V2 @ 3.40GHz</u>	6,275
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,259
<u>Intel Xeon E3-1245 V2 @ 3.40GHz</u>	6,255
<u>Intel Core i5-1030NG7 @ 1.10GHz</u>	6,252
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,246
<u>Intel Xeon E5-2637 v2 @ 3.50GHz</u>	6,244
<u>Intel Core i7-4850HQ @ 2.30GHz</u>	6,229
<u>Intel Xeon E-2104G @ 3.20GHz</u>	6,215
<u>Intel Xeon D-1622 @ 2.60GHz</u>	6,205
<u>Intel Xeon W-2104 @ 3.20GHz</u>	6,202
<u>Intel Core i5-7600T @ 2.80GHz</u>	6,187
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,177
<u>Intel Core i3-8100 @ 3.60GHz</u>	6,157
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,157
<u>AMD Ryzen 3 PRO 3300U</u>	6,144

Intel Core i3-9300T @ 3.20GHz	6,138
Intel Core i7-4860HQ @ 2.40GHz	6,138
Intel Xeon X5660 @ 2.80GHz	6,133
Intel Xeon E5-2630 @ 2.30GHz	6,131
Intel Core i7-4770HQ @ 2.20GHz	6,130
AMD FX-8370 Eight-Core	6,129
Intel Core i5-8265U @ 1.60GHz	6,118
Intel Xeon X5670 @ 2.93GHz	6,116
Intel Core i5-6600 @ 3.30GHz	6,108
Intel Core i7-5675C @ 3.10GHz	6,089
Intel Xeon E3-1505L v6 @ 2.20GHz	6,088
Intel Core i5-7500 @ 3.40GHz	6,075
Intel Xeon E5-2658 @ 2.10GHz	6,073
Intel Xeon E3-1240L v5 @ 2.10GHz	6,072
AMD Opteron 6344	6,069
AMD Ryzen 3 PRO 2300U	6,069
Intel Core i7-4900MQ @ 2.80GHz	6,053
Intel Core i7-4810MQ @ 2.80GHz	6,048
Intel Core i7-4770T @ 2.50GHz	6,038
Intel Xeon E3-1275L v3 @ 2.70GHz	6,035
AMD FX-9370 Eight-Core	6,019
AMD Ryzen 3 3350U	6,002
Intel Core i7-5700HQ @ 2.70GHz	6,001
Intel Core i7-3840QM @ 2.80GHz	5,996
Intel Core i5-8265UC @ 1.60GHz	5,988
Intel Xeon E3-1265L v3 @ 2.50GHz	5,987
Intel Core i3-8300 @ 3.70GHz	5,983
Intel Xeon E5-2440 @ 2.40GHz	5,970
AMD FX-8350 Eight-Core	5,967
Intel Core i5-8250U @ 1.60GHz	5,944
Intel Xeon E3-1225 v5 @ 3.30GHz	5,938
Intel Core i7-8550U @ 1.80GHz	5,936
Intel Xeon E5-2650L @ 1.80GHz	5,929
vendor Kirin990	5,924
Intel Xeon D-1528 @ 1.90GHz	5,910

<u>Intel Core i7-5700EQ @ 2.60GHz</u>	5,905
<u>Intel Xeon E5-2430L v2 @ 2.40GHz</u>	5,903
<u>AMD Ryzen 3 PRO 2200GE</u>	5,897
<u>AMD Opteron 6378</u>	5,889
<u>MT6893Z_C/CZA</u>	5,874
<u>AMD Ryzen 3 3300U</u>	5,867
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,866
<u>Intel Xeon E5-2430 @ 2.20GHz</u>	5,863
<u>Intel Xeon D-1521 @ 2.40GHz</u>	5,843
<u>Intel Xeon E5-1410 v2 @ 2.80GHz</u>	5,842
<u>SM7325</u>	5,836
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	5,830
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,828
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,827
<u>Intel Xeon X5650 @ 2.67GHz</u>	5,803
<u>AMD Opteron 4274 HE</u>	5,776
<u>Intel Core i3-1115G4E @ 3.00GHz</u>	5,776
<u>Intel Xeon E5-2450L @ 1.80GHz</u>	5,769
<u>Intel Core i7-4720HQ @ 2.60GHz</u>	5,764
<u>Intel Core i5-5675R @ 3.10GHz</u>	5,761
<u>Intel Core i7-3820 @ 3.60GHz</u>	5,759
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	5,758
<u>Intel Core i7-3820QM @ 2.70GHz</u>	5,746
<u>MT8195AV/ZA</u>	5,735
<u>Snapdragon 8cx Gen 2 @ 3.1</u>	5,734
<u>Intel Core i5-7440EQ @ 2.90GHz</u>	5,711
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,700
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	5,700
<u>MT6883Z/CZA</u>	5,693
<u>Intel Core i7-3740QM @ 2.70GHz</u>	5,691
<u>Intel Xeon E3-1205 v6 @ 3.00GHz</u>	5,682
<u>Intel Core i7-3940XM @ 3.00GHz</u>	5,671
<u>Intel Core i5-6500 @ 3.20GHz</u>	5,660
<u>Intel Xeon E3-1220 v5 @ 3.00GHz</u>	5,657
<u>Intel Xeon E3-1220 v6 @ 3.00GHz</u>	5,657

Intel Core i5-6600T @ 2.70GHz	5,655
MT6891	5,654
Intel Xeon D-1559 @ 1.50GHz	5,647
Intel Core i7-3720QM @ 2.60GHz	5,644
Odin based on Qualcomm Technologies, Inc SM8350	5,643
AMD Opteron 6238	5,625
Intel Core i7-4722HQ @ 2.40GHz	5,620
Intel Core i5-4690K @ 3.50GHz	5,617
Qualcomm Technologies, Inc SM8350AC	5,610
Intel Core i7-2700K @ 3.50GHz	5,598
Intel Core i5-4690 @ 3.50GHz	5,579
AMD Opteron 6376	5,572
Intel Core i7-3770T @ 2.50GHz	5,566
Intel Core i5-8365UE @ 1.60GHz	5,555
Intel Core i5-5675C @ 3.10GHz	5,548
Intel Core i7-4700HQ @ 2.40GHz	5,546
Intel Core i5-4670K @ 3.40GHz	5,523
Intel Xeon E5-2643 @ 3.30GHz	5,520
Intel Core i5-7400 @ 3.00GHz	5,515
Intel Core i5-7440HQ @ 2.80GHz	5,513
Intel Xeon E3-1280 @ 3.50GHz	5,510
Intel Core i7-4710HQ @ 2.50GHz	5,508
AMD Ryzen 3 2300U	5,507
Intel Core i7-4860EQ @ 1.80GHz	5,500
Intel Core i5-6402P @ 2.80GHz	5,494
AMD Ryzen Embedded V1404I	5,491
Intel Core i7-2600K @ 3.40GHz	5,490
Intel Xeon E3-1226 v3 @ 3.30GHz	5,477
SM8350	5,470
Qualcomm Technologies, Inc SM8250 AC	5,458
MT6893Z D/CZA	5,450
Intel Core i5-760S @ 2.53GHz	5,440
ARM Cortex-A72 16 Core 0 MHz	5,435
Intel Xeon E3-1268L v3 @ 2.30GHz	5,427
Intel Core i7-4785T @ 2.20GHz	5,417

<u>AMD FX-8320 Eight-Core</u>	5,410
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,409
<u>Intel Core i5-4670 @ 3.40GHz</u>	5,406
<u>Intel Xeon E3-1270 @ 3.40GHz</u>	5,403
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,382
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,368
<u>Intel Pentium Gold 7505 @ 2.00GHz</u>	5,368
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	5,362
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,359
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,351
<u>Intel Xeon E3-1275 @ 3.40GHz</u>	5,346
<u>Intel Core i5-4590 @ 3.30GHz</u>	5,344
<u>Intel Core i7-2600 @ 3.40GHz</u>	5,342
<u>Intel Core i5-7500T @ 2.70GHz</u>	5,334
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,334
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	5,331
<u>Intel Core i7-4702HQ @ 2.20GHz</u>	5,305
<u>Intel Xeon E5-2630L @ 2.00GHz</u>	5,305
<u>Intel Xeon E3-1240L v3 @ 2.00GHz</u>	5,304
<u>Intel Core i7-10510Y @ 1.20GHz</u>	5,289
<u>Intel Core i3-8100T @ 3.10GHz</u>	5,288
<u>AMD Opteron 6274</u>	5,286
<u>vendor Kirin9000</u>	5,276
<u>Intel Xeon E5-2430L @ 2.00GHz</u>	5,273
<u>Intel Xeon E5-2620 @ 2.00GHz</u>	5,273
<u>Intel Xeon X5687 @ 3.60GHz</u>	5,272
<u>Intel Xeon E3-1225 v3 @ 3.20GHz</u>	5,268
<u>ARM Neoverse-N1 8 Core 0 MHz</u>	5,264
<u>AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</u>	5,257
<u>MT6893Z/CZA</u>	5,254
<u>AMD FX-8300 Eight-Core</u>	5,246
<u>AMD Opteron 6328</u>	5,246
<u>Qualcomm Technologies, Inc SM8350</u>	5,246
<u>Intel Xeon E5-1607 v4 @ 3.10GHz</u>	5,245
<u>Intel Core i7-4712MQ @ 2.30GHz</u>	5,242

<u>Intel Core i7-6822EQ @ 2.00GHz</u>	5,241
<u>AMD Opteron 6272</u>	5,240
<u>AMD FX-8370E Eight-Core</u>	5,235
<u>Intel Core i5-5575R @ 2.80GHz</u>	5,234
<u>Intel Core i5-4670R @ 3.00GHz</u>	5,233
<u>Qualcomm Technologies, Inc SM8250</u>	5,205
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,177
<u>Intel Core i7-4712HQ @ 2.30GHz</u>	5,170
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,162
<u>MT6893Z_A/CZA</u>	5,160
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,152
<u>AMD FX-8150 Eight-Core</u>	5,151
<u>Intel Core i3-1005G1 @ 1.20GHz</u>	5,150
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,150
<u>AMD FX-8310 Eight-Core</u>	5,145
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,141
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,138
<u>Intel Core i7-3630QM @ 2.40GHz</u>	5,124
<u>Intel Core i5-7300HQ @ 2.50GHz</u>	5,120
<u>Intel Xeon X5672 @ 3.20GHz</u>	5,117
<u>Intel Xeon X5677 @ 3.47GHz</u>	5,112
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,100
<u>Qualcomm Technologies, Inc KONA</u>	5,095
<u>Intel Core i7-3610QM @ 2.30GHz</u>	5,089
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,088
<u>Vili based on Qualcomm Technologies, Inc SM8350</u>	5,086
<u>Hisilicon Kirin9000</u>	5,083
<u>Apple A13 Bionic</u>	5,072
<u>Intel Xeon W-2102 @ 2.90GHz</u>	5,063
<u>Intel Xeon E3-1230 @ 3.20GHz</u>	5,058
<u>Qualcomm Technologies, Inc SDM778G</u>	5,045
<u>06/8c</u>	5,040
<u>Intel Core i5-4670K CPT @ 3.40GHz</u>	5,034
<u>Intel Core i7-4765T @ 2.00GHz</u>	5,017
<u>Intel Xeon E3-1235L v5 @ 2.00GHz</u>	5,013

<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	4,992
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	4,988
<u>MT6891Z/CZA</u>	4,988
<u>AMD FX-8320E Eight-Core</u>	4,961
<u>Intel Xeon E5645 @ 2.40GHz</u>	4,955
<u>AMD FX-8140 Eight-Core</u>	4,953
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	4,941
<u>Intel Xeon E5649 @ 2.53GHz</u>	4,936
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,930
<u>AMD Ryzen 5 3500C</u>	4,905
<u>Venus based on Qualcomm Technologies, Inc SM8350</u>	4,903
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,901
<u>Intel Core i5-4570S @ 2.90GHz</u>	4,900
<u>Star based on Qualcomm Technologies, Inc SM8350</u>	4,870
<u>lisa based Qualcomm Technologies, Inc. SM7325</u>	4,864
<u>AMD Opteron 6366 HE</u>	4,858
<u>Intel Core i5-6500T @ 2.50GHz</u>	4,850
<u>Intel Core i5-4670S @ 3.10GHz</u>	4,849
<u>Qualcomm Snapdragon 7325</u>	4,846
<u>Samsung Technologies, Inc Exynos E1080</u>	4,846
<u>Intel Xeon E3-1505L v5 @ 2.00GHz</u>	4,838
<u>Intel Core i5-10210Y @ 1.00GHz</u>	4,836
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,835
<u>Intel Core i5-7442EQ @ 2.10GHz</u>	4,834
<u>Intel Core i5-4460 @ 3.20GHz</u>	4,830
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,823
<u>Intel Xeon E5-1603 v4 @ 2.80GHz</u>	4,812
<u>Intel Core i3-7350K @ 4.20GHz</u>	4,809
<u>Intel Xeon Bronze 3204 @ 1.90GHz</u>	4,796
<u>Intel Xeon D-1518 @ 2.20GHz</u>	4,784
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,783
<u>Samsung Exynos 2100</u>	4,777
<u>Intel Core i5-6500TE @ 2.30GHz</u>	4,776
<u>Intel Core i5-3550 @ 3.30GHz</u>	4,772
<u>Intel Xeon E3-1225 V2 @ 3.20GHz</u>	4,770

<u>Intel Core i7-3610QE @ 2.30GHz</u>	4,767
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	4,764
<u>Haydn based on Qualcomm Technologies, Inc SM8350</u>	4,763
<u>ARM Neoverse-N1 6 Core 0 MHz</u>	4,756
<u>AMD Opteron 6220</u>	4,753
<u>Intel Core i5-4470S @ 3.00GHz</u>	4,742
<u>Intel Pentium 6805 @ 1.10GHz</u>	4,735
<u>vendor Kirin9000E</u>	4,728
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	4,725
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	4,711
<u>Intel Core i5-4440 @ 3.10GHz</u>	4,705
<u>Intel Core i3-7300 @ 4.00GHz</u>	4,703
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,694
<u>Intel Core i7-8665UE @ 1.70GHz</u>	4,693
<u>Intel Core i5-6300HQ @ 2.30GHz</u>	4,692
<u>Intel Atom C3758 @ 2.20GHz</u>	4,675
<u>AMD Opteron 4284</u>	4,665
<u>Intel Core i5-7400T @ 2.40GHz</u>	4,665
<u>Intel Core i5-4690T @ 2.50GHz</u>	4,658
<u>Intel Core i7-3635QM @ 2.40GHz</u>	4,657
<u>Intel Core i5-3470 @ 3.20GHz</u>	4,653
<u>Apple A12 Bionic</u>	4,645
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	4,634
<u>AMD Athlon Silver PRO 3125GE</u>	4,633
<u>Intel Xeon Bronze 3104 @ 1.70GHz</u>	4,627
<u>Intel Core i5-4430 @ 3.00GHz</u>	4,616
<u>Intel Core i5-3570S @ 3.10GHz</u>	4,613
<u>Intel Core i7-3632QM @ 2.20GHz</u>	4,613
<u>Intel Core i5-6442EQ @ 1.90GHz</u>	4,598
<u>Qualcomm Snapdragon 8350</u>	4,596
<u>Mars based on Qualcomm Technologies, Inc SM8350</u>	4,592
<u>Intel Xeon L5640 @ 2.27GHz</u>	4,591
<u>Intel Core i7-3612QM @ 2.10GHz</u>	4,589
<u>MT6877V/TZA</u>	4,577

<u>vendor Kirin980</u>	4,576
<u>Intel Core i7-2860QM @ 2.50GHz</u>	4,564
<u>AMD FX-8120 Eight-Core</u>	4,562
<u>AMD Athlon 240GE</u>	4,551
<u>MT6893</u>	4,551
<u>AMD Athlon Silver 3050GE</u>	4,545
<u>Intel Core i5-3550S @ 3.00GHz</u>	4,537
<u>Intel Core i5-4460S @ 2.90GHz</u>	4,536
<u>Intel Xeon X5667 @ 3.07GHz</u>	4,534
<u>AMD Opteron 4280</u>	4,504
<u>Intel Core i3-9100TE @ 2.20GHz</u>	4,501
<u>Intel Pentium Gold G6605 @ 4.30GHz</u>	4,493
<u>Intel Xeon E5-1603 v3 @ 2.80GHz</u>	4,489
<u>Intel Core i5-3450 @ 3.10GHz</u>	4,487
<u>Intel Core i7-2600S @ 2.80GHz</u>	4,484
<u>AMD Athlon 3000G</u>	4,481
<u>Intel Pentium Silver N6005 @ 2.00GHz</u>	4,480
<u>AMD Athlon PRO 300GE</u>	4,475
<u>Intel Core i3-8140U @ 2.10GHz</u>	4,472
<u>AMD Athlon 220GE</u>	4,471
<u>AMD FX-6330 Six-Core</u>	4,455
<u>Intel Xeon X5647 @ 2.93GHz</u>	4,455
<u>AMD FX-6350 Six-Core</u>	4,450
<u>MT6877T</u>	4,446
<u>Intel Core i5-4670T @ 2.30GHz</u>	4,427
<u>Intel Core i7-2960XM @ 2.70GHz</u>	4,423
<u>Intel Xeon L5639 @ 2.13GHz</u>	4,419
<u>Intel Core i7-2760QM @ 2.40GHz</u>	4,400
<u>Intel Pentium Gold G6600 @ 4.20GHz</u>	4,396
<u>Intel Core i3-6300 @ 3.80GHz</u>	4,391
<u>Intel Xeon E5-2609 v3 @ 1.90GHz</u>	4,391
<u>AMD Athlon 300GE</u>	4,383
<u>AMD Opteron 4386</u>	4,378
<u>Intel Pentium Gold G6505 @ 4.20GHz</u>	4,378
<u>Intel Core i3-8121U @ 2.20GHz</u>	4,376

<u>Intel Core i3-6320 @ 3.90GHz</u>	4,372
<u>Microsoft ARM SQ1 @ 3.0 GHz</u>	4,371
<u>AMD FX-6130 Six-Core</u>	4,353
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,352
<u>Intel Core i7-2920XM @ 2.50GHz</u>	4,344
<u>Intel Core i3-7100 @ 3.90GHz</u>	4,336
<u>Intel Core i5-3470S @ 2.90GHz</u>	4,330
<u>Hisilicon Kirin990</u>	4,328
<u>Intel Core i5-6400T @ 2.20GHz</u>	4,305
<u>Intel Core i3-8109U @ 3.00GHz</u>	4,296
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	4,285
<u>Intel Atom C3958 @ 2.00GHz</u>	4,281
<u>Intel Pentium Gold G6405 @ 4.10GHz</u>	4,281
<u>Intel Core i5-3450S @ 2.80GHz</u>	4,264
<u>AMD Ryzen Embedded R1606G</u>	4,260
<u>Intel Core i5-4440S @ 2.80GHz</u>	4,259
<u>Intel Core i7-4770TE @ 2.30GHz</u>	4,257
<u>Intel Core i5-6350HQ @ 2.30GHz</u>	4,255
<u>AMD Athlon 320GE</u>	4,237
<u>Intel Xeon E5-2648L @ 1.80GHz</u>	4,235
<u>Intel Core i7-7567U @ 3.50GHz</u>	4,229
<u>Renoir based on Qualcomm Technologies, Inc SM7350</u>	4,229
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,220
<u>MT6889Z/CZA</u>	4,214
<u>Microsoft SQ2 @ 3.15 GHz</u>	4,205
<u>AMD Ryzen Embedded V1500B</u>	4,194
<u>Apple A11 Bionic</u>	4,194
<u>AMD Ryzen 3 PRO 2100GE</u>	4,187
<u>Intel Core i3-6100 @ 3.70GHz</u>	4,180
<u>Intel Core i5-3475S @ 2.90GHz</u>	4,177
<u>Intel Pentium J6426 @ 2.00GHz</u>	4,173
<u>Intel Core i5-3570T @ 2.30GHz</u>	4,168
<u>MT6781</u>	4,166
<u>Hisilicon Kirin985</u>	4,162
<u>Intel Pentium Gold G5600F @ 3.90GHz</u>	4,160

<u>Intel Core i3-7300T @ 3.50GHz</u>	4,159
<u>Intel Atom x6425E @ 2.00GHz</u>	4,153
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,152
<u>AMD FX-6300 Six-Core</u>	4,151
<u>Intel Core i3-6098P @ 3.60GHz</u>	4,149
<u>Intel Core i5-7287U @ 3.30GHz</u>	4,149
<u>Intel Pentium Gold G6500 @ 4.10GHz</u>	4,147
<u>AMD Athlon PRO 200GE</u>	4,139
<u>AMD Athlon 200GE</u>	4,137
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,136
<u>AMD Opteron 3380</u>	4,134
<u>Intel Core i3-8145UE @ 2.20GHz</u>	4,133
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,125
<u>Intel Core i5-4430S @ 2.70GHz</u>	4,124
<u>Intel Celeron N5105 @ 2.00GHz</u>	4,112
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,102
<u>Qualcomm Technologies, Inc SM8150</u>	4,095
<u>Intel Core i5-2500K @ 3.30GHz</u>	4,091
<u>Intel Core i5-3340S @ 2.80GHz</u>	4,091
<u>Intel Core i5-2550K @ 3.40GHz</u>	4,090
<u>Intel Core i5-2500 @ 3.30GHz</u>	4,087
<u>Intel Celeron N5095 @ 2.00GHz</u>	4,080
<u>Intel Core i5-3330 @ 3.00GHz</u>	4,080
<u>Intel Celeron J6413 @ 1.80GHz</u>	4,075
<u>Intel Core i5-7360U @ 2.30GHz</u>	4,075
<u>AMD Opteron 6234</u>	4,072
<u>Intel Atom x6413E @ 1.50GHz</u>	4,070
<u>AMD Athlon Gold 3150U</u>	4,054
<u>Hisilicon Kirin980</u>	4,053
<u>Intel Core i7-2710QE @ 2.10GHz</u>	4,044
<u>Intel Core i3-6300T @ 3.30GHz</u>	4,040
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,039
<u>Intel Xeon E5640 @ 2.67GHz</u>	4,018
<u>Intel Core i3-10110U @ 2.10GHz</u>	4,011
<u>ARM Cortex-A72 4 Core 0 MHz</u>	4,010

<u>Intel Core i3-1000NG4 @ 1.10GHz</u>	4,009
<u>AMD Opteron 6212</u>	4,007
<u>AMD Athlon 300U</u>	4,005
<u>Intel Pentium Gold G6500T @ 3.50GHz</u>	4,005
<u>AMD FX-6200 Six-Core</u>	3,986
<u>AMD Ryzen 3 3250U</u>	3,983
<u>Intel Xeon E3-1260L @ 2.40GHz</u>	3,981
<u>Intel Core i5-2450P @ 3.20GHz</u>	3,974
<u>Intel Core i5-7267U @ 3.10GHz</u>	3,974
<u>AMD Opteron 3365</u>	3,973
<u>Qualcomm Technologies, Inc SM8150P</u>	3,967
<u>AMD Ryzen Embedded R1505G</u>	3,966
<u>AMD Opteron 4334</u>	3,949
<u>Intel Core i5-4590T @ 2.00GHz</u>	3,944
<u>MT6833P</u>	3,938
<u>Intel Core i7-985 @ 3.47GHz</u>	3,928
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,922
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,911
<u>ARM Cortex-A72 8 Core 0 MHz</u>	3,906
<u>AMD Ryzen 3 3200U</u>	3,904
<u>Intel Celeron J6412 @ 2.00GHz</u>	3,894
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,887
<u>AMD A8-7500</u>	3,878
<u>AMD PRO A12-9800</u>	3,878
<u>Intel Core i7-6660U @ 2.40GHz</u>	3,873
<u>AMD FX-6120 Six-Core</u>	3,863
<u>06/8e</u>	3,848
<u>AMD PRO A12-8870</u>	3,848
<u>AMD FX-8100 Eight-Core</u>	3,847
<u>Intel Core i7-2840QM @ 2.40GHz</u>	3,842
<u>Intel Core i5-2400 @ 3.10GHz</u>	3,835
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,835
<u>Intel Core i3-8145U @ 2.10GHz</u>	3,833
<u>Intel Celeron G6900</u>	3,829
<u>Intel Pentium G4620 @ 3.70GHz</u>	3,824

<u>AMD Ryzen Embedded V1202B</u>	3,823
<u>Intel Core i5-3330S @ 2.70GHz</u>	3,817
<u>Intel Core i3-1115GRE @ 3.00GHz</u>	3,816
<u>Intel Xeon E3-1225 @ 3.10GHz</u>	3,804
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,801
<u>Intel Core i5-2380P @ 3.10GHz</u>	3,797
<u>Intel Core i3-4370 @ 3.80GHz</u>	3,782
<u>Intel Core i7-6567U @ 3.30GHz</u>	3,779
<u>AMD Athlon X4 845</u>	3,775
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,770
<u>Intel Pentium Gold G5600 @ 3.90GHz</u>	3,769
<u>Intel Core i7-2670QM @ 2.20GHz</u>	3,761
<u>Intel Pentium N6415 @ 1.20GHz</u>	3,760
<u>Intel Pentium Gold G5500 @ 3.80GHz</u>	3,755
<u>Intel Core i5-3335S @ 2.70GHz</u>	3,754
<u>AMD PRO A10-8850B</u>	3,752
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,752
<u>MediaTek MT6873</u>	3,752
<u>Intel Pentium Gold G6405T @ 3.50GHz</u>	3,746
<u>ZHAOXIN KaiXian KX-U6780A@2.7GHz</u>	3,744
<u>Intel Core i5-7300U @ 2.60GHz</u>	3,739
<u>Intel Pentium Gold G5400 @ 3.70GHz</u>	3,727
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	3,727
<u>Intel Xeon E5630 @ 2.53GHz</u>	3,726
<u>AMD Opteron 3280</u>	3,720
<u>AMD Opteron 4332 HE</u>	3,715
<u>AMD Phenom II X6 1100T</u>	3,713
<u>MT6877V/ZA</u>	3,700
<u>AMD Opteron 6174</u>	3,697
<u>Intel Core i3-4360 @ 3.70GHz</u>	3,688
<u>AMD Ryzen 3 2200U</u>	3,686
<u>AMD FX-6100 Six-Core</u>	3,678
<u>AMD Athlon X4 880K</u>	3,673
<u>Qualcomm Technologies, Inc SM8150 Plus</u>	3,671
<u>Intel Core i3-8130U @ 2.20GHz</u>	3,667

<u>AMD A9-9820</u>	3,662
<u>Intel Core i7-7600U @ 2.80GHz</u>	3,658
<u>Intel Xeon E5620 @ 2.40GHz</u>	3,656
<u>Snapdragon 8cx @ 2.84 GHz</u>	3,655
<u>Intel Core i7-7500U @ 2.70GHz</u>	3,651
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	3,641
<u>AMD Phenom II X6 1090T</u>	3,640
<u>AMD PRO A10-9700</u>	3,622
<u>Intel Core i5-2320 @ 3.00GHz</u>	3,622
<u>Intel Core i3-6100T @ 3.20GHz</u>	3,615
<u>Intel Pentium Gold G6400T @ 3.40GHz</u>	3,610
<u>Intel Core i3-4340 @ 3.60GHz</u>	3,606
<u>Intel Core i7-6650U @ 2.20GHz</u>	3,604
<u>Intel Pentium G4600 @ 3.60GHz</u>	3,603
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,592
<u>Intel Xeon E3-1265L @ 2.40GHz</u>	3,589
<u>Intel Core i5-2310 @ 2.90GHz</u>	3,574
<u>AMD A8-7680</u>	3,565
<u>AMD Opteron 6176 SE</u>	3,564
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,561
<u>MT6875</u>	3,561
<u>AMD Athlon X4 950</u>	3,559
<u>Intel Pentium Silver J5040 @ 2.00GHz</u>	3,556
<u>Intel Core i3-4330 @ 3.50GHz</u>	3,549
<u>Intel Core i7-2630QM @ 2.00GHz</u>	3,546
<u>AMD A10-9700</u>	3,538
<u>AMD A10-8850</u>	3,525
<u>Intel Xeon E5-2418L @ 2.00GHz</u>	3,518
<u>Intel Xeon E5-2609 v2 @ 2.50GHz</u>	3,516
<u>Intel Pentium G4560 @ 3.50GHz</u>	3,513
<u>AMD A10-7890K</u>	3,512
<u>Intel Pentium Gold G5420T @ 3.20GHz</u>	3,508
<u>Intel Core i7-6600U @ 2.60GHz</u>	3,506
<u>Intel Xeon E5-2407 v2 @ 2.40GHz</u>	3,504
<u>Intel Xeon W3580 @ 3.33GHz</u>	3,495

<u>Intel Core i5-4340M @ 2.90GHz</u>	3,491
<u>Qualcomm Technologies, Inc KHAJE</u>	3,486
<u>Intel Core i3-4160 @ 3.60GHz</u>	3,481
<u>AMD Opteron 6164 HE</u>	3,478
<u>AMD A10-7870K</u>	3,471
<u>Intel Core i5-6267U @ 2.90GHz</u>	3,468
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,466
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	3,460
<u>AMD A10 PRO-7850B APU</u>	3,458
<u>AMD Athlon X4 860K</u>	3,456
<u>AMD A12-9800E</u>	3,447
<u>Intel Xeon X5698 @ 4.40GHz</u>	3,447
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,430
<u>Intel Core i7-6560U @ 2.20GHz</u>	3,428
<u>AMD Embedded R-Series RX-418GD Radeon R6</u>	3,426
<u>Intel Core i3-1110G4 @ 1.80GHz</u>	3,421
<u>AMD PRO A10-8770</u>	3,418
<u>Intel Core i5-7200U @ 2.50GHz</u>	3,414
<u>AMD A10-7850K APU</u>	3,408
<u>Intel Core i5-2500S @ 2.70GHz</u>	3,404
<u>Intel Pentium Silver N5020 @ 1.10GHz</u>	3,404
<u>Intel Core i5-L16G7 @ 1.40GHz</u>	3,391
<u>Intel Xeon E5-4603 @ 2.00GHz</u>	3,391
<u>Intel Core i5-2300 @ 2.80GHz</u>	3,387
<u>Intel Xeon W5580 @ 3.20GHz</u>	3,386
<u>AMD Athlon X4 870K</u>	3,384
<u>AMD Opteron 6136</u>	3,381
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,380
<u>AMD Opteron X3421 APU</u>	3,375
<u>Intel Core i7-2675QM @ 2.20GHz</u>	3,375
<u>Samsung Exynos 9820</u>	3,371
<u>Intel Core i7-975 @ 3.33GHz</u>	3,370
<u>AMD FX-B4150 Quad-Core</u>	3,369
<u>MT6781V/CD</u>	3,356
<u>Intel Xeon W3570 @ 3.20GHz</u>	3,354

<u>Intel Core i3-4150 @ 3.50GHz</u>	3,353
<u>AMD PRO A8-9600</u>	3,347
<u>Intel Core i3-4370T @ 3.30GHz</u>	3,343
<u>AMD A12-9800</u>	3,339
<u>AMD Phenom II X6 1405T</u>	3,335
<u>AMD Ryzen Embedded R1305G</u>	3,329
<u>AMD A10-7860K</u>	3,327
<u>AMD FX-4150 Quad-Core</u>	3,327
<u>Intel Xeon D-1520 @ 2.20GHz</u>	3,324
<u>Intel Xeon W3565 @ 3.20GHz</u>	3,318
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315
<u>Intel Core i7-6498DU @ 2.50GHz</u>	3,303
<u>AMD Embedded R-Series RX-421BD</u>	3,302
<u>Samsung Exynos 9825</u>	3,302
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,298
<u>Intel Xeon L5609 @ 1.87GHz</u>	3,298
<u>AMD A10-8750</u>	3,294
<u>Samsung Exynos 9810</u>	3,294
<u>Intel Core i7-965 @ 3.20GHz</u>	3,288
<u>AMD Athlon X4 840</u>	3,287
<u>AMD A8-9600</u>	3,282
<u>Intel Core i3-7167U @ 2.80GHz</u>	3,280
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,279
<u>Intel Core i3-10110Y @ 1.00GHz</u>	3,278
<u>Intel Core i7-6500U @ 2.50GHz</u>	3,276
<u>Hisilicon Kirin820</u>	3,273
<u>AMD Phenom II X6 1065T</u>	3,268
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,265
<u>AMD Opteron 4365 EE</u>	3,263
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,260
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,260
<u>MT6853V/TNZA</u>	3,257
<u>Intel Core i5-4400E @ 2.70GHz</u>	3,251
<u>AMD FX-4330</u>	3,248
<u>Intel Core i7-960 @ 3.20GHz</u>	3,246

<u>MT6833</u>	3,246
<u>AMD FX-4350 Quad-Core</u>	3,244
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,244
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,239
<u>Intel Pentium Gold G5500T @ 3.20GHz</u>	3,234
<u>AMD Phenom II X6 1075T</u>	3,231
<u>Intel Xeon L5638 @ 2.00GHz</u>	3,225
<u>ARM Neoverse-N1 4 Core 0 MHz</u>	3,223
<u>Intel Core i7-2715QE @ 2.10GHz</u>	3,221
<u>MediaTek MT6853T</u>	3,217
<u>Intel Core i7-4600M @ 2.90GHz</u>	3,216
<u>Intel Core i5-4330M @ 2.80GHz</u>	3,208
<u>AMD FX-9830P</u>	3,207
<u>MT6833V/ZA</u>	3,207
<u>AMD A8-7600 APU</u>	3,204
<u>06/9c</u>	3,202
<u>MT6833V/NZA</u>	3,201
<u>AMD A8-7670K</u>	3,198
<u>Intel Celeron N5100 @ 1.10GHz</u>	3,198
<u>AMD PRO A8-8650B</u>	3,196
<u>AMD PRO A12-9800E</u>	3,191
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,191
<u>AMD Phenom II X6 1055T</u>	3,187
<u>Intel Xeon W3550 @ 3.07GHz</u>	3,186
<u>AMD A10 PRO-7800B APU</u>	3,184
<u>AMD PRO A10-8770E</u>	3,181
<u>Intel Core i5-6260U @ 1.80GHz</u>	3,180
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,176
<u>AMD A12-9730P</u>	3,172
<u>Intel Core i5-6198DU @ 2.30GHz</u>	3,169
<u>Qualcomm Technologies, Inc SM7225</u>	3,166
<u>Intel Core i3-4360T @ 3.20GHz</u>	3,164
<u>MT8786V/CA</u>	3,159
<u>Intel Atom C3858 @ 2.00GHz</u>	3,154

<u>Intel Core i3-4170T @ 3.20GHz</u>	3,152
<u>Intel Core i3-10100Y @ 1.30GHz</u>	3,151
<u>Intel Core i5-4310M @ 2.70GHz</u>	3,146
<u>AMD A10-7700K APU</u>	3,145
<u>Intel Core i7-950 @ 3.07GHz</u>	3,143
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,141
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,140
<u>Intel Core i5-2400S @ 2.50GHz</u>	3,139
<u>AMD A10-6800K APU</u>	3,137
<u>AMD Opteron X3418 APU</u>	3,137
<u>AMD A10-7800 APU</u>	3,136
<u>AMD FX-4170 Quad-Core</u>	3,135
<u>AMD FX-4200 Quad-Core</u>	3,134
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,130
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,126
<u>AMD A10-6790K APU</u>	3,124
<u>Intel Pentium Gold G5400T @ 3.10GHz</u>	3,119
<u>Intel Core i7-5557U @ 3.10GHz</u>	3,112
<u>Intel Core i7-875K @ 2.93GHz</u>	3,101
<u>Intel Xeon X5560 @ 2.80GHz</u>	3,100
<u>Intel Core i3-4330T @ 3.00GHz</u>	3,098
<u>Qualcomm Technologies, Inc LAGOON</u>	3,098
<u>AMD FX-870K Quad Core</u>	3,094
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,089
<u>Intel Core i3-6100TE @ 2.70GHz</u>	3,085
<u>Intel Core i5-4570TE @ 2.70GHz</u>	3,084
<u>MT6785</u>	3,084
<u>AMD PRO A12-8870E</u>	3,083
<u>Qualcomm Technologies, Inc SDM730G AIE</u>	3,079
<u>AMD Athlon Silver 3050U</u>	3,076
<u>AMD FX-4320</u>	3,073
<u>AMD A10-6700 APU</u>	3,070
<u>ZHAOXIN KaiXian KX-U6580@2.5GHz</u>	3,066
<u>AMD Opteron 2435</u>	3,061
<u>Intel Core i5-24050S @ 2.50GHz</u>	3,061

Intel Core i7-870 @ 2.93GHz	3,058
MT6853V/ZA	3,058
Intel Pentium Silver J5005 @ 1.50GHz	3,057
Intel Core i5-5257U @ 2.70GHz	3,050
Intel Core i3-6100H @ 2.70GHz	3,041
Qualcomm Technologies, Inc LITO	3,039
Intel Core i7-940 @ 2.93GHz	3,033
Intel Core i5-4300M @ 2.60GHz	3,032
Intel Core i5-4308U @ 2.80GHz	3,031
AMD Phenom II X6 1045T	3,029
Intel Core i5-6200U @ 2.30GHz	3,026
Qualcomm Technologies, Inc SM7250	3,019
Intel Xeon W3530 @ 2.80GHz	3,018
Intel Core i7-4558U @ 2.80GHz	3,014
AMD A8-7650K	3,013
SMDK4x12	3,006
Intel Celeron J4125 @ 2.00GHz	3,002
Qualcomm Technologies, Inc ATOLL-AB	3,001
Qualcomm Technologies, Inc SDM720G	2,999
Intel Core i5-3380M @ 2.90GHz	2,997
AMD PRO A8-8670E	2,989
Intel Xeon X5550 @ 2.67GHz	2,988
MediaTek MT6785V/CD	2,988
Intel Core i3-7130U @ 2.70GHz	2,987
Hisilicon Kirin810	2,986
Intel Core i5-2405S @ 2.50GHz	2,980
Intel Core i7-5600U @ 2.60GHz	2,979
Intel Core m3-8100Y @ 1.10GHz	2,978
Intel Xeon E5-2637 @ 3.00GHz	2,978
AMD A8-6600K APU	2,975
Qualcomm Technologies, Inc SDM765G 5G	2,956
Intel Core i5-3470T @ 2.90GHz	2,954
Intel Core i7-4610M @ 3.00GHz	2,951
Intel Core i7-4560U @ 1.60GHz	2,950
Intel Core i7-4578U @ 3.00GHz	2,949

AMD Phenom II X6 1035T	2,947
MediaTek MT6785V/CC	2,946
Intel Pentium G4520 @ 3.60GHz	2,945
Intel Xeon L5630 @ 2.13GHz	2,943
Intel Core i5-2500T @ 2.30GHz	2,942
AMD FX-4300 Quad-Core	2,938
AMD A10-5800K APU	2,937
AMD Opteron 2431	2,936
AMD Athlon X4 760K Quad Core	2,935
AMD Opteron 6128 HE	2,932
Qualcomm Technologies, Inc SM7125	2,931
AMD Athlon Silver 3050e	2,930
Intel Core i5-4210H @ 2.90GHz	2,921
Intel Core i7-880 @ 3.07GHz	2,920
Intel Core m3-7Y32 @ 1.10GHz	2,916
Intel Pentium GOLD 6500Y @ 1.10GHz	2,913
Intel Pentium G4560T @ 2.90GHz	2,909
HiSilicon Kirin 970	2,908
Intel Core i7-5550U @ 2.00GHz	2,908
Intel Celeron J4105 @ 1.50GHz	2,906
Intel Atom x6425RE @ 1.90GHz	2,903
AMD Athlon X4 830	2,901
AMD A10-9630P	2,899
AMD A8-6500B APU	2,898
AMD A10-5800B APU	2,897
AMD FX-670K Quad-Core	2,897
AMD PRO A10-9700E	2,896
Intel Core i7-3540M @ 3.00GHz	2,892
Intel Xeon W3540 @ 2.93GHz	2,890
Intel Core i5-4210M @ 2.60GHz	2,889
Intel Core i3-4350T @ 3.10GHz	2,888
Intel Core i7-860 @ 2.80GHz	2,878
Intel Celeron G5905 @ 3.50GHz	2,876
Intel Celeron G5925 @ 3.60GHz	2,873
Intel Xeon E5-2403 v2 @ 1.80GHz	2,873

AMD Opteron 4184	2,872
Intel Core i7-3520M @ 2.90GHz	2,870
MT6853V/NZA	2,866
Intel Core i3-4130T @ 2.90GHz	2,864
Intel Core i7-930 @ 2.80GHz	2,863
Intel Core i5-8210Y @ 1.60GHz	2,862
AMD FX-7600P APU	2,856
Qualcomm Technologies, Inc SM7150	2,855
Intel Core i5-7Y57 @ 1.20GHz	2,850
Qualcomm Technologies, Inc SDMMAGPIE	2,849
Intel Core i3-4150T @ 3.00GHz	2,846
AMD Phenom II X4 980	2,829
Qualcomm Technologies, Inc SDMMAGPIEP	2,829
AMD Opteron 6128	2,826
Intel Core i5-3360M @ 2.80GHz	2,826
AMD Opteron 3350 HE	2,825
AMD A10-6800B APU	2,824
AMD PRO A10-8750B	2,824
AMD A8-6500 APU	2,818
Intel Core i7-8500Y @ 1.50GHz	2,815
Intel Xeon X3450 @ 2.67GHz	2,806
Intel Pentium Silver N6000 @ 1.10GHz	2,804
MT6833V/PNZA	2,803
Intel Core i5-4278U @ 2.60GHz	2,801
Intel Celeron G5900 @ 3.40GHz	2,790
AMD Opteron 6172	2,789
AMD A8-5600K APU	2,787
Intel Xeon X3460 @ 2.80GHz	2,787
Intel Core i7-870S @ 2.67GHz	2,786
AMD FX-8800P	2,784
Intel Core i3-6157U @ 2.40GHz	2,784
Intel Xeon W3520 @ 2.67GHz	2,781
Intel Core2 Extreme X9775 @ 3.20GHz	2,780
AMD A8 PRO-7600B APU	2,776
Intel Atom C2750 @ 2.40GHz	2,775

Intel Core i5-4200M @ 2.50GHz	2,775
AMD A8-8650	2,774
Intel Core i5-7Y54 @ 1.20GHz	2,771
AMD A10-9700E	2,763
AMD Athlon X4 750K Quad Core	2,761
Intel Core 860 @ 2.80GHz	2,754
Intel Xeon E5-2603 v2 @ 1.80GHz	2,751
MediaTek MT6779V/CE	2,740
Intel Xeon E5540 @ 2.53GHz	2,738
Samsung Exynos 8895	2,738
Intel Core i5-5300U @ 2.30GHz	2,734
Rockchip RK3399	2,733
AMD A10-5700 APU	2,731
AMD PRO A12-9800B	2,729
Intel Core i7-920 @ 2.67GHz	2,729
Snapdragon 7c Gen 2 @ 2.55	2,726
Intel Core i7-860S @ 2.53GHz	2,725
Intel Pentium G4500 @ 3.50GHz	2,725
AMD RX-425BB	2,724
AMD FX-4130 Quad-Core	2,722
AMD A6-9400	2,717
AMD RX-427BB	2,715
Intel Celeron G4950 @ 3.30GHz	2,714
Intel Core i3-7100U @ 2.40GHz	2,714
Intel Core i7-5500U @ 2.40GHz	2,713
Intel Xeon X5470 @ 3.33GHz	2,709
Intel Celeron J4115 @ 1.80GHz	2,706
Intel Xeon X5492 @ 3.40GHz	2,705
AMD 3015e	2,703
AMD A8-5500B APU	2,703
Intel Pentium Silver N5030 @ 1.10GHz	2,694
Intel Xeon E5607 @ 2.27GHz	2,686
Intel Core i7-4600U @ 2.10GHz	2,685
Intel Core i5-4402E @ 1.60GHz	2,681
Intel Core i3-4110M @ 2.60GHz	2,678

<u>Intel Core i5-5350U @ 1.80GHz</u>	2,669
<u>AArch64 rev 0 (aarch64)</u>	2,665
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,661
<u>AMD Athlon X4 740 Quad Core</u>	2,655
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,653
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,650
<u>Intel Celeron G5900T @ 3.20GHz</u>	2,648
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,645
<u>Intel Core i7-3687U @ 2.10GHz</u>	2,641
<u>Intel Core i3-6100U @ 2.30GHz</u>	2,638
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,636
<u>AMD FirePro A320 APU</u>	2,634
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,633
<u>Intel Core i7-7Y75 @ 1.30GHz</u>	2,633
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,632
<u>AMD Phenom II X4 970</u>	2,629
<u>Intel Xeon E5-2609 @ 2.40GHz</u>	2,623
<u>AMD PRO A12-8800B</u>	2,622
<u>Intel Pentium G4400 @ 3.30GHz</u>	2,609
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,605
<u>AMD A12-9720P</u>	2,604
<u>Intel Pentium Silver N5000 @ 1.10GHz</u>	2,604
<u>AMD PRO A10-9700B</u>	2,602
<u>Intel Core i5-680 @ 3.60GHz</u>	2,593
<u>Intel Xeon E5530 @ 2.40GHz</u>	2,592
<u>Intel Core i3-5157U @ 2.50GHz</u>	2,588
<u>Intel Core m3-7Y30 @ 1.00GHz</u>	2,583
<u>Intel Core i7-4510U @ 2.00GHz</u>	2,580
<u>AMD FX-770K Quad-Core</u>	2,578
<u>Intel Core i5-760 @ 2.80GHz</u>	2,578
<u>AMD Phenom II X4 B65</u>	2,576
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,572
<u>Intel Celeron G4930 @ 3.20GHz</u>	2,571
<u>Intel Core i5-4258U @ 2.40GHz</u>	2,571
<u>AMD A8-5500 APU</u>	2,569

AMD Athlon II X4 557	2,567
AMD FX-4100 Quad-Core	2,558
AMD Phenom II X4 965	2,554
Intel Core i5-3610ME @ 2.70GHz	2,553
Intel Xeon X5460 @ 3.16GHz	2,550
AMD Phenom II X4 975	2,544
AMD Phenom II X4 B99	2,536
Apple A9X	2,534
AMD Athlon II X4 559	2,532
Intel Core i7-4500U @ 1.80GHz	2,527
Qualcomm Technologies, Inc SM6150	2,524
Intel Core i5-3230M @ 2.60GHz	2,523
Intel Xeon L5530 @ 2.40GHz	2,522
Intel Core i3-7102E @ 2.10GHz	2,521
Intel Pentium G4500T @ 3.00GHz	2,518
AMD A10-9620P	2,512
Intel Core i5-4300U @ 1.90GHz	2,509
Intel Core i7-3667U @ 2.00GHz	2,509
Intel Core i5-5250U @ 1.60GHz	2,503
Intel Core i3-4330TE @ 2.40GHz	2,500
Intel Core i5-4310U @ 2.00GHz	2,500
Intel Celeron N4120 @ 1.10GHz	2,499
Intel Core i5-5200U @ 2.20GHz	2,497
Intel Xeon L7455 @ 2.13GHz	2,494
AMD 3020e	2,492
Intel Core i5-750 @ 2.67GHz	2,491
Intel Core i5-670 @ 3.47GHz	2,487
Hisilicon Kirin970	2,484
AMD Phenom II X4 B97	2,482
Intel Celeron G5920 @ 3.50GHz	2,482
AMD FX-7600P	2,481
Intel Core i3-3245 @ 3.40GHz	2,480
AMD Opteron 8439 SE	2,479
Intel Xeon E5520 @ 2.27GHz	2,479
Qualcomm Technologies, Inc MSM8998	2,473

<u>AMD Phenom II X4 B55</u>	2,465
<u>Intel Xeon E5450 @ 3.00GHz</u>	2,463
<u>MT6769H</u>	2,461
<u>Intel Xeon D-1602 @ 2.50GHz</u>	2,459
<u>Intel Core2 Extreme X9650 @ 3.00GHz</u>	2,455
<u>Intel Celeron N4100 @ 1.10GHz</u>	2,451
<u>Intel Core i3-4100M @ 2.50GHz</u>	2,449
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,448
<u>Intel Core i7-4610Y @ 1.70GHz</u>	2,446
<u>Intel Xeon X3370 @ 3.00GHz</u>	2,446
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,442
<u>AMD Athlon II X4 650</u>	2,440
<u>Snapdragon 850 @ 2.96 GHz</u>	2,437
<u>AMD Phenom II X4 955</u>	2,434
<u>Intel Xeon E5472 @ 3.00GHz</u>	2,432
<u>MediaTek MT6779V/CU</u>	2,429
<u>Intel Pentium G3470 @ 3.60GHz</u>	2,428
<u>Intel Xeon L3426 @ 1.87GHz</u>	2,423
<u>AMD A12-9700P</u>	2,422
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,420
<u>AMD Athlon II X4 553</u>	2,418
<u>Intel Core i7-2640M @ 2.80GHz</u>	2,413
<u>Intel Celeron G4920 @ 3.20GHz</u>	2,406
<u>Intel Atom C3558 @ 2.20GHz</u>	2,405
<u>Qualcomm Technologies, Inc SM6225</u>	2,404
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,402
<u>HiSilicon Kirin 960</u>	2,401
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,399
<u>AMD Phenom II X4 850</u>	2,397
<u>Intel Core2 Quad Q9650 @ 3.00GHz</u>	2,397
<u>Intel Celeron G4900T @ 2.90GHz</u>	2,395
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,394
<u>AMD PRO A12-8830B</u>	2,392
<u>Intel Xeon X5450 @ 3.00GHz</u>	2,391
<u>AMD PRO A10-8730B</u>	2,388

<u>AMD PRO A8-9600B</u>	2,388
<u>AArch64 rev 1 (aarch64)</u>	2,385
<u>AMD Opteron 4170 HE</u>	2,382
<u>Unisoc T610</u>	2,381
<u>AMD Phenom II X4 977</u>	2,377
<u>Intel Core i3-3250 @ 3.50GHz</u>	2,376
<u>Intel Celeron G3950 @ 3.00GHz</u>	2,369
<u>Intel Core i5-661 @ 3.33GHz</u>	2,369
<u>Intel Core m5-6Y57 @ 1.10GHz</u>	2,369
<u>Intel Celeron N4505 @ 2.00GHz</u>	2,367
<u>Intel Pentium 6405U @ 2.40GHz</u>	2,367
<u>Intel Pentium J4205 @ 1.50GHz</u>	2,367
<u>T610-Unisoc</u>	2,367
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,364
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,363
<u>Apple A8X</u>	2,362
<u>Intel Xeon E5-2603 @ 1.80GHz</u>	2,362
<u>Intel Core i5-660 @ 3.33GHz</u>	2,361
<u>AMD A8-3870K APU</u>	2,359
<u>AMD Phenom II X4 B60</u>	2,357
<u>Intel Core i5-4260U @ 1.40GHz</u>	2,357
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,354
<u>AMD Phenom II X4 840</u>	2,350
<u>Intel Core i3-6102E @ 1.90GHz</u>	2,349
<u>Intel Core2 Extreme X9750 @ 3.16GHz</u>	2,348
<u>AMD Phenom II X4 B35</u>	2,341
<u>AMD Athlon II X4 651 Quad-Core</u>	2,338
<u>MediaTek MT6771V/CT</u>	2,336
<u>Snapdragon 7c @ 2.40 GHz</u>	2,333
<u>AMD Ryzen 3 3250C</u>	2,332
<u>Intel Xeon X5365 @ 3.00GHz</u>	2,331
<u>Intel Xeon E5606 @ 2.13GHz</u>	2,326
<u>MediaTek MT6779V/CV</u>	2,324
<u>Qualcomm Technologies, Inc SM6115</u>	2,319
<u>AMD Phenom II X4 B95</u>	2,313

<u>AMD A10-6700T APU</u>	2,311
<u>Intel Core i5-3427U @ 1.80GHz</u>	2,311
<u>AMD Athlon II X4 555</u>	2,310
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,310
<u>Intel Celeron G5905T @ 3.30GHz</u>	2,310
<u>MT6769V/CT</u>	2,310
<u>Intel Core i5-8200Y @ 1.30GHz</u>	2,308
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,308
<u>Intel Core i3-2140 @ 3.50GHz</u>	2,307
<u>Intel Core i5-4350U @ 1.40GHz</u>	2,305
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,305
<u>AMD Phenom II X4 B70</u>	2,303
<u>Intel Core i5-2540M @ 2.60GHz</u>	2,298
<u>Intel Core i5-4210U @ 1.70GHz</u>	2,290
<u>Intel Xeon X3360 @ 2.83GHz</u>	2,288
<u>Intel Pentium 1403 v2 @ 2.60GHz</u>	2,284
<u>AMD Opteron 3260 HE</u>	2,283
<u>Intel Xeon X3363 @ 2.83GHz</u>	2,283
<u>Intel Core i3-3240 @ 3.40GHz</u>	2,280
<u>Intel Core2 Quad Q9550 @ 2.83GHz</u>	2,280
<u>Hisilicon Kirin710</u>	2,278
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,278
<u>AMD A10-8700P</u>	2,276
<u>Intel Core i3-6006U @ 2.00GHz</u>	2,276
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,276
<u>Intel Core i5-3437U @ 1.90GHz</u>	2,274
<u>Intel Xeon L3360 @ 2.83GHz</u>	2,273
<u>Intel Celeron G3930 @ 2.90GHz</u>	2,270
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,270
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	2,267
<u>AMD Athlon II X4 645</u>	2,264
<u>Intel Xeon L5430 @ 2.66GHz</u>	2,260
<u>MT6771V/WL</u>	2,257
<u>Intel Core2 Extreme Q6850 @ 3.00GHz</u>	2,256
<u>AMD PRO A10-8700B</u>	2,255

AMD Phenom II X4 945	2,252
Intel Xeon E5440 @ 2.83GHz	2,250
Intel Celeron G3900 @ 2.80GHz	2,244
AMD Phenom II X4 840T	2,243
Intel Core i5-2520M @ 2.50GHz	2,241
Qualcomm Technologies, Inc SM4350	2,241
AMD A8-8600P	2,240
AMD Phenom II X4 B40	2,238
AMD Phenom II X4 B50	2,237
MediaTek MT6771V/C	2,237
AMD A8-3850 APU	2,236
Intel Core i7-940XM @ 2.13GHz	2,235
AMD FX-9800P	2,229
Intel Xeon X3353 @ 2.66GHz	2,229
AMD Phenom II X4 940	2,228
Intel Core i3-3225 @ 3.30GHz	2,228
MediaTek MT6769Z	2,228
MT6969T	2,228
AArch64 rev 2 (aarch64)	2,226
Intel Xeon X3430 @ 2.40GHz	2,226
Intel Celeron J3455 @ 1.50GHz	2,225
Qualcomm Technologies, Inc SDM710	2,225
Intel Celeron G3930TE @ 2.70GHz	2,218
Intel Xeon X5472 @ 3.00GHz	2,218
AMD A10-9600P	2,217
Intel Core i5-650 @ 3.20GHz	2,214
Unisoc ums512	2,214
Intel Core i3-5020U @ 2.20GHz	2,212
Intel Core i5-4200U @ 1.60GHz	2,212
Intel Celeron 6305 @ 1.80GHz	2,211
MediaTek MT6769T	2,211
Intel Celeron G4930T @ 3.00GHz	2,209
Samsung Exynos 8890	2,208
Intel Celeron N6211 @ 1.20GHz	2,207
Qualcomm Technologies, Inc SDM712	2,205

<u>AMD Phenom II X4 973</u>	2,204
<u>Intel Xeon E5430 @ 2.66GHz</u>	2,204
<u>Intel Pentium 4415U @ 2.30GHz</u>	2,201
<u>Qualcomm Technologies, Inc SDM670</u>	2,201
<u>AMD Phenom II X4 960T</u>	2,196
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	2,196
<u>Intel Core i3-21050 @ 3.10GHz</u>	2,193
<u>MediaTek MT6769V/WB</u>	2,192
<u>Intel Pentium G4400TE @ 2.40GHz</u>	2,190
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,188
<u>AMD Athlon II X4 638 Quad-Core</u>	2,183
<u>MediaTek MT6769V/CB</u>	2,183
<u>MediaTek MT6769V/CU</u>	2,183
<u>MT6765H</u>	2,183
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,179
<u>MediaTek MT6771V/WT</u>	2,178
<u>Qualcomm Technologies, Inc TRINKET</u>	2,175
<u>Intel Atom C2750 @ 2.41GHz</u>	2,174
<u>AMD Phenom II X4 925</u>	2,167
<u>Intel Pentium G3460 @ 3.50GHz</u>	2,165
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,163
<u>Qualcomm Technologies, Inc BENGAL</u>	2,159
<u>AMD Athlon II X4 640</u>	2,158
<u>Intel Xeon X3350 @ 2.66GHz</u>	2,158
<u>AMD PRO A8-8600B</u>	2,148
<u>Intel Pentium N4200 @ 1.10GHz</u>	2,144
<u>AMD Athlon II X4 641 Quad-Core</u>	2,143
<u>Intel Core i3-5010U @ 2.10GHz</u>	2,141
<u>Intel Core i7-3517UE @ 1.70GHz</u>	2,141
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,140
<u>Intel Celeron J3455E @ 1.50GHz</u>	2,139
<u>Qualcomm Technologies, Inc BENGALP</u>	2,137
<u>Virtual</u>	2,137
<u>AMD A8-7200P</u>	2,135
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,131

Intel Core m5-6Y54 @ 1.10GHz	2,131
Intel Pentium G3440 @ 3.30GHz	2,129
MediaTek MT6763V/CE	2,129
Intel Pentium G3430 @ 3.30GHz	2,125
Intel Core M-5Y71 @ 1.20GHz	2,120
AMD Phenom II X4 B45	2,119
Qualcomm Technologies, Inc SDM660	2,118
AMD Athlon X4 640	2,115
Intel Core M-5Y31 @ 0.90GHz	2,114
Intel Celeron G3930T @ 2.70GHz	2,109
AMD Phenom II X4 B25	2,108
Intel Core i7-3517U @ 1.90GHz	2,108
Intel Pentium G3440T @ 2.80GHz	2,107
Qualcomm Technologies, Inc SDA660	2,107
Intel Core i3-3210 @ 3.20GHz	2,106
MediaTek MT6771V/W	2,106
AMD Phenom II X4 820	2,105
Qualcomm Technologies, Inc SDM665	2,105
AMD Phenom II X4 B93	2,104
MediaTek MT6797X	2,104
AMD A8-3820 APU	2,094
AMD A10-7400P	2,093
AMD Athlon II X4 630	2,093
Intel Core i3-2125 @ 3.30GHz	2,093
Intel Atom E3950 @ 1.60GHz	2,092
Intel Pentium G2140 @ 3.30GHz	2,092
Intel Pentium G3450 @ 3.40GHz	2,091
AMD 3015Ce	2,090
Intel Pentium G3258 @ 3.20GHz	2,089
AMD Athlon II X4 635	2,087
Intel Core2 Quad Q9450 @ 2.66GHz	2,086
AMD Athlon II X4 631 Quad-Core	2,085
Intel Celeron G3900T @ 2.60GHz	2,085
MT6769V/CZ	2,081
AMD Opteron 1389	2,079

<u>AMD Athlon II X4 655</u>	2,078
<u>Intel Pentium 4405U @ 2.10GHz</u>	2,075
<u>AMD Opteron 2384</u>	2,074
<u>Qualcomm Technologies, Inc SM6125</u>	2,062
<u>Unisoc T618</u>	2,062
<u>AMD Opteron 3250 HE</u>	2,061
<u>Intel Core i5-3337U @ 1.80GHz</u>	2,060
<u>MT6768G</u>	2,060
<u>AMD Opteron 4162 EE</u>	2,058
<u>Unisoc ums9230</u>	2,058
<u>Intel Atom C2758 @ 2.40GHz</u>	2,056
<u>Intel Core i5-2450M @ 2.50GHz</u>	2,056
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,055
<u>MediaTek MT6768V/CA</u>	2,054
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,052
<u>Intel Xeon X3230 @ 2.66GHz</u>	2,052
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,050
<u>Intel Core i7-640M @ 2.80GHz</u>	2,048
<u>Apple A9</u>	2,047
<u>AMD Phenom II X4 910e</u>	2,044
<u>Intel Core i5-2415M @ 2.30GHz</u>	2,044
<u>AMD A6-3670 APU</u>	2,040
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,040
<u>Intel Pentium G3260 @ 3.30GHz</u>	2,038
<u>AMD A6-3650 APU</u>	2,037
<u>Intel Celeron G3900E @ 2.40GHz</u>	2,034
<u>Intel Core i3-2102 @ 3.10GHz</u>	2,029
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,028
<u>Intel Xeon E7- 2830 @ 2.13GHz</u>	2,027
<u>Intel Core2 Quad Q8400 @ 2.66GHz</u>	2,025
<u>Intel Core2 Quad Q9505 @ 2.83GHz</u>	2,020
<u>T700-Unisoc</u>	2,020
<u>Intel Core i5-655K @ 3.20GHz</u>	2,017
<u>Intel Core i3-5005U @ 2.00GHz</u>	2,016
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,016

Intel Core2 Extreme Q9200 @ 2.40GHz	2,011
Intel Core i5-2435M @ 2.40GHz	2,008
Intel Core i5-2430M @ 2.40GHz	2,006
Intel Core m3-6Y30 @ 0.90GHz	2,003
Intel Core i7-620M @ 2.67GHz	2,001
Intel Core i3-3240T @ 2.90GHz	2,000
Intel Core i7-2655LE @ 2.20GHz	1,999
AMD A10-5757M APU	1,997
AMD Opteron 2427	1,995
AMD Phenom II X4 830	1,993
Intel Core i7-2677M @ 1.80GHz	1,993
HiSilicon Kirin 950	1,991
AMD Athlon X4 750 Quad Core	1,986
Intel Xeon X3320 @ 2.50GHz	1,986
Intel Core i3-2130 @ 3.40GHz	1,984
Intel Pentium G3420 @ 3.20GHz	1,983
MediaTek MT6771V/WM	1,981
Intel Core i3-5015U @ 2.10GHz	1,979
Intel Xeon X5355 @ 2.66GHz	1,979
Intel Core i3-4025U @ 1.90GHz	1,974
Intel Core i5-3317U @ 1.70GHz	1,969
AMD Athlon II X4 615e	1,967
Intel Core i7-920XM @ 2.00GHz	1,965
MT8788	1,961
Intel Atom E3940 @ 1.60GHz	1,960
AMD Athlon II X4 605e	1,959
Intel Atom E3900 @ 1.60GHz	1,953
Unisoc T700	1,950
Intel Core2 Quad Q9300 @ 2.50GHz	1,949
Intel Core i3-4120U @ 2.00GHz	1,948
Intel Pentium G3250 @ 3.20GHz	1,948
Intel Core i5-2410M @ 2.30GHz	1,947
AMD Phenom 9850B Quad-Core	1,946
Intel Core i7-2637M @ 1.70GHz	1,942
Intel Core i3-3220T @ 2.80GHz	1,940

AMD A8-3800 APU	1,939
AMD Athlon X4 730	1,936
Intel Xeon X6550 @ 2.00GHz	1,936
Intel Xeon E5603 @ 1.60GHz	1,935
AMD A6-7480	1,931
Intel Celeron N3450 @ 1.10GHz	1,929
Intel Xeon E5507 @ 2.27GHz	1,928
Intel Xeon X3330 @ 2.66GHz	1,928
Intel Pentium G3240 @ 3.10GHz	1,927
Intel Celeron G1850 @ 2.90GHz	1,926
AMD Athlon II X3 460	1,924
Intel Core i7-840QM @ 1.87GHz	1,924
Intel Xeon E5506 @ 2.13GHz	1,924
AMD Athlon 5370 APU	1,923
Intel Xeon E5410 @ 2.33GHz	1,923
Intel Xeon E5420 @ 2.50GHz	1,921
Intel Xeon L5410 @ 2.33GHz	1,921
AMD A10-4600M APU	1,918
AMD Opteron 3320 EE	1,918
AMD PRO A6-8570	1,916
AMD Athlon II X4 620	1,914
Intel Core i3-2120 @ 3.30GHz	1,914
Intel Core i5-580M @ 2.67GHz	1,914
Intel Pentium G3420T @ 2.70GHz	1,912
Qualcomm Technologies, Inc MSM8976SG	1,912
AMD Opteron X2170 APU	1,911
AMD A10 PRO-7350B APU	1,910
Intel Celeron 4305UE @ 2.00GHz	1,908
Samsung Exynos 9611	1,908
Intel Core i5-3439Y @ 1.50GHz	1,907
Intel Core i5-4422E @ 1.80GHz	1,907
AMD Phenom II X4 B05e	1,906
Intel Core M-5Y10a @ 0.80GHz	1,905
Qualcomm Technologies, Inc SDM662	1,905
AMD Opteron 2419 EE	1,902

AMD Phenom II X4 920	1,899
AMD Opteron 1385	1,898
AMD Phenom II X4 905e	1,895
Intel Pentium G2130 @ 3.20GHz	1,895
AMD Phenom 9950 Quad-Core	1,892
Intel Core i5-2510E @ 2.50GHz	1,889
AMD PRO A6-8550B	1,885
Intel Celeron N4500 @ 1.10GHz	1,882
Intel Core i5-2515E @ 2.50GHz	1,882
Qualcomm Technologies, Inc SDM636	1,882
Intel Core i7-3555LE @ 2.50GHz	1,880
AMD PRO A6-9500	1,875
Intel Core i3-4030U @ 1.90GHz	1,873
Intel Pentium G2120 @ 3.10GHz	1,868
AMD Opteron 2378	1,864
Qualcomm Technologies, Inc SDM460	1,861
AMD A10-5750M APU	1,859
AMD Athlon II X4 610e	1,859
Intel Pentium G3220 @ 3.00GHz	1,856
AMD A6-9500	1,854
Intel Core i3-4110U @ 1.90GHz	1,853
Intel Core i5-4230U @ 1.90GHz	1,853
ARM Cortex-A53 6 Core 1896 MHz	1,851
Intel Pentium 1403 @ 2.60GHz	1,851
Intel Celeron G3900TE @ 2.30GHz	1,850
AMD Phenom II X4 810	1,849
Intel Core i3-4100E @ 2.40GHz	1,848
AMD A8-5550M APU	1,847
Intel Core i3-2310E @ 2.10GHz	1,845
Intel Core2 Extreme Q9300 @ 2.53GHz	1,845
AMD Phenom II X3 B77	1,844
AMD Phenom II X4 805	1,844
AMD A6-9500E	1,841
Intel Core i3-2105 @ 3.10GHz	1,840
Intel Core M-5Y10 @ 0.80GHz	1,840

<u>Intel Xeon X3323 @ 2.50GHz</u>	1,837
<u>Samsung Exynos 9610</u>	1,833
<u>AMD Athlon II X3 455</u>	1,832
<u>AMD FX-7500 APU</u>	1,832
<u>MediaTek MT8183</u>	1,832
<u>AMD A6-3620 APU</u>	1,830
<u>Intel Core i5-560M @ 2.67GHz</u>	1,830
<u>Qualcomm Technologies, Inc SM4250</u>	1,828
<u>AMD Phenom II X4 B15e</u>	1,825
<u>Intel Core i3-3130M @ 2.60GHz</u>	1,824
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,823
<u>Intel Xeon X3220 @ 2.40GHz</u>	1,819
<u>Intel Core i7-610E @ 2.53GHz</u>	1,818
<u>Intel Core i5-4302Y @ 1.60GHz</u>	1,817
<u>T618</u>	1,817
<u>AMD A8-6500T APU</u>	1,816
<u>Intel Xeon E5345 @ 2.33GHz</u>	1,814
<u>AMD Athlon X4 620</u>	1,810
<u>Intel Core i3-2100 @ 3.10GHz</u>	1,809
<u>Intel Core M-5Y10c @ 0.80GHz</u>	1,806
<u>AMD Phenom 9750 Quad-Core</u>	1,804
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,803
<u>AMD A8-7410 APU</u>	1,802
<u>AMD A6-7470K</u>	1,799
<u>AMD Opteron 1381</u>	1,797
<u>AMD Phenom II X940 Quad-Core</u>	1,797
<u>AMD GX-420MC SOC</u>	1,796
<u>AMD Athlon II X3 445</u>	1,793
<u>AMD Athlon X4 530</u>	1,786
<u>Intel Core2 Quad Q8200 @ 2.33GHz</u>	1,785
<u>AMD Phenom X4 Quad-Core GP-9730</u>	1,784
<u>Snapdragon 835</u>	1,784
<u>AMD Athlon X3 455</u>	1,783
<u>MT6797M</u>	1,783
<u>AMD Athlon X3 435</u>	1,781

<u>Intel Core2 Quad Q6600 @ 2.40GHz</u>	1,777
<u>AMD A8-5557M APU</u>	1,774
<u>AMD Athlon 5350 APU</u>	1,774
<u>AMD A8-6410 APU</u>	1,773
<u>AMD R-464L APU</u>	1,773
<u>Intel Core i7-740QM @ 1.73GHz</u>	1,773
<u>Qualcomm Technologies, Inc SDM632</u>	1,770
<u>AMD Phenom II N830 3+1</u>	1,768
<u>Intel Core i7-820QM @ 1.73GHz</u>	1,768
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,764
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,764
<u>AMD Athlon II X3 450</u>	1,763
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,761
<u>AMD A10-4657M APU</u>	1,759
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,758
<u>SAMSUNG Exynos7420</u>	1,757
<u>Intel Atom C3538 @ 2.10GHz</u>	1,756
<u>AMD GX-420CA SOC</u>	1,755
<u>AMD GX-424CC SOC</u>	1,755
<u>Intel Pentium G3240T @ 2.70GHz</u>	1,755
<u>Intel Pentium G3260T @ 2.90GHz</u>	1,755
<u>AMD A10-5745M APU</u>	1,750
<u>AMD A6-7310 APU</u>	1,748
<u>MT6765</u>	1,748
<u>Qualcomm Technologies, Inc SDM630</u>	1,742
<u>HP Hexa-Core 2.0GHz</u>	1,741
<u>AMD Phenom 9600B Quad-Core</u>	1,736
<u>Intel Core i5-540M @ 2.53GHz</u>	1,736
<u>AMD Opteron 2356</u>	1,733
<u>MT6752</u>	1,728
<u>AMD PRO A4-3350B APU</u>	1,725
<u>MediaTek MT6797T</u>	1,723
<u>AMD Phenom X2 Dual-Core GE-6060</u>	1,722
<u>Intel Core i3-4158U @ 2.00GHz</u>	1,718
<u>Intel Pentium G2030 @ 3.00GHz</u>	1,714

Qualcomm Technologies, Inc APQ8053	1,712
AMD Athlon II X4 600e	1,711
Intel Celeron G1630 @ 2.80GHz	1,707
Intel Core M-5Y70 @ 1.10GHz	1,705
AMD PRO A6-8500B	1,704
AMD A10-7300 APU	1,703
AMD Opteron 1356	1,703
HiSilicon Kirin 659	1,703
Intel Core i5-2557M @ 1.70GHz	1,700
AMD Phenom 9650 Quad-Core	1,699
AMD Phenom FX-5200 Quad-Core	1,699
AMD Phenom II X4 910	1,699
Intel Pentium G3250T @ 2.80GHz	1,699
MediaTek MT8768CT	1,699
Intel Pentium 4425Y @ 1.70GHz	1,696
Intel Atom x6211E @ 1.20GHz	1,695
Intel Celeron 4305U @ 2.20GHz	1,694
AMD Athlon II X3 440	1,693
Intel Pentium G2100T @ 2.60GHz	1,691
Intel Celeron J4025 @ 2.00GHz	1,688
Intel Core i7-2617M @ 1.50GHz	1,687
AMD A4-6250J APU	1,685
AArch64 rev 4 (aarch64)	1,681
AMD A6-6310 APU	1,681
AMD Phenom 9850 Quad-Core	1,680
AMD PRO A6-7350B	1,679
Intel Core i5-520M @ 2.40GHz	1,679
MediaTek MT8768WT	1,679
Intel Xeon L5335 @ 2.00GHz	1,678
AMD A9-9430	1,676
Intel Celeron 6305E @ 1.80GHz	1,675
AMD A4-7210 APU	1,674
Intel Core i7-640LM @ 2.13GHz	1,674
AMD Athlon II X3 435	1,670
AMD Phenom II X920 Quad-Core	1,669

Intel Pentium G2020 @ 2.90GHz	1,664
MediaTek MT6765V/CA	1,664
Unisoc T310	1,663
AMD PRO A6-9500E	1,662
Intel Celeron G1820 @ 2.70GHz	1,654
Intel Core i3-4030Y @ 1.60GHz	1,654
Intel Core i7-720QM @ 1.60GHz	1,653
AMD A4 PRO-3340B	1,652
AMD Phenom X4 Quad-Core GP-9600	1,649
MT6757W	1,648
AMD Phenom II N970 Quad-Core	1,647
AMD A6-5200 APU	1,646
AMD A8-7100 APU	1,644
Intel Core i3-4005U @ 1.70GHz	1,643
Intel Core i7-3689Y @ 1.50GHz	1,642
HiSilicon Kirin 650	1,641
AMD Phenom 9550 Quad-Core	1,640
MediaTek MT6765V/CB	1,639
Samsung Exynos 7885	1,639
MT6765V/WB	1,638
AMD A10-4655M APU	1,637
Intel Core i3-4010U @ 1.70GHz	1,636
AMD Opteron 2373 EE	1,635
Nvidia Tegra T210	1,635
Intel Core i3-2100T @ 2.50GHz	1,634
Intel Xeon E5405 @ 2.00GHz	1,630
Snapdragon 888	1,630
AMD Embedded R-Series RX-216GD	1,628
Intel Celeron 3965U @ 2.20GHz	1,626
Intel Core i3-560 @ 3.33GHz	1,626
Intel Core i3-3120M @ 2.50GHz	1,623
Intel Pentium G3320TE @ 2.30GHz	1,623
AMD A8-4500M APU	1,622
AMD Opteron 1354	1,620
Intel Core i5 E 520 @ 2.40GHz	1,619

AMD A6-6400B APU	1,616
MediaTek MT6797	1,616
Samsung Exynos 7880	1,616
Intel Celeron G1820T @ 2.40GHz	1,614
Intel Pentium G2120T @ 2.70GHz	1,613
Samsung Exynos 7904	1,613
Samsung Exynos 7420	1,612
Intel Celeron N4000C @ 1.10GHz	1,611
AMD Embedded G-Series GX-420GI Radeon R7E	1,607
Intel Celeron 2000E @ 2.20GHz	1,607
Qualcomm Technologies, Inc MSM8953	1,607
AMD A6-8550	1,604
AMD A8-5545M APU	1,604
Intel Pentium 4415Y @ 1.60GHz	1,604
MT6757WD	1,602
Intel Core i3-3110M @ 2.40GHz	1,601
AMD Phenom FX-5000 Quad-Core	1,599
Intel Xeon X3210 @ 2.13GHz	1,599
AMD A6 PRO-7400B	1,598
AMD A6-7400K APU	1,598
AMD A6-3600 APU	1,595
Intel Core i5-4220Y @ 1.60GHz	1,591
AMD Phenom 9600 Quad-Core	1,590
Qualcomm MSM8953	1,589
Intel Celeron J4005 @ 2.00GHz	1,581
AMD A8-3550MX APU	1,579
ARM phytium FT1500a 4 Core 2000 MHz	1,579
ARM Neoverse-N1 2 Core 0 MHz	1,577
AMD Athlon II X3 425	1,576
Intel Celeron G1840T @ 2.50GHz	1,576
Intel Core i3-550 @ 3.20GHz	1,576
AMD Phenom II X3 720	1,574
MediaTek MT6757CD	1,572
AMD A8-3530MX APU	1,570
AMD Phenom X2 Dual-Core GE-5060	1,566

<u>ZHAOXIN KaiXian KX-6640MA@2.2+GHz</u>	1,565
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,564
<u>AMD A4-6320 APU</u>	1,563
<u>Intel Celeron G1830 @ 2.80GHz</u>	1,560
<u>Intel Celeron N4020 @ 1.10GHz</u>	1,560
<u>AMD Phenom II N930 Quad-Core</u>	1,558
<u>Intel Core i5-4200Y @ 1.40GHz</u>	1,558
<u>AMD A8 PRO-7150B APU</u>	1,557
<u>AMD Athlon II X3 420e</u>	1,557
<u>MT6765V/WA</u>	1,556
<u>AMD Phenom II X3 710</u>	1,554
<u>AMD PRO A4-8350B</u>	1,552
<u>Intel Pentium 3560M @ 2.40GHz</u>	1,552
<u>AMD A6-6420B APU</u>	1,550
<u>Intel Xeon E5335 @ 2.00GHz</u>	1,549
<u>ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</u>	1,547
<u>Intel Pentium G2010 @ 2.80GHz</u>	1,541
<u>Rockchip RK</u>	1,541
<u>AMD A6-6420K APU</u>	1,538
<u>AMD Phenom II N950 Quad-Core</u>	1,538
<u>AMD Phenom II X3 B73</u>	1,538
<u>AMD A9-9425</u>	1,535
<u>Intel Pentium G2030T @ 2.60GHz</u>	1,535
<u>Apple A8</u>	1,529
<u>Intel Xeon E5504 @ 2.00GHz</u>	1,529
<u>AMD A9-9420</u>	1,527
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,527
<u>AMD Opteron X3216 APU</u>	1,525
<u>MT6755V/W</u>	1,525
<u>Intel Xeon X5270 @ 3.50GHz</u>	1,524
<u>AMD Phenom 9750B Quad-Core</u>	1,520
<u>Intel Pentium 4405Y @ 1.50GHz</u>	1,518
<u>AMD E2-7110 APU</u>	1,517
<u>AMD Athlon X3 425</u>	1,516
<u>Qualcomm Technologies, Inc MSM8976</u>	1,513

<u>Intel Core i3-540 @ 3.07GHz</u>	1,510
<u>AMD Opteron 2354</u>	1,509
<u>AMD A9-9410</u>	1,507
<u>Intel Celeron G1620T @ 2.40GHz</u>	1,507
<u>AMD Phenom II X4 900e</u>	1,505
<u>AMD Athlon X2 370K Dual Core</u>	1,504
<u>AMD Phenom 9500 Quad-Core</u>	1,503
<u>AMD Phenom 9350e Quad-Core</u>	1,501
<u>Intel Celeron 2970M @ 2.20GHz</u>	1,501
<u>AMD PRO A6-8530B</u>	1,498
<u>Intel Pentium G870 @ 3.10GHz</u>	1,495
<u>MT6763V/B</u>	1,495
<u>AMD A4-7300 APU</u>	1,492
<u>Qualcomm MSM8996PRO-AB</u>	1,492
<u>Intel Celeron 3955U @ 2.00GHz</u>	1,490
<u>AMD PRO A6-8570E</u>	1,489
<u>Intel Core i3-2120T @ 2.60GHz</u>	1,486
<u>AMD Phenom II X3 B75</u>	1,485
<u>Intel Celeron 3867U @ 1.80GHz</u>	1,482
<u>AMD A4 PRO-7300B APU</u>	1,481
<u>Intel Core2 Quad Q9000 @ 2.00GHz</u>	1,480
<u>Intel Core i5-4300Y @ 1.60GHz</u>	1,479
<u>MediaTek MT6757V</u>	1,479
<u>AMD A4-6210 APU</u>	1,477
<u>Intel Core m5-7Y54 @ 1.20GHz</u>	1,475
<u>MediaTek MT8768WA</u>	1,473
<u>Pentium Dual-Core E6000 @ 3.46GHz</u>	1,472
<u>Intel Core i5-4202Y @ 1.60GHz</u>	1,471
<u>Intel Xeon E7320 @ 2.13GHz</u>	1,469
<u>AMD A6-8500P</u>	1,466
<u>AMD Opteron 1352</u>	1,464
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,461
<u>AMD A8-3510MX APU</u>	1,457
<u>MT6763V/CT</u>	1,457
<u>AMD Phenom 9450e Quad-Core</u>	1,455

Intel Pentium J3710 @ 1.60GHz	1,454
Intel Xeon E5320 @ 1.86GHz	1,451
Intel Xeon X5272 @ 3.40GHz	1,451
Qualcomm Technologies, Inc APQ8096	1,451
AMD A6-6400K APU	1,450
Intel Celeron G1620 @ 2.70GHz	1,450
Intel Core i5-3339Y @ 1.50GHz	1,450
AMD A6-3430MX APU	1,448
Intel Xeon E5240 @ 3.00GHz	1,448
Intel Pentium 4410Y @ 1.50GHz	1,444
Intel Core i3-530 @ 2.93GHz	1,443
AMD Athlon II X3 415e	1,441
AMD A4-6300 APU	1,440
Intel Core i3-4020Y @ 1.50GHz	1,440
AMD Athlon X3 440	1,438
Qualcomm Technologies, Inc APQ8076	1,438
AMD Phenom II X3 700e	1,430
Intel Xeon E3113 @ 3.00GHz	1,429
AMD A6-5400B APU	1,428
AMD Phenom II X2 560	1,426
AMD Phenom II X3 740	1,424
ASUS Tinker Board 2/2S	1,423
Intel Core i5-2467M @ 1.60GHz	1,423
Intel Atom C2550 @ 2.40GHz	1,422
Intel Core i7-620LM @ 2.00GHz	1,422
Intel Pentium G860 @ 3.00GHz	1,418
MediaTek MT6763V/V	1,415
Intel Celeron 5205U @ 1.90GHz	1,414
AMD Phenom II P960 Quad-Core	1,412
Intel Atom C2558 @ 2.40GHz	1,410
Intel Core i7-2610UE @ 1.50GHz	1,409
Intel Core2 Duo E8290 @ 2.83GHz	1,408
Intel Xeon E3-1220L v3 @ 1.10GHz	1,407
Intel Celeron 1020E @ 2.20GHz	1,406
AMD Phenom II X2 565	1,405

<u>Qualcomm Technologies, Inc SDA450</u>	1,405
<u>MediaTek MT6762V/WD</u>	1,404
<u>MT6755V/B</u>	1,404
<u>Qualcomm Technologies, Inc MSM8996pro</u>	1,402
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,401
<u>AMD Athlon 5150 APU</u>	1,400
<u>Intel Celeron N4000 @ 1.10GHz</u>	1,396
<u>AMD A8-3520M APU</u>	1,395
<u>AMD Phenom II X2 B59</u>	1,392
<u>AMD A9-9400</u>	1,390
<u>AMD Phenom 8600B Triple-Core</u>	1,390
<u>MT6755V/WS</u>	1,389
<u>AMD E1-6050J APU</u>	1,385
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,385
<u>AMD A6-3500 APU</u>	1,382
<u>AMD GX-415GA SOC</u>	1,380
<u>MT8176</u>	1,380
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,373
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,365
<u>Intel Core i3-3217UE @ 1.60GHz</u>	1,362
<u>AMD Phenom II X2 570</u>	1,360
<u>MediaTek MT6762V/WR</u>	1,357
<u>AMD Athlon II X2 280</u>	1,355
<u>Intel Pentium N3710 @ 1.60GHz</u>	1,354
<u>Intel Core i3-2332M @ 2.20GHz</u>	1,353
<u>Intel Pentium 2030M @ 2.50GHz</u>	1,353
<u>Intel Pentium G645 @ 2.90GHz</u>	1,353
<u>Intel Pentium G850 @ 2.90GHz</u>	1,352
<u>Intel Core i3-4010Y @ 1.30GHz</u>	1,350
<u>AMD A4-5300 APU</u>	1,349
<u>Intel Core i3-2370M @ 2.40GHz</u>	1,347
<u>AMD A4-5100 APU</u>	1,346
<u>AMD A10 Micro-6700T APU</u>	1,345
<u>AMD Phenom 8750 Triple-Core</u>	1,343
<u>AMD Phenom 9150e Quad-Core</u>	1,340

<u>AMD PRO A6-9500B</u>	1,340
<u>Intel Pentium 3825U @ 1.90GHz</u>	1,340
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,338
<u>MediaTek MT6765G</u>	1,338
<u>Hisilicon Kirin 930</u>	1,337
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,337
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,334
<u>AMD Athlon II X3 405e</u>	1,331
<u>Intel Xeon E3120 @ 3.16GHz</u>	1,330
<u>AMD A4-5050 APU</u>	1,328
<u>AMD A4-6300B APU</u>	1,328
<u>AMD A6-9225</u>	1,327
<u>AMD Athlon X2 280</u>	1,327
<u>Intel Atom T5700 @ 1.70GHz</u>	1,326
<u>Intel Core i5 750S @ 2.40GHz</u>	1,326
<u>Intel Xeon @ 2.20GHz</u>	1,324
<u>Intel Core2 Duo E8600 @ 3.33GHz</u>	1,323
<u>VIA QuadCore C4650@2.0GHz</u>	1,323
<u>AMD Athlon II X3 400e</u>	1,320
<u>Intel Celeron G1610T @ 2.30GHz</u>	1,320
<u>AMD Phenom II P940 Quad-Core</u>	1,319
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,319
<u>AMD Opteron 2393 SE</u>	1,317
<u>AMD Athlon X2 340 Dual Core</u>	1,315
<u>ARM Cortex-A72 4 Core 2300 MHz</u>	1,314
<u>MT6763V/WT</u>	1,313
<u>ARM Cortex-A73 6 Core 1992 MHz</u>	1,311
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,311
<u>Intel Pentium 3550M @ 2.30GHz</u>	1,309
<u>Qualcomm Technologies, Inc MSM8956</u>	1,309
<u>AMD A8-3500M APU</u>	1,308
<u>AMD Phenom II X2 555</u>	1,308
<u>Intel Pentium G2020T @ 2.50GHz</u>	1,308
<u>AMD A8-4555M APU</u>	1,307
<u>Intel Xeon E5310 @ 1.60GHz</u>	1,306

Intel Core i5-480M @ 2.67GHz	1,301
AMD Phenom X4 Quad-Core GP-9500	1,297
Intel Pentium G6960 @ 2.93GHz	1,293
BCM2835	1,282
AMD A6-9220	1,281
AMD Phenom 8850B Triple-Core	1,281
MediaTek MT6762V/WA	1,281
MediaTek MT6762V/WB	1,280
AMD A6-9230	1,279
AMD Phenom 9100e Quad-Core	1,279
AMD Phenom II X2 521	1,279
Unisoc UIS8581E	1,279
AMD Sempron 240	1,278
MT6755	1,278
AMD A4-5000 APU	1,277
Intel Celeron 1020M @ 2.10GHz	1,275
Intel Celeron 3765U @ 1.90GHz	1,275
Unisoc SC9863a	1,275
Intel Core i5-460M @ 2.53GHz	1,273
Intel Core i7-660UM @ 1.33GHz	1,272
Intel Pentium G630 @ 2.70GHz	1,272
AMD Embedded G-Series GX-224IJ Radeon R4E	1,271
Intel Celeron G555 @ 2.70GHz	1,268
MediaTek MT6762V/CB	1,267
Intel Celeron 3865U @ 1.80GHz	1,266
Qualcomm Technologies, Inc MSM8996	1,266
Intel Pentium A1020 @ 2.41GHz	1,265
Qualcomm Technologies, Inc SDM439	1,265
AMD A6-5400K APU	1,264
AMD A6-3420M APU	1,262
AMD Phenom II X620 Dual-Core	1,262
Intel Core i3-2348M @ 2.30GHz	1,261
AMD A6-5357M APU	1,260
AMD A6-9210	1,260
Intel Core i3-330E @ 2.13GHz	1,260

<u>Intel Celeron 3855U @ 1.60GHz</u>	1,259
<u>AMD Phenom II N850 Triple-Core</u>	1,253
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,253
<u>Samsung Exynos 7884</u>	1,251
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,250
<u>Intel Core i3-3227U @ 1.90GHz</u>	1,248
<u>Intel Atom C3338 @ 1.50GHz</u>	1,245
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242
<u>MT6750V/C</u>	1,241
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	1,240
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,238
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,237
<u>Intel Pentium G640 @ 2.80GHz</u>	1,237
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,236
<u>Intel Atom x5-Z8500 @ 1.44GHz</u>	1,235
<u>AMD Athlon II X2 270</u>	1,234
<u>Intel Core i3-2330M @ 2.20GHz</u>	1,234
<u>Snapdragon 898</u>	1,234
<u>AMD Athlon II X2 265</u>	1,233
<u>AMD A4-9120</u>	1,229
<u>Intel Core i3-4012Y @ 1.50GHz</u>	1,229
<u>MT6755M</u>	1,229
<u>AMD Phenom X4 Quad-Core GP-9530</u>	1,228
<u>AMD A4-4020 APU</u>	1,225
<u>AMD Athlon II X2 B26</u>	1,224
<u>AMD Phenom II X3 705e</u>	1,222
<u>AMD A4-5300B APU</u>	1,220
<u>Intel Core2 Duo T9900 @ 3.06GHz</u>	1,220
<u>MT6755V/BM</u>	1,219
<u>AMD A4-9125</u>	1,218
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,218
<u>AMD R-272F APU</u>	1,215
<u>Intel Pentium G620 @ 2.60GHz</u>	1,215
<u>AMD A6-3400M APU</u>	1,214
<u>AMD Phenom II P860 Triple-Core</u>	1,214

<u>Intel Core i3-2328M @ 2.20GHz</u>	1,214
<u>Intel Core i5-450M @ 2.40GHz</u>	1,211
<u>AMD Phenom 8600 Triple-Core</u>	1,210
<u>Intel Core i5-430M @ 2.27GHz</u>	1,207
<u>AMD Phenom 8650 Triple-Core</u>	1,205
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,205
<u>AMD Phenom II X2 545</u>	1,204
<u>AMD Phenom 8450 Triple-Core</u>	1,200
<u>Intel Celeron G550 @ 2.60GHz</u>	1,200
<u>Intel Celeron N3150 @ 1.60GHz</u>	1,199
<u>AMD Opteron 2222</u>	1,198
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,197
<u>Qualcomm Technologies, Inc SDM450</u>	1,197
<u>ROC-RK3568-PC HDMI (Android)</u>	1,197
<u>Intel Celeron J3355 @ 2.00GHz</u>	1,195
<u>Intel Atom x5-Z8550 @ 1.44GHz</u>	1,190
<u>AMD Phenom 8750B Triple-Core</u>	1,188
<u>Intel Core i3-2310M @ 2.10GHz</u>	1,187
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	1,187
<u>AMD R-460L APU</u>	1,183
<u>Intel Celeron 3755U @ 1.70GHz</u>	1,182
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,182
<u>AMD A4-4000 APU</u>	1,180
<u>Intel Celeron 3965Y @ 1.50GHz</u>	1,179
<u>Intel Core i3-390M @ 2.67GHz</u>	1,178
<u>AMD Athlon II X2 B28</u>	1,177
<u>Intel Celeron G540T @ 2.10GHz</u>	1,174
<u>ARM Cortex-A57 4 Core 1734 MHz</u>	1,172
<u>Intel Core2 Duo E8335 @ 2.66GHz</u>	1,172
<u>Intel Xeon Gold 6133 @ 2.50GHz</u>	1,172
<u>MT6755V/CM</u>	1,172
<u>AMD Phenom II X2 550</u>	1,169
<u>Qualcomm MSM8996</u>	1,169
<u>Intel Core2 Duo E8400 @ 3.00GHz</u>	1,167
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,166

Intel Pentium E6800 @ 3.33GHz	1,166
AMD Phenom II X640 Dual-Core	1,165
Intel Core i3-380M @ 2.53GHz	1,165
Intel Pentium G645T @ 2.50GHz	1,164
AMD Phenom II X2 511	1,163
Intel Core2 Duo T9800 @ 2.93GHz	1,163
Intel Core2 Duo E7600 @ 3.06GHz	1,161
MT6757WH	1,161
AMD Phenom II P920 Quad-Core	1,160
MTK6757	1,158
AMD Athlon II X2 250e	1,155
AMD Athlon II X2 255	1,155
AMD QC-4000	1,155
AMD Sempron 3850 APU	1,153
ARM Cortex-A57 4 Core 2014 MHz	1,153
AMD A6-3410MX APU	1,152
Intel Pentium E5800 @ 3.20GHz	1,152
Intel Pentium E6700 @ 3.20GHz	1,152
AMD A6-9220C	1,151
AMD Phenom II X2 B55	1,151
MediaTek MT6753T	1,149
AMD A6 Micro-6500T APU	1,146
Intel Pentium G840 @ 2.80GHz	1,146
AMD A6-5350M APU	1,142
AMD Phenom 8850 Triple-Core	1,142
Intel Celeron N3160 @ 1.60GHz	1,140
Intel Core2 Duo E6850 @ 3.00GHz	1,140
Intel Pentium N3520 @ 2.16GHz	1,140
AMD A9-9420e	1,139
AMD Phenom II N870 Triple-Core	1,139
Intel Core2 Extreme X9100 @ 3.06GHz	1,139
Intel Pentium G640T @ 2.40GHz	1,139
Intel Core i3-2312M @ 2.10GHz	1,138
Intel Core2 Extreme X7800 @ 2.60GHz	1,138
AMD Phenom II N830 Triple-Core	1,137

<u>Intel Xeon W3505 @ 2.53GHz</u>	1,136
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,135
<u>AMD Phenom 8450e Triple-Core</u>	1,134
<u>Intel Celeron J1900 @ 1.99GHz</u>	1,132
<u>AMD A4-5150M APU</u>	1,129
<u>AMD A8-7050</u>	1,129
<u>Intel Core i3-370M @ 2.40GHz</u>	1,128
<u>AMD Phenom II X2 B53</u>	1,126
<u>Intel Pentium 3805U @ 1.90GHz</u>	1,126
<u>AMD E2-3800 APU</u>	1,124
<u>Intel Celeron N3350 @ 1.10GHz</u>	1,124
<u>AMD A6-5345M APU</u>	1,122
<u>Intel Celeron 3215U @ 1.70GHz</u>	1,122
<u>AMD E2-6110 APU</u>	1,121
<u>Intel Xeon L5320 @ 1.86GHz</u>	1,118
<u>AMD A6-1450 APU</u>	1,117
<u>Intel Pentium A1018 @ 2.10GHz</u>	1,117
<u>AMD Phenom II P840 Triple-Core</u>	1,116
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,115
<u>AMD Phenom 8250 Triple-Core</u>	1,114
<u>Intel Celeron G540 @ 2.50GHz</u>	1,110
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,109
<u>AMD Opteron 2220</u>	1,106
<u>ARM Cortex-A72 6 Core 1416 MHz</u>	1,106
<u>AMD Athlon II X2 210e</u>	1,105
<u>AMD Athlon II X2 260</u>	1,102
<u>Intel Celeron G550T @ 2.20GHz</u>	1,102
<u>AMD A4-3420 APU</u>	1,099
<u>AMD Phenom II X2 B57</u>	1,099
<u>Intel Core2 Duo E8135 @ 2.66GHz</u>	1,099
<u>Intel Celeron G530 @ 2.40GHz</u>	1,096
<u>Intel Xeon 3075 @ 2.66GHz</u>	1,096
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,095
<u>MediaTek MT6750T</u>	1,095
<u>AMD PRO A4-4350B</u>	1,093

<u>Qualcomm MSM8992</u>	1,092
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091
<u>Intel Pentium B970 @ 2.30GHz</u>	1,091
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,090
<u>AMD Opteron 1222</u>	1,089
<u>Intel Core2 Duo E7500 @ 2.93GHz</u>	1,089
<u>MediaTek MT6762G</u>	1,088
<u>MT6795</u>	1,088
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,086
<u>15/70</u>	1,085
<u>Qualcomm MSM 8939 HUAWEI TEXAS-A1</u>	1,085
<u>AMD Phenom 8250e Triple-Core</u>	1,084
<u>MT8173</u>	1,077
<u>AMD Athlon II X2 250</u>	1,076
<u>Intel Pentium B980 @ 2.40GHz</u>	1,076
<u>AMD Athlon II X2 245e</u>	1,075
<u>AMD Athlon II X2 B24</u>	1,073
<u>Intel Core2 Duo T9600 @ 2.80GHz</u>	1,073
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,073
<u>AMD Phenom 8400 Triple-Core</u>	1,070
<u>Intel Xeon 3085 @ 3.00GHz</u>	1,070
<u>MT6755BM</u>	1,070
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,069
<u>AMD Phenom II P820 Triple-Core</u>	1,068
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,068
<u>MediaTek MT6750V/WT</u>	1,068
<u>Intel Pentium 2127U @ 1.90GHz</u>	1,066
<u>AMD GX-412HC</u>	1,065
<u>AMD Phenom II N660 Dual-Core</u>	1,065
<u>Qualcomm MSM 8939 HUAWEI KIW-L24</u>	1,065
<u>AMD Phenom X4 Quad-Core GS-6560</u>	1,063
<u>AMD A6-9200</u>	1,062
<u>Intel Pentium G6950 @ 2.80GHz</u>	1,061
<u>AMD Athlon II X2 4400e</u>	1,059
<u>Intel Core i3-350M @ 2.27GHz</u>	1,058

<u>Samsung EXYNOS5433</u>	1,058
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,057
<u>AMD A4-3400 APU</u>	1,056
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,056
<u>MT6592T</u>	1,056
<u>Intel Celeron G530T @ 2.00GHz</u>	1,055
<u>Intel Xeon W3503 @ 2.40GHz</u>	1,052
<u>Rockchip RK3566 BOX DEMO V10 ANDROID Board</u>	1,051
<u>Intel Pentium E6600 @ 3.06GHz</u>	1,050
<u>AMD Athlon II X2 235e</u>	1,049
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,046
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,039
<u>MT8783</u>	1,039
<u>AMD GX-222GC SOC</u>	1,038
<u>Intel Atom E3845 @ 1.91GHz</u>	1,038
<u>AMD Athlon 7850 Dual-Core</u>	1,037
<u>AMD Athlon II X2 B22</u>	1,036
<u>AMD Opteron 1220</u>	1,036
<u>AMD Opteron 2218</u>	1,036
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	1,034
<u>AMD A6-4400M APU</u>	1,029
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,029
<u>Intel Pentium G630T @ 2.30GHz</u>	1,029
<u>Intel Celeron 1000M @ 1.80GHz</u>	1,028
<u>Intel Celeron U1900 @ 1.99GHz</u>	1,028
<u>Intel Xeon 3070 @ 2.66GHz</u>	1,025
<u>AMD A4 PRO-7350B</u>	1,024
<u>Qualcomm MSM 8939 HUAWEI KIW-L21</u>	1,023
<u>ARM Cortex-A57 8 Core 1500 MHz</u>	1,022
<u>AMD Athlon II X2 220</u>	1,018
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,017
<u>AMD Turion II Ultra Dual-Core Mobile M640</u>	1,016
<u>Intel Core2 Duo T9500 @ 2.60GHz</u>	1,016
<u>Intel Pentium J2850 @ 2.41GHz</u>	1,016
<u>AMD A6 PRO-7050B APU</u>	1,015

<u>AMD Athlon X2 240e</u>	1,015
<u>Intel Core i5-560UM @ 1.33GHz</u>	1,015
<u>Qualcomm MSM8939</u>	1,013
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,012
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011
<u>AMD A6-7000</u>	1,010
<u>AMD Athlon II X2 245</u>	1,010
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,010
<u>Intel Pentium E5500 @ 2.80GHz</u>	1,010
<u>Intel Core i5-2537M @ 1.40GHz</u>	1,007
<u>Intel Core2 Duo E6700 @ 2.66GHz</u>	1,006
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,006
<u>AMD A4 Micro-6400T APU</u>	1,004
<u>Intel Core i3-3229Y @ 1.40GHz</u>	1,004
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,004
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,003
<u>Intel Pentium 3556U @ 1.70GHz</u>	1,003
<u>Pentium Dual-Core T4500 @ 2.30GHz</u>	1,003
<u>Qualcomm Technologies, Inc MSM8937</u>	1,003
<u>Intel Core i5-540UM @ 1.20GHz</u>	1,002
<u>Intel Core i3-330M @ 2.13GHz</u>	998
<u>AMD A4-4300M APU</u>	997
<u>AMD Athlon X2 215</u>	996
<u>Intel Core2 Duo E8235 @ 2.80GHz</u>	995
<u>Intel Pentium 3558U @ 1.70GHz</u>	994
<u>AMD Athlon X2 250</u>	993
<u>AMD E2-9010</u>	991
<u>Intel Celeron 2981U @ 1.60GHz</u>	991
<u>AMD Athlon II X2 4300e</u>	990
<u>AMD Phenom II N620 Dual-Core</u>	990
<u>Nvidia Tegra T132</u>	990
<u>Intel Pentium Extreme Edition 965 @ 3.73GHz</u>	987
<u>Intel Atom x5-E8000 @ 1.04GHz</u>	985
<u>Intel Pentium E6300 @ 2.80GHz</u>	982
<u>MT6755V/WM</u>	981

<u>AMD A6-9220e</u>	980
<u>Intel Pentium B950 @ 2.10GHz</u>	978
<u>Intel Core i3-2340UE @ 1.30GHz</u>	976
<u>Intel Celeron 1037U @ 1.80GHz</u>	975
<u>AMD E2-3200 APU</u>	974
<u>Intel Core2 Duo E7400 @ 2.80GHz</u>	974
<u>MediaTek MT6762V/CA</u>	974
<u>Intel Core2 Duo E8135 @ 2.40GHz</u>	973
<u>Qualcomm MSM8937</u>	973
<u>AMD Athlon 64 FX-74</u>	972
<u>AMD A4-3300 APU</u>	971
<u>ARM Cortex-A72 4 Core 1800 MHz</u>	971
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	971
<u>MediaTek MT6750</u>	971
<u>MT6795M</u>	968
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	967
<u>ARM Cortex-A57 4 Core 1479 MHz</u>	966
<u>AMD Phenom II N640 Dual-Core</u>	965
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	965
<u>Intel Core i7-620UM @ 1.07GHz</u>	964
<u>Intel Xeon 5160 @ 3.00GHz</u>	963
<u>AMD Athlon II X2 240e</u>	962
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	962
<u>AMD Phenom X3 8550</u>	961
<u>Intel Atom C2538 @ 2.40GHz</u>	960
<u>Intel Core2 Duo P9500 @ 2.53GHz</u>	959
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	958
<u>tn8</u>	958
<u>Unisoc ums312</u>	958
<u>AMD Athlon II X2 215</u>	957
<u>AMD Opteron 285</u>	956
<u>AMD R-260H APU</u>	954
<u>AMD Opteron 290</u>	952
<u>AMD Athlon 7750 Dual-Core</u>	950
<u>Samsung J7 Max LTE SWA board based on MT6757V/WL</u>	950

Intel Core2 Duo SP9400 @ 2.40GHz	948
AMD E2-9000	944
Intel Pentium E5400 @ 2.70GHz	944
VIA Eden X4 C4250 @ 1.2+GHz	944
AMD Athlon 64 FX-62 Dual Core	943
Intel Celeron J1850 @ 1.99GHz	942
AMD Athlon II X2 240	941
Intel Xeon 3060 @ 2.40GHz	939
AMD Athlon X2 255	938
Intel Core2 Duo T9300 @ 2.50GHz	938
Intel Celeron E3500 @ 2.70GHz	935
Intel Core2 Duo T9400 @ 2.53GHz	934
AMD Phenom II P650 Dual-Core	933
AMD Sempron X2 198 Dual-Core	930
Intel Celeron B840 @ 1.90GHz	930
Intel Xeon L3406 @ 2.27GHz	928
AMD Athlon 64 X2 Dual Core 6000+	927
MT8168B	924
AMD Turion II Ultra Dual-Core Mobile M600	923
AMD E2-9030	922
AMD Athlon X2 240	921
MediaTek MT6753	920
Qualcomm Technologies, Inc MSM8994	919
Intel Celeron 3205U @ 1.50GHz	918
AMD Turion II Dual-Core Mobile M540	912
Intel Xeon 5148 @ 2.33GHz	912
AMD Athlon 64 X2 Dual Core 5600+	911
AMD Opteron 1218	910
Intel Core2 Duo T9550 @ 2.66GHz	910
AMD Opteron 2220 SE	909
Intel Core2 Duo P9300 @ 2.26GHz	909
Rockchip RK3566 RK817 TABLET LP4X Board	909
Intel Atom x5-Z8350 @ 1.44GHz	907
Intel Celeron N2920 @ 1.86GHz	907
Intel Pentium B960 @ 2.20GHz	906

<u>MT8768WD</u>	905
<u>Intel Core i5-520UM @ 1.07GHz</u>	902
<u>Intel Xeon 3.73GHz</u>	901
<u>AMD A4-9120e</u>	899
<u>AMD Athlon II N370 Dual-Core</u>	899
<u>Intel Core2 Duo P8800 @ 2.66GHz</u>	898
<u>Intel Core2 Duo E6600 @ 2.40GHz</u>	897
<u>Intel Pentium E5300 @ 2.60GHz</u>	897
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	896
<u>Intel Pentium G620T @ 2.20GHz</u>	896
<u>AMD A4-9120C</u>	894
<u>Intel Core i3-2375M @ 1.50GHz</u>	894
<u>Octa Core</u>	894
<u>UGOOS UT8 Board</u>	894
<u>Intel Core i3-2377M @ 1.50GHz</u>	892
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	892
<u>Intel Xeon 5133 @ 2.20GHz</u>	887
<u>Qualcomm Technologies, Inc MSM8940</u>	887
<u>AMD Phenom X2 Dual-Core GP-7730</u>	884
<u>AMD Turion II P540 Dual-Core</u>	884
<u>AMD Sempron X2 190</u>	879
<u>Intel Atom x5-E3930 @ 1.30GHz</u>	878
<u>Intel Pentium N3510 @ 1.99GHz</u>	878
<u>Samsung Exynos 7580</u>	878
<u>AMD Turion II N550 Dual-Core</u>	877
<u>AMD Athlon 64 X2 Dual Core 5400+</u>	876
<u>Qualcomm Technologies, Inc SDM429</u>	876
<u>Athlon 64 Dual Core 5600+</u>	875
<u>Samsung Exynos 7870</u>	874
<u>ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</u>	871
<u>AMD Athlon 5200 Dual-Core</u>	869
<u>Intel Core2 Duo E6550 @ 2.33GHz</u>	868
<u>Intel Pentium E5200 @ 2.50GHz</u>	868
<u>AMD Athlon II X2 4450e</u>	867
<u>Intel Xeon 3065 @ 2.33GHz</u>	867

Intel Core2 Duo P7550 @ 2.26GHz	865
MediaTek MT8166B	864
AMD Turion 64 X2 Mobile TL-68	861
Intel Celeron E3200 @ 2.40GHz	860
AMD Athlon 7550 Dual-Core	859
Intel Celeron 1017U @ 1.60GHz	859
Intel Xeon 5140 @ 2.33GHz	857
MT6762V/CR	857
MT8161AA	857
AMD Turion II N530 Dual-Core	855
Intel Core2 Duo P8600 @ 2.40GHz	855
Athlon 64 Dual Core 5000+	850
Intel Pentium 3560Y @ 1.20GHz	849
Intel Pentium P6100 @ 2.00GHz	849
SAMSUNG Exynos7580	848
MT6761V/CBB	846
Intel Pentium P6200 @ 2.13GHz	845
MT9950	845
Rockchip RK3566 EVB2 LP4X V10 Board	843
AMD TurionX2 Ultra DualCore Mobile ZM-85	841
Intel Xeon 3050 @ 2.13GHz	841
Intel Xeon 5150 @ 2.66GHz	840
AMD Opteron 275	839
Intel Xeon E5205 @ 1.86GHz	838
Intel Celeron E3300 @ 2.50GHz	837
Intel Xeon E5502 @ 1.87GHz	837
Intel Core i5-430UM @ 1.20GHz	836
AMD Athlon 5000 Dual-Core	835
AMD Athlon Dual Core 5000B	835
Intel Pentium P6300 @ 2.27GHz	834
Intel Celeron 2955U @ 1.40GHz	832
Intel Core i3-2367M @ 1.40GHz	832
Intel Celeron 2957U @ 1.40GHz	830
Intel Atom x5-Z8300 @ 1.44GHz	829
Intel Core2 Duo P8400 @ 2.26GHz	829

<u>AMD Turion II Dual-Core Mobile M520</u>	828
<u>AMD Athlon Dual Core 5400B</u>	826
<u>AMD Sempron X2 180</u>	826
<u>Intel Atom Z3580 @ 1.33GHz</u>	825
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	825
<u>Intel Core i3-2357M @ 1.30GHz</u>	824
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	823
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	823
<u>Intel Pentium B940 @ 2.00GHz</u>	820
<u>DO-Regular</u>	819
<u>Qualcomm Technologies, Inc MSM8939</u>	819
<u>AMD A4-4355M APU</u>	818
<u>AMD Turion II P560 Dual-Core</u>	818
<u>ARM Cortex-A72 4 Core 2200 MHz</u>	818
<u>Intel Celeron P4500 @ 1.87GHz</u>	816
<u>AMD Athlon 64 X2 Dual Core 5200+</u>	815
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	814
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	814
<u>Intel Core i3-2365M @ 1.40GHz</u>	812
<u>Intel Celeron E3400 @ 2.60GHz</u>	810
<u>BCM2711</u>	809
<u>Intel Core2 Duo E6540 @ 2.33GHz</u>	808
<u>MT8766B</u>	808
<u>AMD Opteron 1214 HE</u>	806
<u>Intel Celeron B830 @ 1.80GHz</u>	805
<u>Qualcomm MSM8994</u>	805
<u>AMD E2-9000e</u>	804
<u>Intel Xeon E5503 @ 2.00GHz</u>	804
<u>Qualcomm Technologies, Inc MSM8952</u>	804
<u>AMD Athlon64 X2 Dual Core 4600+</u>	803
<u>Intel Core2 Duo E4700 @ 2.60GHz</u>	803
<u>Intel Celeron 1007U @ 1.50GHz</u>	801
<u>Intel Core2 Duo E4600 @ 2.40GHz</u>	801
<u>MT8161A</u>	800
<u>AMD Athlon 64 X2 Dual Core 5800+</u>	797

AMD Athlon Dual Core 5200B	796
hi6210sft	796
AMD A4-3310MX APU	795
AMD A6-4455M APU	795
Intel Xeon 5130 @ 2.00GHz	795
Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board	795
Intel Atom Z3775D @ 1.49GHz	794
AMD Turion X2 Ultra Dual-Core Mobile ZM-84	793
Intel Celeron P4600 @ 2.00GHz	793
Intel Pentium E2220 @ 2.40GHz	793
ARM Neoverse-N1 1 Core 0 MHz	791
Intel Pentium T4500 @ 2.30GHz	791
AMD Turion II P520 Dual-Core	790
Intel Core2 Duo P7370 @ 2.00GHz	790
AMD Athlon 7450 Dual-Core	789
Intel Celeron B820 @ 1.70GHz	789
Intel Pentium 997 @ 1.60GHz	789
Intel Xeon 3040 @ 1.86GHz	789
Intel Core2 Duo T7600 @ 2.33GHz	785
MT6750V/W	784
MT6761V/CD	784
AMD Opteron 1216	781
MT8165	781
ARM Cortex-A72 4 Core 2000 MHz	780
Intel Celeron B810 @ 1.60GHz	775
VIA QuadCore L4700 @ 1.2+ GHz	773
Intel Core2 Duo E6400 @ 2.13GHz	772
Intel Pentium T4300 @ 2.10GHz	772
Athlon Dual Core 4850e	769
MT6761V/WAB	769
Celeron Dual-Core T3500 @ 2.10GHz	768
AMD Athlon II N350 Dual-Core	767
Intel Atom Z3735G @ 1.33GHz	766
AMD A4-3330MX APU	765
AMD Opteron 280	765

<u>Intel Pentium P6000 @ 1.87GHz</u>	765
<u>Intel Xeon 5120 @ 1.86GHz</u>	763
<u>Qualcomm Technologies, Inc MSM8992</u>	763
<u>AMD GX-217GA SOC</u>	762
<u>Intel Pentium T4400 @ 2.20GHz</u>	762
<u>AMD Opteron 270</u>	761
<u>Intel Atom Z3735D @ 1.33GHz</u>	761
<u>Intel Core2 Duo T6600 @ 2.20GHz</u>	761
<u>rockchip,rk3328</u>	761
<u>MT6797D</u>	758
<u>Intel Core2 Duo T6670 @ 2.20GHz</u>	756
<u>Intel Core i5-470UM @ 1.33GHz</u>	755
<u>AMD GX-218GL SOC</u>	754
<u>Intel Atom Z3775 @ 1.46GHz</u>	754
<u>Rockchip RK3566 EVB1 DDR4 V10 Board</u>	751
<u>AMD Athlon 64 X2 Dual Core 5000+</u>	749
<u>AMD Athlon Dual Core 5050e</u>	748
<u>Dual-Core AMD Opteron 1220 SE</u>	748
<u>Intel Celeron 1047UE @ 1.40GHz</u>	748
<u>Intel Pentium E2200 @ 2.20GHz</u>	747
<u>AMD Opteron 180</u>	746
<u>Intel Core2 Duo SL9400 @ 1.86GHz</u>	743
<u>Intel Pentium D 960 @ 3.60GHz</u>	743
<u>Intel Celeron N2910 @ 1.60GHz</u>	742
<u>AMD Turion II Neo N54L Dual-Core</u>	741
<u>Intel Core2 Duo E4500 @ 2.20GHz</u>	739
<u>AMD Turion 64 X2 Mobile TL-62</u>	738
<u>Intel Atom Z3770 @ 1.46GHz</u>	738
<u>AMD Athlon Dual Core 5600B</u>	737
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	737
<u>Athlon 64 Dual Core 3800+</u>	736
<u>MT8696</u>	736
<u>AMD Athlon Dual Core 4850e</u>	735
<u>Intel Core2 Duo T8100 @ 2.10GHz</u>	735
<u>Qualcomm APQ 8084 (Flattened Device Tree)</u>	734

Spreadtrum SC9853I-IA	734
Intel Celeron 2961Y @ 1.10GHz	732
AMD Turion X2 Ultra Dual-Core Mobile ZM-85	730
AMD Athlon Dual Core 4850B	727
AMD Opteron 1216 HE	727
AMD Turion II Dual-Core Mobile M500	727
Intel Celeron 887 @ 1.50GHz	727
AMD E2-3000 APU	726
AMD Athlon 64 X2 Dual Core 4800+	722
Intel Pentium T4200 @ 2.00GHz	720
ARM Cortex-A55 4 Core 2100 MHz	719
Intel Core2 Duo T7200 @ 2.00GHz	717
AMD Athlon 64 X2 Dual Core 4600+	716
Intel Core2 Duo E6420 @ 2.13GHz	714
AMD A4-3305M APU	713
Intel Celeron E1600 @ 2.40GHz	712
AMD Athlon II P360 Dual-Core	711
Intel Core2 Duo P7570 @ 2.26GHz	711
AMD Athlon 64 FX-60 Dual Core	709
AMD Turion X2 Dual-Core Mobile RM-75	708
Rockchip RK3288	708
AC8257V/WAB	707
Intel Core2 Duo P7350 @ 2.00GHz	707
Intel Celeron B815 @ 1.60GHz	706
Intel Atom E3840 @ 1.91GHz	704
Intel Core2 Duo T6570 @ 2.10GHz	704
MT8735T	704
Intel Core2 Duo T7400 @ 2.16GHz	702
Intel Pentium E2210 @ 2.20GHz	702
Intel Core2 Duo T5870 @ 2.00GHz	700
Intel Core i3-380UM @ 1.33GHz	699
AMD Athlon Dual Core 4450e	698
Intel Core2 Duo T6400 @ 2.00GHz	697
AMD Opteron 1214	696
ARM Cortex-A72 4 Core 2100 MHz	696

<u>AMD Opteron 185</u>	695
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	695
<u>MT6738</u>	692
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	691
<u>Intel Celeron G470 @ 2.00GHz</u>	691
<u>AMD Athlon II P340 Dual-Core</u>	690
<u>Intel Atom Z3560 @ 1.83GHz</u>	690
<u>MediaTek MT6761V/WE</u>	690
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	689
<u>Intel Celeron P4505 @ 1.87GHz</u>	689
<u>AMD Athlon X2 Dual Core BE-2400</u>	688
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	688
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	687
<u>AMD Athlon Dual Core 4450B</u>	684
<u>AMD Turion II Neo K685 Dual-Core</u>	684
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	684
<u>AMD A4-3300M APU</u>	683
<u>AMD Opteron 175</u>	682
<u>Rockchip RK3368</u>	682
<u>Athlon Dual Core 4450e</u>	681
<u>Intel Core2 Duo L7800 @ 2.00GHz</u>	680
<u>AMD Athlon II Dual-Core M320</u>	679
<u>Intel Pentium D 950 @ 3.40GHz</u>	679
<u>AMD Athlon II Dual-Core M340</u>	676
<u>AMD Athlon II P320 Dual-Core</u>	675
<u>AMD Athlon II X2 270u</u>	675
<u>AMD Turion 64 X2 Mobile TL-64</u>	675
<u>AMD Athlon 64 X2 Dual Core 4400+</u>	674
<u>Intel Celeron 877 @ 1.40GHz</u>	673
<u>Intel Celeron J3060 @ 1.60GHz</u>	673
<u>Intel Celeron E1400 @ 2.00GHz</u>	671
<u>Athlon Dual Core 4050e</u>	670
<u>Intel Pentium E2180 @ 2.00GHz</u>	669
<u>AMD Turion X2 Dual-Core Mobile RM-72</u>	666
<u>ARM Cortex-A72 4 Core 1500 MHz</u>	666

<u>Intel Celeron B800 @ 1.50GHz</u>	666
<u>VIA QuadCore U4650 @ 1.0+ GHz</u>	666
<u>AMD Athlon II N330 Dual-Core</u>	665
<u>AMD E2-3000M APU</u>	665
<u>AMD Athlon II X2 260u</u>	663
<u>Intel Celeron N3060 @ 1.60GHz</u>	663
<u>AMD Athlon 64 X2 Dual Core 4200+</u>	662
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	662
<u>AMD Turion Dual-Core RM-75</u>	659
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	657
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-82</u>	654
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	652
<u>Intel Atom Z3740 @ 1.33GHz</u>	651
<u>AMD Turion Dual-Core RM-72</u>	649
<u>Intel Celeron E1500 @ 2.20GHz</u>	649
<u>AMD Opteron 170</u>	648
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	647
<u>M7221</u>	646
<u>Intel Core2 Duo T5800 @ 2.00GHz</u>	643
<u>Intel Core2 Duo T7100 @ 1.80GHz</u>	643
<u>Intel Pentium 987 @ 1.50GHz</u>	642
<u>AMD Athlon 64 X2 QL-66</u>	641
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	641
<u>Intel Pentium E2160 @ 1.80GHz</u>	641
<u>AMD A4-3320M APU</u>	640
<u>Intel Pentium T3200 @ 2.00GHz</u>	636
<u>AMD Turion X2 Dual-Core Mobile RM-77</u>	635
<u>Intel Core2 Duo T5300 @ 1.73GHz</u>	635
<u>Intel Pentium 2129Y @ 1.10GHz</u>	635
<u>Samsung EXYNOS5420</u>	635
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	634
<u>Intel Pentium T3400 @ 2.16GHz</u>	633
<u>Qualcomm MSM8974</u>	632
<u>AMD Athlon II Dual-Core M300</u>	631
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	630

<u>AMD Turion 64 X2 Mobile TL-66</u>	627
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	627
<u>Intel Pentium 967 @ 1.30GHz</u>	626
<u>ARM Cortex-A72 2 Core 0 MHz</u>	625
<u>Intel Atom C2358 @ 1.74GHz</u>	625
<u>Qualcomm MSM8974PRO-AB</u>	625
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	624
<u>Intel Pentium U5600 @ 1.33GHz</u>	624
<u>AMD Turion 64 X2 Mobile TL-60</u>	623
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	623
<u>AMD Athlon 64 X2 QL-64</u>	622
<u>Intel Pentium 957 @ 1.20GHz</u>	622
<u>Intel Atom Z3745 @ 1.33GHz</u>	621
<u>AMD GX-212JC SOC</u>	619
<u>Intel Core2 Duo T5600 @ 1.83GHz</u>	619
<u>MT6795MM</u>	618
<u>AMD Athlon Dual Core 4050e</u>	616
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	615
<u>Intel Atom Z3740D @ 1.33GHz</u>	614
<u>Generic DT based system</u>	612
<u>AMD Athlon 64 X2 Dual Core 3800+</u>	611
<u>AMD Athlon 64 X2 QL-65</u>	609
<u>Intel Core2 Duo L7700 @ 1.80GHz</u>	607
<u>Qualcomm MSM8974PRO-AC</u>	607
<u>AMD Athlon II X2 250u</u>	604
<u>Intel Celeron N3000 @ 1.04GHz</u>	604
<u>MediaTek MT6761V/WBB</u>	604
<u>AMD Turion X2 Dual Core L510</u>	603
<u>AMD E1 Micro-6200T APU</u>	600
<u>Intel Xeon 5110 @ 1.60GHz</u>	600
<u>AMD TurionX2 Ultra DualCore Mobile ZM-87</u>	599
<u>Rockchip (Device Tree)</u>	598
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	597
<u>AMD Athlon 64 X2 Dual Core 3600+</u>	596
<u>AMD E1-2500 APU</u>	596

Intel Atom S1260 @ 2.00GHz	596
Intel Core2 Duo T5550 @ 1.83GHz	596
Intel Celeron J1750 @ 2.41GHz	595
AMD Athlon 64 X2 Dual Core BE-2300	594
AMD Opteron 1212	593
Intel Core2 Duo E6300 @ 1.86GHz	592
AMD Athlon X2 Dual Core BE-2350	591
AMD Turion II Neo N40L Dual-Core	589
AMD Turion Dual-Core RM-74	588
Qualcomm MSM8974PRO-AA	587
AMD E1-7010 APU	585
Intel Atom Z3745D @ 1.33GHz	585
Intel Celeron N3050 @ 1.60GHz	585
Intel Atom C2338 @ 1.74GHz	584
Intel Celeron 847E @ 1.10GHz	584
Intel Core2 Duo U9600 @ 1.60GHz	584
AMD Athlon 64 X2 QL-67	582
Intel Xeon MV 3.20GHz	582
Qualcomm MSM8917	582
Intel Celeron J1800 @ 2.41GHz	581
MT8766A	581
Intel Celeron N2840 @ 2.16GHz	580
AMD Athlon 64 X2 Dual-Core TK-42	577
Intel Celeron 1019Y @ 1.00GHz	576
Intel Core2 Duo L7500 @ 1.60GHz	575
MT6761V/CAB	575
AMD Athlon 64 X2 Dual Core BE-2350	573
AMD Athlon X2 Dual Core BE-2300	570
Intel Celeron 857 @ 1.20GHz	569
Intel Pentium T2410 @ 2.00GHz	569
MediaTek MT6737T	568
AMD Athlon 64 X2 3800+	566
Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree)	566
AMD Turion II Neo K625 Dual-Core	565
AMD Athlon X2 Dual Core 6850e	564

AMD Sempron Dual Core 2200	563
Intel Celeron 867 @ 1.30GHz	562
AMD Sempron 2650 APU	561
AMD Turion Dual-Core RM-70	561
Intel Core2 Duo E4300 @ 1.80GHz	561
Intel Pentium T2390 @ 1.86GHz	561
Intel Celeron U3600 @ 1.20GHz	560
Qualcomm Technologies, Inc MSM8929	560
AMD E1-6015 APU	558
ARM Cortex-A53 4 Core 1800 MHz	557
Intel Atom Z3735E @ 1.33GHz	557
AMD Sempron Dual Core 2300	555
Qualcomm APQ8084	555
Intel Celeron N2830 @ 2.16GHz	554
AMD Athlon 64 X2 QL-62	553
Intel Core2 Duo L7300 @ 1.40GHz	550
MediaTek MT8168A	550
Intel Celeron @ 1.30GHz	548
Intel T1500 @ 1.86GHz	548
Intel Pentium T2330 @ 1.60GHz	545
MT6761V/WD	541
MediaTek MT6762V/CN	539
mt6762m	538
AMD TurionX2 Dual Core Mobile RM-70	536
AMD Athlon 64 X2 Dual-Core TK-53	535
Intel Core2 Duo SU9400 @ 1.40GHz	534
AMD Sempron Dual Core 2100	533
Amlogic	532
Intel Atom C2350 @ 1.74GHz	532
Intel Celeron N2808 @ 1.58GHz	532
AMD Athlon 64 X2 Dual Core 3400+	531
AMD Opteron 165	531
Intel Atom Z3735F @ 1.33GHz	531
Intel Core2 Duo T5450 @ 1.66GHz	531
Intel Core2 Duo T5470 @ 1.60GHz	531

<u>AMD E1-6010 APU</u>	530
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	530
<u>MT6739CH</u>	530
<u>AMD Athlon Neo X2 Dual Core L335</u>	529
<u>Intel Pentium E2140 @ 1.60GHz</u>	529
<u>AMD Athlon II Neo K345 Dual-Core</u>	527
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	525
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-80</u>	521
<u>MT6592</u>	521
<u>Celeron Dual-Core T3100 @ 1.90GHz</u>	519
<u>Intel Celeron T1600 @ 1.66GHz</u>	519
<u>AMD Athlon 64 FX-57</u>	517
<u>Intel Pentium U5400 @ 1.20GHz</u>	517
<u>Intel Core2 Duo L7400 @ 1.50GHz</u>	516
<u>Intel T2050 @ 2.00GHz</u>	516
<u>ARM Cortex-A17 4 Core 1800 MHz</u>	515
<u>Intel Pentium T2310 @ 1.46GHz</u>	515
<u>Intel Atom Z3736F @ 1.33GHz</u>	511
<u>MediaTek MT8163</u>	511
<u>Intel Atom D2701 @ 2.13GHz</u>	508
<u>Rockchip RK3288 (Flattened Device Tree)</u>	508
<u>AMD E2-2000 APU</u>	501
<u>AMD Sempron 130</u>	501
<u>Intel Core2 Duo U7300 @ 1.30GHz</u>	501
<u>Intel Pentium T2370 @ 1.73GHz</u>	500
<u>AMD Sempron 150</u>	498
<u>Intel Core Duo T2700 @ 2.33GHz</u>	498
<u>Intel Core2 Duo T5500 @ 1.66GHz</u>	498
<u>Intel Pentium D 940 @ 3.20GHz</u>	498
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	497
<u>MediaTek MT6735</u>	497
<u>Intel Core2 Duo T5270 @ 1.40GHz</u>	496
<u>MT8735</u>	495
<u>AMD Sempron 145</u>	493
<u>Intel Atom D2700 @ 2.13GHz</u>	492

<u>Intel Celeron E1200 @ 1.60GHz</u>	492
<u>rockchip,rk3368</u>	489
<u>Intel Atom Z3770D @ 1.49GHz</u>	488
<u>Intel Celeron N2815 @ 1.86GHz</u>	486
<u>Intel Celeron G460 @ 1.80GHz</u>	485
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	485
<u>AMD Athlon 64 3100+</u>	484
<u>Intel Core i3-330UM @ 1.20GHz</u>	484
<u>Intel Core2 Duo T5250 @ 1.50GHz</u>	483
<u>Intel Celeron G465 @ 1.90GHz</u>	480
<u>Intel Celeron N3010 @ 1.04GHz</u>	480
<u>AMD Athlon II Neo N36L Dual-Core</u>	478
<u>AMD E-350D APU</u>	478
<u>AMD Turion 64 X2 Mobile TL-58</u>	478
<u>Intel Xeon 3.20GHz</u>	478
<u>MT8167A</u>	478
<u>AMD Athlon Neo X2 Dual Core L325</u>	476
<u>Intel Pentium SU4100 @ 1.30GHz</u>	476
<u>Intel T1400 @ 1.73GHz</u>	475
<u>AMD E1-2200 APU</u>	474
<u>Intel Pentium D 830 @ 3.00GHz</u>	474
<u>Intel Celeron U3400 @ 1.07GHz</u>	473
<u>AMD Sempron 140</u>	471
<u>AMD TurionX2 Dual Core Mobile RM-72</u>	471
<u>Intel Celeron N2820 @ 2.13GHz</u>	469
<u>Intel Pentium Extreme Edition 955 @ 3.46GHz</u>	469
<u>Intel Celeron 847 @ 1.10GHz</u>	467
<u>Intel Core2 Duo L7100 @ 1.20GHz</u>	467
<u>Intel Celeron N2806 @ 1.60GHz</u>	466
<u>AMD Athlon 64 FX-59</u>	465
<u>AMD Athlon 64 X2 QL-60</u>	465
<u>Intel Celeron N2810 @ 2.00GHz</u>	465
<u>AMD G-T56N</u>	460
<u>Intel Atom E3827 @ 1.74GHz</u>	460
<u>ARM Cortex-A53 4 Core 1392 MHz</u>	459

<u>SAMSUNG JF</u>	459
<u>AMD Opteron 154</u>	457
<u>AMD Athlon Neo X2 Dual Core 6850e</u>	456
<u>AMD Turion 64 X2 Mobile TL-56</u>	453
<u>QCT APQ8064 DEB</u>	453
<u>AMD Opteron 254</u>	451
<u>Unisoc SC9832e</u>	451
<u>Intel Core Duo T2600 @ 2.16GHz</u>	450
<u>MT8167D</u>	450
<u>Qualcomm Technologies, Inc MSM8917</u>	450
<u>QCT APQ8064 FLO</u>	449
<u>ARM Cortex-A53 4 Core 1512 MHz</u>	448
<u>AMD A4-1200 APU</u>	445
<u>Intel Celeron SU2300 @ 1.20GHz</u>	445
<u>Intel Celeron 925 @ 2.30GHz</u>	444
<u>AMD G-T56E</u>	442
<u>AMD E2-1800 APU</u>	441
<u>Intel Celeron N2807 @ 1.58GHz</u>	440
<u>Intel Core2 Duo T5200 @ 1.60GHz</u>	438
<u>AMD Turion 64 X2 Mobile TL-50</u>	436
<u>MT8161P</u>	434
<u>Intel Atom D2560 @ 2.00GHz</u>	433
<u>Intel Celeron 450 @ 2.20GHz</u>	433
<u>AMD A4-1250 APU</u>	432
<u>AMD Turion Neo X2 Dual Core L625</u>	431
<u>Qualcomm Technologies, Inc QM215</u>	431
<u>AMD Athlon LE-1640</u>	430
<u>MediaTek MT6737</u>	429
<u>AMD Opteron 152</u>	428
<u>Qualcomm Technologies, Inc MSM8920</u>	428
<u>Sony Mobile fusion3</u>	428
<u>Intel Celeron G440 @ 1.60GHz</u>	426
<u>Intel Xeon 3.00GHz</u>	425
<u>AMD E-450 APU</u>	424
<u>Intel Pentium D 915 @ 2.80GHz</u>	423

<u>AMD Athlon LE-1620</u>	421
<u>ARM Cortex-A53 4 Core 1296 MHz</u>	417
<u>AMD Athlon LE-1660</u>	416
<u>AMD E-350</u>	416
<u>AMD G-T48E</u>	416
<u>Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</u>	415
<u>AMD Athlon 1640B</u>	412
<u>AMD Athlon LE-1600</u>	412
<u>AMD E1-2100 APU</u>	408
<u>Intel Atom D2550 @ 1.86GHz</u>	408
<u>Intel Atom N2800 @ 1.86GHz</u>	408
<u>Intel Core Duo T2500 @ 2.00GHz</u>	408
<u>MediaTek MT6739WW</u>	405
<u>MT8735P</u>	405
<u>AMD Athlon 64 FX-55</u>	404
<u>Intel Atom D510 @ 1.66GHz</u>	404
<u>Intel Core Duo L2500 @ 1.83GHz</u>	404
<u>Intel Core Duo T2450 @ 2.00GHz</u>	404
<u>Intel Xeon 3.60GHz</u>	403
<u>AMD E-350 APU</u>	401
<u>AMD Geode NX 2400+</u>	400
<u>AMD Sempron LE-1300</u>	400
<u>AMD Turion 64 Mobile ML-42</u>	400
<u>Intel Core i7-2630UM @ 1.60GHz</u>	400
<u>QCT APQ8064 MAKO</u>	399
<u>AMD Athlon 64 3500+</u>	396
<u>Intel Atom D525 @ 1.80GHz</u>	396
<u>Intel Celeron 900 @ 2.20GHz</u>	396
<u>Samsung Exynos 7570</u>	396
<u>AMD Athlon 64 3700+</u>	394
<u>AMD E1-1500 APU</u>	393
<u>AMD Opteron 150</u>	393
<u>Intel Xeon 3.80GHz</u>	393
<u>VIA Nano X2 U4025 @ 1.2 GHz</u>	393
<u>AMD Opteron 148</u>	392

Intel Celeron 807 @ 1.50GHz	392
AMD Athlon II Neo K325 Dual-Core	387
Intel Core Duo L2300 @ 1.50GHz	387
Intel Atom E3825 @ 1.33GHz	385
Intel Pentium 4 3.73GHz	385
AMD Turion 64 Mobile ML-44	384
AMD Turion 64 X2 Mobile TL-52	384
Qualcomm Technologies, Inc MSM8916	383
Intel Pentium T2130 @ 1.86GHz	382
QCT APQ8064 AWIFI	382
AMD Athlon X2 Dual Core L310	379
AMD V140	379
AMD E1-1200 APU	378
AMD Athlon 64 3300+	375
AMD Athlon 64 3400+	375
Intel Xeon 3.40GHz	375
Intel Pentium D 805 @ 2.66GHz	374
Intel Celeron D 360 @ 3.46GHz	372
Intel Atom 330 @ 1.60GHz	371
Intel Celeron 827E @ 1.40GHz	371
Intel Celeron 440 @ 2.00GHz	368
Intel Core2 Duo U7500 @ 1.06GHz	366
Intel Celeron 560 @ 2.13GHz	365
Qualcomm Technologies, Inc APQ8017	365
AMD Sempron 3600+	364
Intel Core Duo T2350 @ 1.86GHz	364
AMD E-300 APU	362
AMD Turion 64 Mobile MK-38	362
AMD V120	362
ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz	362
AMD Sempron 3800+	360
AMD Athlon II 160u	358
AMD Athlon II 170u	357
AMD Athlon X2 Dual Core 3250e	357
ARM Cortex-A53 4 Core 1400 MHz	357

<u>Manta</u>	356
<u>Mobile AMD Athlon 64 3700+</u>	356
<u>Qualcomm Technologies, Inc QCM2150</u>	356
<u>Rockchip RK3328</u>	356
<u>MediaTek MT6737M</u>	355
<u>AMD Sempron LE-1200</u>	349
<u>Intel Core Duo T2400 @ 1.83GHz</u>	349
<u>Intel Core Duo L2400 @ 1.66GHz</u>	348
<u>Intel Pentium T2080 @ 1.73GHz</u>	348
<u>ARM Cortex-A53 4 Core 1152 MHz</u>	347
<u>Intel Core Duo T2250 @ 1.73GHz</u>	347
<u>AMD Opteron 146</u>	346
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	345
<u>Intel Celeron 570 @ 2.26GHz</u>	344
<u>Mobile Intel Pentium 4 3.33GHz</u>	344
<u>ARM Cortex-A53 4 Core 1200 MHz</u>	343
<u>Qualcomm Technologies, Inc APQ8016</u>	343
<u>Intel 2.80GHz</u>	341
<u>AMD Athlon 64 3200+</u>	340
<u>AMD Athlon 64 4000+</u>	340
<u>AMD Athlon TF-36</u>	338
<u>AMD Sempron M100</u>	338
<u>MediaTek MT6739WA</u>	338
<u>AMD V160</u>	337
<u>ARM Cortex-A7 4 Core 1368 MHz</u>	337
<u>Qualcomm MSM8928</u>	337
<u>AMD Turion 64 Mobile ML-40</u>	336
<u>ARM Cortex-A72 4 Core 1750 MHz</u>	335
<u>Intel Atom N570 @ 1.66GHz</u>	335
<u>Intel Celeron N2805 @ 1.46GHz</u>	335
<u>Mobile AMD Sempron 3800+</u>	335
<u>AMD Turion 64 Mobile MK-36</u>	334
<u>AMD Turion 64 Mobile ML-37</u>	334
<u>AMD Athlon 2850e</u>	333
<u>Mobile AMD Athlon 64 3400+</u>	333

MediaTek MT8167B	332
Qualcomm MSM8228	332
Intel Core Duo T2300 @ 1.66GHz	330
Intel Pentium T2060 @ 1.60GHz	330
MT8765WB	328
Intel Pentium 4 3.20GHz	326
Mobile AMD Athlon 64 3200+	326
MT6735P	326
Intel Atom N2600 @ 1.60GHz	323
Mobile AMD Sempron 3400+	321
Intel Core Duo T2050 @ 1.60GHz	320
Intel Pentium 4 3.60GHz	320
Unisoc SC7731e	319
AMD Opteron 144	316
Intel Core2 Duo U7600 @ 1.20GHz	316
AMD Sempron 3300+	315
AMD Sempron LE-1100	315
AMD Turion 64 Mobile MT-37	315
VIA Eden X2 U4200 @ 1.0+ GHz	315
Intel Celeron D 420 @ 1.60GHz	313
Intel Pentium 4 3.00GHz	313
Intel Pentium 4 3.80GHz	313
Mobile AMD Athlon 64 4000+	313
Samsung GrandPrimePlus LTE CIS rev04 board based o	312
MT6739WM	310
AMD C-60 APU	309
AMD Z-01	308
MT6735M	308
Intel Celeron M 530 @ 1.73GHz	307
Intel Atom E3826 @ 1.46GHz	304
AMD Athlon 64 3000+	303
AMD Athlon II Neo K125	302
Mobile AMD Sempron 3600+	302
AMD Sempron LE-1250	301
Intel Celeron 550 @ 2.00GHz	301

<u>AMD C-70 APU</u>	300
<u>AMD Athlon II Neo K145</u>	298
<u>AMD Sempron 3100+</u>	298
<u>Intel Atom Z2760 @ 1.80GHz</u>	298
<u>AMD Athlon 64 2800+</u>	295
<u>Intel Pentium 4 3.46GHz</u>	295
<u>MediaTek MT8735B</u>	294
<u>Mobile AMD Sempron 3300+</u>	294
<u>Qualcomm MSM8626</u>	294
<u>Intel Celeron 430 @ 1.80GHz</u>	293
<u>Intel Pentium 4 3.40GHz</u>	293
<u>AMD Athlon 64 3800+</u>	292
<u>AMD Sempron 3400+</u>	292
<u>Intel Pentium M 2.10GHz</u>	292
<u>Qualcomm Technologies, Inc MSM8216</u>	292
<u>AMD Athlon 2800+</u>	291
<u>Qualcomm APQ8026</u>	291
<u>AMD C-60</u>	290
<u>Mobile AMD Sempron 3500+</u>	290
<u>Qualcomm MSM8926</u>	289
<u>AMD Sempron 3200+</u>	288
<u>AMD Turion 64 Mobile MT-32</u>	286
<u>Qualcomm Technologies, Inc APQ8009</u>	286
<u>AMD Turion 64 Mobile ML-32</u>	285
<u>ARM Cortex-A53 4 Core 0 MHz</u>	285
<u>Intel Celeron 540 @ 1.86GHz</u>	283
<u>Intel Celeron D 352 @ 3.20GHz</u>	283
<u>AMD Athlon Neo MV-40</u>	282
<u>AMD Athlon XP 3100+</u>	282
<u>AMD Athlon XP 3200+</u>	281
<u>Intel Pentium M 1.80GHz</u>	280
<u>AMD Turion 64 Mobile MT-34</u>	279
<u>VIA Nano L2100@1800MHz</u>	279
<u>AMD Turion 64 Mobile ML-30</u>	277
<u>AMD Turion 64 Mobile ML-34</u>	277

<u>Mobile AMD Sempron 3100+</u>	277
<u>Rockchip RK3326</u>	277
<u>Spreadtrum SC7731e</u>	277
<u>AMD Athlon XP 2900+</u>	276
<u>Intel Atom D2500 @ 1.86GHz</u>	275
<u>AMD Athlon 2650e</u>	274
<u>UNIVERSAL3475</u>	273
<u>Intel Pentium M 2.13GHz</u>	271
<u>ARM Cortex-A7 4 Core 1200 MHz</u>	270
<u>Intel Pentium M 2.00GHz</u>	270
<u>VIA Nano U2250 (1.6GHz Capable)</u>	270
<u>Mobile AMD Sempron 3000+</u>	269
<u>AMD Athlon TF-20</u>	268
<u>AMD Sempron 3000+</u>	268
<u>Intel Celeron 530 @ 1.73GHz</u>	268
<u>Intel Celeron 743 @ 1.30GHz</u>	268
<u>AMD Sempron 210U</u>	267
<u>Intel Celeron 3.20GHz</u>	267
<u>Intel Celeron M 723 @ 1.20GHz</u>	267
<u>Intel Atom N550 @ 1.50GHz</u>	265
<u>Qualcomm MSM8226</u>	265
<u>Qualcomm Technologies, Inc MSM8909</u>	264
<u>AMD G-T40E</u>	263
<u>Intel Celeron 3.33GHz</u>	263
<u>VIA Eden C1050@1.06GHz</u>	263
<u>AMD Athlon XP 3000+</u>	262
<u>AMD Z-60 APU</u>	262
<u>AMD Sempron SI-42</u>	261
<u>AMD Athlon XP 2800+</u>	260
<u>AMD C-50</u>	260
<u>Intel Xeon 2.80GHz</u>	260
<u>AMD Sempron SI-40</u>	257
<u>AMD Athlon XP 2700+</u>	256
<u>Mobile AMD Sempron 2600+</u>	256
<u>Intel Core Duo U2400 @ 1.06GHz</u>	255

<u>AMD Turion 64 Mobile ML-28</u>	254
<u>VIA Nano L2007@1600MHz</u>	254
<u>AMD Sempron 2600+</u>	253
<u>Intel Core Solo T1400 @ 1.83GHz</u>	253
<u>Intel Celeron M 1.70GHz</u>	252
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	252
<u>msm8960dt</u>	252
<u>AMD Sempron LE-1150</u>	251
<u>Intel Celeron D 356 @ 3.33GHz</u>	251
<u>Intel Pentium 4 3.06GHz</u>	249
<u>AMD GX-210JA SOC</u>	248
<u>AMD Sempron M120</u>	247
<u>SAMSUNG SERRANO</u>	247
<u>AMD Turion 64 Mobile MT-30</u>	246
<u>Mobile AMD Sempron 3200+</u>	245
<u>AMD Athlon 64 2600+</u>	243
<u>AMD Athlon XP2400+</u>	243
<u>AMD Sempron 2800+</u>	243
<u>AMD Athlon XP 2600+</u>	242
<u>ARM Cortex-A7 4 Core 900 MHz</u>	242
<u>Intel Celeron 807UE @ 1.00GHz</u>	241
<u>Mobile AMD Athlon 2500+</u>	241
<u>Mobile AMD Athlon XP-M 2600+</u>	241
<u>Intel Pentium M 1.50GHz</u>	240
<u>Intel Pentium M 1.70GHz</u>	239
<u>Intel Pentium SU2700 @ 1.30GHz</u>	239
<u>Intel Pentium M 1.86GHz</u>	238
<u>Mobile AMD Athlon XP-M 2800+</u>	238
<u>Mobile AMD Athlon XP-M 3000+</u>	238
<u>Intel Pentium M 1700MHz</u>	237
<u>Mobile AMD Athlon XP-M 2200+</u>	237
<u>Mobile AMD Sempron 2800+</u>	237
<u>Intel Pentium 4 2.80GHz</u>	236
<u>Intel Celeron 420 @ 1.60GHz</u>	235
<u>AMD Athlon XP 2400+</u>	234

<u>Intel Celeron 3.06GHz</u>	234
<u>Rockchip RK3229</u>	234
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233
<u>Mobile AMD Athlon 4 2400+</u>	233
<u>AMD Sempron 3500+</u>	232
<u>Intel Celeron D 347 @ 3.06GHz</u>	232
<u>Mobile Intel Pentium 4 3.20GHz</u>	232
<u>AMD Athlon XP 2500+</u>	231
<u>Intel Celeron 2.93GHz</u>	230
<u>Intel Celeron M 450 @ 2.00GHz</u>	230
<u>Intel Pentium M 1.60GHz</u>	229
<u>Intel Pentium M 2.26GHz</u>	227
<u>Mobile AMD Athlon XP-M 2500+</u>	226
<u>Intel Pentium M 1.40GHz</u>	225
<u>Mobile AMD Athlon XP-M 2400+</u>	225
<u>Intel Atom N470 @ 1.83GHz</u>	224
<u>Intel Atom D425 @ 1.80GHz</u>	222
<u>Intel Celeron M 360 1.40GHz</u>	221
<u>Intel Core Duo U2500 @ 1.20GHz</u>	220
<u>Mobile Intel Pentium 4 3.06GHz</u>	220
<u>Intel Celeron M 1500MHz</u>	217
<u>Intel Celeron M 1.50GHz</u>	216
<u>Intel Celeron M 520 @ 1.60GHz</u>	215
<u>Intel Pentium 4 2.60GHz</u>	215
<u>AMD Athlon XP 2200+</u>	214
<u>Intel Celeron 723 @ 1.20GHz</u>	213
<u>AMD Athlon XP 2100+</u>	210
<u>Intel Atom 230 @ 1.60GHz</u>	210
<u>Intel Core Solo T1300 @ 1.66GHz</u>	210
<u>Intel Celeron 220 @ 1.20GHz</u>	209
<u>Intel Pentium M 1400MHz</u>	208
<u>AMD Sempron 2300+</u>	207
<u>AMD Sempron 2500+</u>	207
<u>AMD Sempron 2400+</u>	205
<u>Intel Celeron M 1.30GHz</u>	205

<u>Intel Pentium M 1.73GHz</u>	205
<u>Mobile Intel Pentium 4 2.80GHz</u>	205
<u>AMD Athlon XP 1900+</u>	203
<u>ARM Cortex-A53 4 Core 1536 MHz</u>	202
<u>Intel Celeron 2.53GHz</u>	201
<u>ARM Cortex-A72 4 Core 1850 MHz</u>	199
<u>Intel Pentium M 1.20GHz</u>	199
<u>VIA Nano U2500@1200MHz</u>	199
<u>AMD Athlon L110</u>	197
<u>Intel Celeron M 1300MHz</u>	197
<u>Intel Pentium M 1300MHz</u>	197
<u>Intel Pentium M 1.30GHz</u>	196
<u>Mobile AMD Athlon XP-M 2000+</u>	196
<u>AMD Athlon XP 1800+</u>	195
<u>AMD Athlon XP 2000+</u>	195
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194
<u>Intel Pentium III 1400S @ 1400MHz</u>	194
<u>Intel Pentium III 1400 @ 1400MHz</u>	193
<u>Intel Pentium M 1600MHz</u>	193
<u>Mobile AMD Athlon XP-M 1800+</u>	193
<u>Mobile AMD Athlon MP-M 2400+</u>	192
<u>AMD Athlon 1500+</u>	191
<u>Intel Celeron 2.80GHz</u>	190
<u>Intel Celeron M 1.60GHz</u>	190
<u>Intel Atom N2100 @ 1.60GHz</u>	188
<u>Intel Pentium M 1500MHz</u>	188
<u>AMD Sempron 2200+</u>	184
<u>AMD V105</u>	184
<u>Intel Pentium M 1.10GHz</u>	184
<u>VIA Nano U3500@1000MHz</u>	184
<u>AMD Athlon XP1600+</u>	183
<u>Intel Atom Z530 @ 1.60GHz</u>	183
<u>Mobile Intel Celeron 1333MHz</u>	183
<u>AMD E-240</u>	182
<u>Intel Celeron 2.26GHz</u>	182

<u>Mobile Intel Pentium 4 2.66GHz</u>	182
<u>Intel Xeon 2.40GHz</u>	180
<u>Intel Atom N475 @ 1.83GHz</u>	179
<u>VIA Nano U2250@1300+MHz</u>	179
<u>AMD C-30</u>	178
<u>AMD G-T52R</u>	177
<u>Intel Atom D410 @ 1.66GHz</u>	177
<u>Intel Atom N450 @ 1.66GHz</u>	177
<u>AMD Athlon XP 1700+</u>	176
<u>Intel Atom N270 @ 1.60GHz</u>	175
<u>Intel Atom N280 @ 1.66GHz</u>	175
<u>AMD Athlon XP 1600+</u>	174
<u>Intel Celeron 215 @ 1.33GHz</u>	174
<u>Mobile AMD Athlon MP-M 1800+</u>	173
<u>Intel Celeron M 430 @ 1.73GHz</u>	169
<u>Mobile AMD Athlon XP-M 1600+</u>	169
<u>AMD Athlon XP 1500+</u>	167
<u>Intel Celeron 2.13GHz</u>	166
<u>VIA Nano L2207@1600MHz</u>	165
<u>Intel Celeron 2.50GHz</u>	164
<u>Intel Core Solo U1500 @ 1.33GHz</u>	164
<u>Intel Pentium III Mobile 1133MHz</u>	164
<u>Intel XEON 2.20GHz</u>	164
<u>Mobile AMD Sempron 2100+</u>	164
<u>Intel Atom N455 @ 1.66GHz</u>	162
<u>Intel Pentium 4 2.53GHz</u>	162
<u>Intel Pentium 4 2.50GHz</u>	160
<u>Intel Pentium III Mobile 1066MHz</u>	160
<u>Intel Atom E3815 @ 1.46GHz</u>	159
<u>Intel Celeron 1200MHz</u>	159
<u>Intel Celeron 2.70GHz</u>	159
<u>Intel Atom Z670 @ 1.50GHz</u>	158
<u>Intel Pentium 4 2.20GHz</u>	157
<u>Intel Pentium 4 2.66GHz</u>	157
<u>Intel Pentium III Mobile 1200MHz</u>	156

<u>Intel Pentium M 1000MHz</u>	156
<u>Intel Celeron M 440 @ 1.86GHz</u>	155
<u>Intel Pentium M 1200MHz</u>	155
<u>AMD Athlon 64 2000+</u>	154
<u>Intel Celeron 2.66GHz</u>	154
<u>Intel Pentium 4 3.83GHz</u>	154
<u>Mobile Intel Celeron 2.40GHz</u>	154
<u>Intel Atom N435 @ 1.33GHz</u>	153
<u>Intel Xeon 2.00GHz</u>	152
<u>Intel Pentium 4 2.26GHz</u>	151
<u>Intel Pentium 4 2.93GHz</u>	150
<u>VIA C7-D 1800MHz</u>	150
<u>Intel Celeron M 1.00GHz</u>	149
<u>Intel Celeron 2.30GHz</u>	148
<u>Mobile Intel Celeron 2.20GHz</u>	147
<u>Mobile Intel Pentium III - M 1200MHz</u>	146
<u>VIA C7-M 6300MHz</u>	145
<u>Intel Celeron 2.40GHz</u>	143
<u>Intel Celeron 2.60GHz</u>	143
<u>Mobile Intel Pentium 4 - M 2.20GHz</u>	143
<u>ARM Cortex-A7 2 Core 1080 MHz</u>	142
<u>Intel Pentium M 900MHz</u>	141
<u>Intel Celeron 1000MHz</u>	139
<u>Intel Celeron 2.20GHz</u>	139
<u>Intel Celeron M 420 @ 1.60GHz</u>	139
<u>Mobile Intel Pentium 4 - M 2.40GHz</u>	139
<u>Mobile Intel Pentium 4 - M 2.00GHz</u>	138
<u>Intel Pentium 4 Mobile 1.90GHz</u>	136
<u>VIA Esther 1500MHz</u>	135
<u>Intel Pentium 4 2.00GHz</u>	133
<u>Mobile Intel Celeron 2.00GHz</u>	133
<u>Intel Pentium 4 Mobile 2.00GHz</u>	132
<u>Intel Pentium 4 2.40GHz</u>	131
<u>AMD G-T44R</u>	130
<u>Intel Core Solo U1400 @ 1.20GHz</u>	130

<u>Mobile Intel Pentium III - M 933MHz</u>	130
<u>Intel Core Solo U1300 @ 1.06GHz</u>	127
<u>Intel Celeron 2.00GHz</u>	125
<u>Intel Celeron M 443 @ 1.20GHz</u>	125
<u>Intel Celeron M 410 @ 1.46GHz</u>	123
<u>Intel Celeron M 900MHz</u>	123
<u>Intel Atom Z520 @ 1.33GHz</u>	122
<u>Mobile Intel Celeron 1.80GHz</u>	121
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	121
<u>AMD G-T40R</u>	120
<u>Intel Pentium III Mobile 800MHz</u>	119
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	119
<u>Mobile Intel Celeron 1.70GHz</u>	118
<u>Intel Pentium 4 Mobile 1.60GHz</u>	116
<u>VIA C7-M 1600MHz</u>	116
<u>Intel Pentium 4 1.80GHz</u>	115
<u>Intel Pentium 4 1800MHz</u>	114
<u>Intel Pentium 4 Mobile 1.80GHz</u>	114
<u>Intel Celeron 1100MHz</u>	113
<u>VIA C7-M 1200MHz</u>	112
<u>Intel Celeron B710 @ 1.60GHz</u>	106
<u>Intel Pentium 4 1.90GHz</u>	104
<u>Intel Celeron 1.70GHz</u>	101
<u>VIA Nehemiah</u>	101
<u>Intel Pentium 4 1700MHz</u>	100
<u>Intel Pentium III Mobile 866MHz</u>	99
<u>Intel Celeron 1.80GHz</u>	96
<u>VIA Esther 1000MHz</u>	95
<u>ARM Cortex-A7 2 Core 960 MHz</u>	93
<u>VIA Eden 1200MHz</u>	93
<u>Intel Pentium 4 1.50GHz</u>	86
<u>Intel Pentium 4 1.70GHz</u>	86
<u>Intel Pentium 4 1.60GHz</u>	84
<u>Intel Pentium 4 1400MHz</u>	83
<u>Intel Pentium 4 1500MHz</u>	81

<u>VIA Eden 1000MHz</u>	80
<u>Intel Pentium 4 1300MHz</u>	77